



The Public Health and Safety Organization

## NSF Product and Service Listings

These NSF Official Listings are current as of **Thursday, July 20, 2017** at 12:15 a.m. Eastern Time. Please [contact NSF International](#) to confirm the status of any Listing, report errors, or make suggestions.

Alert: NSF is concerned about fraudulent downloading and manipulation of website text. Always confirm this information by clicking on the below link for the most accurate information: <http://info.nsf.org/Certified/Plumbing/Listings.asp?CompanyName=nibco&>

---

### NSF/ANSI 14 Plastics Piping System Components and Related Materials

[Click here for a list of End Use Code Designations.](#)

[Click on Product Standards or footnote in blue to view the referenced document](#)

---

#### NIBCO INC.

World Headquarters  
1516 Middlebury Street  
Elkhart, IN 46516-4740  
United States  
574-295-3000

<http://www.nibco.com>

[Visit this company's website \(http://www.nibco.com\)](http://www.nibco.com)

**Facility :** # 1 China

#### Potable Water - Pipe and Fittings

Product Type	Material Type	Trade Name	Product Standard
Valves (PW)+ @ [G]	PVC I-G1	NIBCO	ASTM F1970

#### Compact Ball Valves - Solvent Weld

4660-S 1/2" thru 2"

+ Material complies with NSF/ANSI 61 health effects requirements when tested at 73° F.

@ PVC Valves rated as 150 psi at 73°F.

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

Valves (PW)+ @ [G]	PVC I-G1	NIBCO	ASTM F1970
--------------------	----------	-------	------------

#### Compact Ball Valves - Threaded

4660-T 1/2" thru 2"

+ Material complies with NSF/ANSI 61 health effects requirements when tested at 73° F.

@ PVC Valves rated as 150 psi at 73°F.

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

**Facility :** Greensboro, GA

## Drain, Waste, and Vent - Pipe and Fittings

Product Type	Material Type	Trade Name	Product Standard
<i>Fittings#</i>	<i>PVC I-G1</i>	<i>NIBCO</i>	<i>ASTM D2665</i>
<b>22 1/2° Ells! \$</b>			
4808	4808-2		
<b>45° Ells! \$</b>			
4806	4806-2		
<b>60° Ell! \$</b>			
4860	4860-2		
<b>90° Ells! \$</b>			
4807	4807-2	4807-2CL	4807-2LT
4807-2V	4807-9	4807-CL	4807-LT
4807-V	4861	4861-LH	
<b>Adapters! \$</b>			
4803	4803-2	4804	
<b>Cap\$</b>			
4817			
<b>Cleanout! \$</b>			
4816			
<b>Closet Flanges! \$</b>			
4851	4851-2A	4851-3	4851-4
4851-A	4855		
<b>Coupling! \$</b>			
4801			
<b>Double 90° Ell! \$</b>			
4837			
<b>Fitting Adapter! \$</b>			
4804-2			
<b>Flush Bushing! \$</b>			
4801-2-F			
<b>No Hub Soil Pipe Adapter! \$</b>			
4805-N			
<b>P-Traps</b>			
4880	4881	4884	4885
4892	4895	4895-3	
<b>Plug</b>			
4818			
<b>Return Bends! \$</b>			
4878	4879		
<b>Sewer and Drain Adapter! \$</b>			
4800-SD			
<b>Soil Pipe Adapter! \$</b>			
4800	4805		
<b>Swivel Adapters\$</b>			
4803-2-SW	4803-2-SW-EL		
<b>Tees</b>			
4811	4811-14-FX	4811-14V	4811-2

4811-C	4811-V	4812LR	4814
4835	4835-9	4835-9-9	4836
4870	4871	4872	

#### Trap Adapters

4801-2-7	4801-7
----------	--------

#### Wyes

4810	4834
------	------

! Product may or may not bear the NSF U.P. code marking.

\$ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

\$ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

# Figure numbers may have one of the following optional prefixes used to identify retail packaging requirements: UCP, U, UTP, USP, UPP, UP, UMP, UHP, UBP, PP, MPP, CP, MCP, C, CS, MCC, CL or CLC.

<i>Fittings# ¢</i>	<i>ABS</i>	<i>NIBCO</i>	<i>ASTM D2661</i>
--------------------	------------	--------------	-------------------

#### 22 1/2° Ells

5808\$	5808-2\$
--------	----------

#### 45° Ells

5806\$	5806-2\$
--------	----------

#### 60° Ell

5860\$	5860-2\$
--------	----------

#### 90° Ells

5807\$	5807-2\$	5807-2CL\$	5807-2LT\$
5807-2V\$	5807-3\$	5807-9	5807-CL\$
5807-LT\$	5807-V\$	5861\$	5861-LH\$

#### Adapters

5803\$	5803-2\$	5803-2-CS	5804\$
5816-CS			

#### Caps\$

5817	5826	5827
------	------	------

#### Cleanout

5816\$
--------

#### Closet Flanges

5851\$	5851-2\$	5851-2A\$	5851-3
5851-4	5851-A\$	5855	

#### Coupling

5801\$
--------

#### Double 90° Ell

5837
------

#### Fitting Adapter

5804-2\$
----------

#### Flush Adapter

5803-2-F 1 1/2" x 1 1/4" - 4" x 3"
------------------------------------

#### Flush Bushing

5801-2-F\$
------------

#### Nipple

5829§

#### No Hub Soil Pipe Adapter

5805-N

#### P-Traps

5880

5881

5884

5884-CS

5885§

5892§

5893§

5894-CS

5895§

5895-3§

#### Plug

5818§

5818-CS

#### Return Bends

5878

5879§

#### Sewer and Drain Adapter

5800-SD§

#### Soil Pipe Adapter

5800§

5805§

#### Swivel Adapters

5803-2-SW§

5803-2-SW-EL§

#### Tees

5811§

5811-14-FX§

5811-14V§

5811-14V-CS

5811-2§

5811-C

5811-V§

5812-LR§

5814§

5814-CS

5835§

5835-18§

5835-2B§

5835-9

5835-9-9

5835-B§

5836

5870§

5871§

5872§

#### Trap Adapters

5801-2-7

5801-7

#### Wyes

5810§

5810-14§

5810-2§

5834§

§ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

# Figure numbers may have one of the following optional prefixes used to identify retail packaging requirements: UCP, U, UTP, USP, UPP, UP, UMP, UHP, UBP, PP, MPP, CP, MCP, C, CS, MCC, CL or CLC.

♢ Product is authorized to bear the cNSF and/or the cNSFus Mark.

*Fittings# ¢*

*ABS*

*NIBCO*

*CSA B181.1*

#### 22 1/2° Ells

5808§

5808-2§

#### 45° Ells

5806§

5806-2§

5806-2-SR

5806-SR

#### 60° Ell

5860§

5860-2§

#### 90° Ells

5807§

5807-2§

5807-2-SR

5807-2CL§

5807-2LT§

5807-9

5807-CL§

5807-LT§

5807-SR

5861§

5861-LH§

#### Adapters

5803§

5803-2§

5803-2-CS

5804§

5816-CS

#### Caps§

5817

5826

5827

**Closet Flanges**

5851§	5851-2§	5851-2A§	5851-3
5851-4	5851-A§	5855	

**Coupling**

5801§

**Double 90° Ell**

5837

**Fitting Adapter**

5804-2§

**Flush Adapter**

5803-2-F 1 1/2" x 1 1/4" - 4" x 3"

**Flush Bushing**

5801-2-F§

**Nipple**

5829§	5829-2		
-------	--------	--	--

**No Hub Soil Pipe Adapter**

5805-N

**P-Traps**

5880	5884	5884-CS	5885§
5892§	5892-3-C	5892-B	5892-C
5893§	5894-CS	5895§	5895-3§

**Plug**

5818-CS

**Return Bends**

5878	5879§		
------	-------	--	--

**Sewer and Drain Adapter**

5800-SD§

**Soil Pipe Adapter**

5800§	5805§		
-------	-------	--	--

**Swivel Adapters**

5803-2-SW§	5803-2-SW-EL§		
------------	---------------	--	--

**Tees**

5811§	5811-14V-CS	5811-18	5811-2§
5811-C	5812-LR§	5814-CS	5835§
5835-9	5835-9-9	5835-B§	5836
5870§	5871§	5872§	

**Trap Adapters**

5801-2-7	5801-2-7-B	5801-7	5801-7-B
5801-7-C	5803-2-7C		

**Tray Plug Adapter**

5803-2 TPA 1 1/2"§

**Wyes**

5810§	5810-14§	5810-2§	5810-CS
5834§			

§ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

# Figure numbers may have one of the following optional prefixes used to identify retail packaging requirements: UCP, U, UTP, USP, UPP, UP, UMP, UHP, UBP, PP, MPP, CP, MCP, C,

CS, MCC, CL or CLC.  
¢ Product is authorized to bear the cNSF and/or the cNSFus Mark.

*Fittings (DWV)!* § *PVC I-G1* *NIBCO* **SE 7992**

**Closet Flanges**  
4848-A

! Product may or may not bear the NSF U.P. code marking.  
§ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

*Fittings (DWV)#* *ABS* *NIBCO* **SE 7992**

**Closet Flanges (DWV)**  
5848-A

# Figure numbers may have one of the following optional prefixes used to identify retail packaging requirements: UCP, U, UTP, USP, UPP, UP, UMP, UHP, UBP, PP, MPP, CP, MCP, C, CS, MCC, CL or CLC.

*Fittings§* *ABS* *NIBCO* **SE 12246**

**Tray Plug Adapter**  
5803-2-TPA-SE 1 1/2"

§ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

#### Potable Water - Pipe and Fittings

Product Type	Material Type	Trade Name	Product Standard
<i>Fittings! # + § [G]</i>	<i>PVC I-G1</i>	<i>NIBCO</i>	<i>ASTM D2466</i>
<b>45° Ells Sch 40</b> 4606 (417)			
<b>90° Ells Sch 40</b> 4607 (406)	4607-2 (409)	4607-2-3 (411)	4607-3 (407)
4607-3-3 (408)	4607-3-4 (412)	4607-4 (410)	
<b>Adapters Sch 40</b> 4603 (435)	4603-2 (478)	4604 (436)	
<b>Bushings Sch 40</b> 4618 (437)	4618-3 (438)		
<b>Caps Sch 40</b> 4617 (447)	4617-3 (448)		
<b>Couplings Sch 40</b> 4601 (429)	4601-3-3 (430)		
<b>Plugs Sch 40</b> 4616 (449)	4616-4 (450)		
<b>Tees Sch 40</b> 4611 (401)	4612 (402)	4612-3-3 (405)	

! Product may or may not bear the NSF U.P. code marking.

# Figure numbers may have one of the following optional prefixes used to identify retail packaging requirements: UCP, U, UTP, USP, UPP, UP, UMP, UHP, UBP, PP, MPP, CP, MCP, C, CS, MCC, CL or CLC.

+ Material complies with NSF/ANSI 61 health effects requirements when tested at 73° F.

\$ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

**Facility : Jerome, ID**

**Potable Water - Pipe and Fittings**

Product Type	Material Type	Trade Name	Product Standard
<i>Fittings+ [G]</i>	<i>PVC I-G1</i>	<i>Nibco</i>	<i>ASTM D2466</i>
<b>Tees</b>			
401-100 10"	401-120 12"		
<b>90° Ells</b>			
406-100 10"	406-120 12"		
<b>45° Ells</b>			
417-100 10"	417-120 12"		

+ Material complies with NSF/ANSI 61 health effects requirements when tested at 73° F.

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

**Facility : Charlestown, IN**

**Potable Water - Pipe and Fittings**

Product Type	Material Type	Trade Name	Product Standard
<i>Fittings</i>	<i>CPVC</i>	<i>NIBCO</i>	<i>ASTM F1970</i>
<b>5033-E Union, Socket[G]</b>			
3/4"	1"		

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

<i>Fittings! + § [G]</i>	<i>PVC I-G1</i>	<i>NIBCO/Chemtrol</i>	<i>ASTM D2467</i>
<b>45° Ell Sch 80</b>			
4506	4506-3-3		

**90° Ell Sch 80**

4507 4507-3-3

**Adapters Sch 80**

4503 4504

**Bushings Sch 80**

4518 4518-3 4518-3-4

**Cap Sch 80**

4517 4517-3

**Coupling Sch 80**

4501 4501-3-3

**Plug Sch 80**

4516-4

**Tee Sch 80**

4511 4512-3-3

! Product may or may not bear the NSF U.P. code marking.

+ Material complies with NSF/ANSI 61 health effects requirements when tested at 73° F.

§ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

*Fittings! \* § +++ [G]**CPVC 41**NIBCO/Chemtrol ASTM F439***45° Ell Sch 80**

5106 1/4" - 12" 5106-3-3 1/4" - 12"

**90° Ell Sch 80**

5107 1/4" - 12" 5107-3 1/4" - 12" 5107-3-3 1/4" - 12"

**Adapters Sch 80**

5103 1/4" - 12" 5104 1/4" - 12"

**Bushing Sch 80**

5118 1/4" - 12" 5118-3 1/4" - 12" 5118-3-4 1/4" - 12"

**Cap Sch 80**

5117 1/4" - 12" 5117-3 1/4" - 12"

**Coupling Sch 80**

5101 1/4" - 12" 5101-3-3 1/4" - 12"

**Plug Sch 80**

5116-4 1/4" - 12"

**Tee Sch 80**

5111 1/4" - 12" 5112 1/4" - 12" 5112-3-3 1/4" - 12"

! Product may or may not bear the NSF U.P. code marking.

\* Except 4" Sch 80 socket end caps

§ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

+++ Material complies with NSF/ANSI 61 health effects requirements when tested at

temperatures up to and including Commercial Hot (180° F).

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

<i>Valves! # + § [G]</i>	<i>CPVC 41</i>	<i>NIBCO/Chemtrol ASTM F1970</i>
--------------------------	----------------	--------------------------------------

**Single-Union Ball Valve - FPM**

S51SU-V 1/2" - 2"	T51SU-V 1/2" - 2"	F51SU-V 1/2" - 2"
-------------------	-------------------	-------------------

**True Union Ball Valves - FPM**

S51TB-V 3" - 6"	T51TB-V 3" - 4"	F51TB-V 1/2" - 6"
-----------------	-----------------	-------------------

**True-Union Diverter Ball Valves-FPM@@@**

S51D2-V 1/2" - 2"	T51D2-V 1/2" - 2"	F51D2-V 1/2" - 2"
-------------------	-------------------	-------------------

**True-Union Multiport Ball Valves-FPM@@**

S51M3-V 1/2" - 2"	T51M3-V 1/2" - 2"	F51M3-V 1/2" - 2"
-------------------	-------------------	-------------------

@@@ 3-Way/2-Position

@@ 3-Way/3-Position

! Product may or may not bear the NSF U.P. code marking.

# Product tested for use in cold water (73°F) applications with a rated pressure of 150 PSI.

+ Material complies with NSF/ANSI 61 health effects requirements when tested at 73° F.

\$ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

<i>Fittings (PW)! # + § [G]</i>	<i>PVC I-G1</i>	<i>NIBCO/Chemtrol ASTM F1970</i>
---------------------------------	-----------------	--------------------------------------

**45° Ell, Flanged**

4506-12

**90° Ell, Flanged**

4507-12

**Blind Flange**

4519

**Socket Flange**

4551

**Tee, Flanged**

4511-12

**Threaded Flange**

4551-3

**Union, Socket**

4533

**Union, Socket and Threaded**

4533-3

## Union, Threaded

4533-3-3

! Product may or may not bear the NSF U.P. code marking.  
# Product tested for use in cold water (73°F) applications with a rated pressure of 150 PSI.  
+ Material complies with NSF/ANSI 61 health effects requirements when tested at 73° F.  
\$ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.  
[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

Valves! + \$ ## [G]

CPVC 41

NIBCO/Chemtrol ASTM  
F1970

### True-Union Ball Valves - FPM

NU51TB-V 1/2" - 2"

U51TB-V-BBV 1/2" - 2"

U51TB-V 1/2" -  
2"

! Product may or may not bear the NSF U.P. code marking.  
+ Material complies with NSF/ANSI 61 health effects requirements when tested at 73° F.  
\$ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.  
## Product tested for use in cold water (73°F) applications with a rated pressure of 250 PSI.  
[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

Valves! \$

PVC I-G1

NIBCO/Chemtrol ASTM  
F1970

### Butterfly Valves

Model B-EPDM W45BF-E-NO 4" - 6"

Model B-EPDM W45BF-E-LH 4" - 6"

Model B-EPDM  
W45BF-E-GO 4"  
- 6"

! Product may or may not bear the NSF U.P. code marking.  
\$ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

Valves (PW)! # + \$ [G]

PVC I-G1

NIBCO/Chemtrol ASTM  
F1970

### Angle Valves-FPM

T45AC-V 1/4" - 1"

### Calibrated Needle Valves-FPM

T45CN-V 1/4"

### Chemcock Valves-FPM

A45CC-V 1/4"

M45CC-V 1/4"

### Single-Union Ball Valves-FPM

S45SU-V 1/2" - 2"

T45SU-V 1/2" - 2"

F45SU-V 1/2" -  
2"

**True-Union Ball Check, Foot, and Vent Valve-FPM**

U45BC-V 1/2" - 2"

S45BC-V 3" - 4"

T45BC-V 3" - 4" F45BC-V  
1/2" - 4"**True-Union Ball Valves-FPM**

S45TB-V 3" - 6"

T45TB-V 3" - 4"

F45TB-V 1/2" -  
6"**True-Union Diverter Ball Valves-FPM@@@**

S45D2-V 1/2" - 2"

T45D2-V 1/2" - 2"

F45D2-V 1/2" -  
2"**True-Union Multiport Ball Valves-FPM@@**

S45M3-V 1/2" - 2"

T45M3-V 1/2" - 2"

F45M3-V 1/2" -  
2"**Y-Pattern Valves-FPM**

T45YP-V 1/4" - 1"

@@@ 3-Way/2-Position

@@ 3-Way/3-Position

! Product may or may not bear the NSF U.P. code marking.

# Product tested for use in cold water (73°F) applications with a rated  
pressure of 150 PSI.

+ Material complies with NSF/ANSI 61 health effects requirements when tested at 73° F.

\$ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the  
manufacturer's instructions and the requirements of the latest edition of the Uniform  
Plumbing Code™.[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for  
"lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state  
laws and the U.S. Safe Drinking Water Act.

Valves (PW)! + \$ ## [G]

PVC I-G1

NIBCO/Chemtrol ASTM  
F1970**True-Union BALL Valves - FPM**

U45TB-V 1/2" - 2"

! Product may or may not bear the NSF U.P. code marking.

+ Material complies with NSF/ANSI 61 health effects requirements when tested at 73° F.

\$ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the  
manufacturer's instructions and the requirements of the latest edition of the Uniform  
Plumbing Code™.## Product tested for use in cold water (73°F) applications with a rated pressure of 250  
PSI.[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for  
"lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state  
laws and the U.S. Safe Drinking Water Act.

Fittings (PW)! # \$ +++ [G]

CPVC 41

NIBCO/Chemtrol ASTM  
F1970**45° Ell, Flanged**

5106-12

**90° Ell, Flanged**

5107-12

**Blind Flange**

5119-S

5119-W

5019-H

**Socket Flange**

5151-S

5151-W

5051-H

**Tee, Flanged**

5111-112

**Thread Flange**

5151-3-S

5151-3-W

**Union, Threaded**

5133-3-3

**Union, socket**

5133

**Union, socket and Threaded**

5133-3

**Van Stone Flange**

5051-A

5051-2-A

! Product may or may not bear the NSF U.P. code marking.

# Product tested for use in cold water (73°F) applications with a rated pressure of 150 PSI.

\$ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

+++ Material complies with NSF/ANSI 61 health effects requirements when tested at temperatures up to and including Commercial Hot (180° F).

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

*Fittings! \$ +++ [G]**CPVC**NIBCO**ASTM F438***5001 Coupling**

3/4"

1"

1 1/4"

**5001-G Grooved Adapter**

1 1/4"

**5001R Coupling**

1 1/2" x 3/4"

1 1/2" x 1 1/4"

2" x 1"

**5001R Reducer Coupling**

1" x 3/4"

1 1/4" x 1"

**5006 45° Elbow**

3/4"

1"

1 1/4"

**5007 90° Elbow**

3/4"

1"

1 1/4"

**5007R 90° Reducing Elbow**

1" x 3/4"

**5011 Tee**

3/4"

1"

1 1/4"

**5011R Reducer Tee**

1 1/4" x 1" x 3/4"

1 1/4" x 1" x 1"

1 1/4" x 1" x 1

1 1/4" x 1

1 1/4" x 1 1/4" x 1"

1 1/4" x 1 1/4" x 1 1/2"

1/4"

1/4" x 3/4"

1 1/2" x 1 1/4" x

1 1/2" x 1

3/4"

1/4" x 1"

1 1/2" x 1 1/2" x 3/4"

1 1/2" x 1 1/2" x 1"

1 1/2" x 1 1/2" x 1

2" x 2" x

1/4"

3/4"

2" x 2" x 1 1/4"	2" x 2" x 1"		
<b>5011R Tee</b>			
3/4" x 3/4" x 1"	1" x 3/4" x 3/4"	1" x 3/4" x 1"	1" x 1" x 3/4"
2 1/2" x 2 1/2" x 1"	2 1/2" x 2 1/2" x 1 1/4"		
<b>5017 Cap</b>			
3/4"	1"	1 1/4"	
<b>5018 Bushing</b>			
1 1/4" x 3/4"	1 1/4" x 1"		
<b>5018 Flush Bushing</b>			
2 1/2" x 1"			
<b>5018 Reducer Bushing</b>			
1" x 3/4"			
<b>5035 Cross</b>			
3/4"	1"	1 1/4"	
<b>5035R Reducing Cross</b>			
1" X 3/4"			

! Product may or may not bear the NSF U.P. code marking.

§ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

+++ Material complies with NSF/ANSI 61 health effects requirements when tested at temperatures up to and including Commercial Hot (180° F).

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

<i>Fittings! + § [1] [G]</i>	<i>MLTPL</i>	<i>NIBCO</i>	<i>ASTM F438</i>
<b>5003-2-S-BT Brastic Feml Sprinkler Head Adp MxFNPT</b>			
<b>5003-2-S-PT Brastic Feml Sprinkler Head Adp MxFNPT</b>			
<b>5003-S-BT Brastic Feml Sprinkler Head Adp SxFNPT</b>			
<b>5003-S-BT Brastic Sprinkler Head Adapter SocxFIPT</b>			
3/4" x 1/2"			
<b>5003-S-BT Brastic Sprinkler Head Adapter SocxFIPT</b>			
1" x 1/2"			
<b>5003-S-BTT T-Style Brastic Spr. Head Adptr SocxFPT</b>			
3/4" x 1/2"	1" x 1/2"		
<b>5003-S-PT Brastic Female Sprinkler Head Adp SxFNPT</b>			
<b>5007-3-S-BT Brastic Sprinkler Head 90 SxFNPT</b>			
<b>5007-3-S-PT Brastic Sprinkler Head 90 SxFNPT</b>			
<b>5011-S-BT Brastic Sprinkler Head Tee FIPTxFIPTxSoc</b>			
1/2" x 1/2" x 3/4"			
<b>5011-S-BT Brastic Sprinkler Head Tee FIPTxFIPTxSoc</b>			
1/2" x 1/2" x 1"			
<b>5011-S-BT Brastic Sprinkler Head Tee Soc xSocxFIPT</b>			
2" x 2" x 1/2"			
<b>5011-S-BT Brastic Sprinkler Head Tee SocxSoc xFIPT</b>			
2" x 1 1/2" x 1/2"			
<b>5012-S-BT Brastic Sprinkler Head Tee SxSxFNPT</b>			
<b>5012-S-PT Brastic Sprinkler Head Tee SxSxFNPT</b>			
<b>5035-S-BT Brastic Spr.Head Cross SocxSocxFIPTxFIPT</b>			

1" x 1" x 1/2" x 1/2"

### 5035-S-BT Brastic Spr.Head Cross SocxSocxFIPTxFIPT

3/4" x 3/4" x 1/2" x 1/2"

! Product may or may not bear the NSF U.P. code marking.

+ Material complies with NSF/ANSI 61 health effects requirements when tested at 73° F.

\$ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

[1] Certified for a maximum use of one sprinkler head per eight feet of piping.

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

<i>Fittings! \$ +++ [G]</i>	<i>CPVC</i>	<i>NIBCO</i>	<i>ASTM F439</i>
<b>5001 Coupling</b> 1 1/2"	2"	2 1/2"	3"
<b>5001-G Grooved Adapter</b> 1 1/2"	2"	2 1/2"	3"
<b>5001R Coupling</b> 1 1/2" x 3/4" 2" x 1 1/2"	1 1/2" x 1"	1 1/2" x 1 1/4"	2" x 1"
<b>5006 45° Elbow</b> 1 1/2"	2"	2 1/2"	3"
<b>5007 90° Elbow</b> 1 1/2"	2"	2 1/2"	3"
<b>5011 Tee</b> 1 1/2"	2"	2 1/2"	3"
<b>5011R Reducer Tee</b> 1 1/4" x 1 1/4" x 1 1/2" 1 1/2" x 1 1/2" x 1" 2" x 2" x 1"	1 1/2" x 1 1/4" x 3/4" 1 1/2" x 1 1/2" x 2" 2" x 2" x 1 1/4"	1 1/2" x 1 1/4" x 1" 1/2" x 3/4" 1 1/2" x 1 1/2" x 1 1/4" 3/4" x 1 1/2"	1 1/2" x 1 1/2" x 1 1/4" 2" x 2" x 1 1/2" 3" x 3" x 2 1/2"
<b>5011R Tee</b> 2 1/2" x 2 1/2" x 1" 3" x 3" x 1 1/2"	2 1/2" x 2 1/2" x 2" 3" x 3" x 2"	2 1/2" x 2 1/2" x 1 1/2" x 2" 1/4" x 1 1/2" x 1 1/2"	2 1/2" x 2 1/2" x 1 1/2" x 2" 1/2" x 1 1/2" x 1 1/2"
<b>5017 Cap</b> 1 1/2"	2"	2 1/2"	3"
<b>5018 Bushing</b> 1 1/2" x 3/4" 2" x 1" 2 1/2" x 1 1/2"	1 1/2" x 1" 2" x 1 1/4" 2 1/2" x 2"	1 1/2" x 1 1/4" 2" x 1 1/2" 3" x 2"	2" x 3/4" 2 1/2" x 1 1/4" 3" x 2 1/2"
<b>5018 Flush Bushing</b> 2 1/2" x 1"	3" x 1 1/2"		
<b>5035 Cross</b> 1 1/2"	2"	2 1/2"	3"

! Product may or may not bear the NSF U.P. code marking.

\$ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

Plumbing Code™.

+++ Material complies with NSF/ANSI 61 health effects requirements when tested at temperatures up to and including Commercial Hot (180° F).

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

*Fittings! § +++ [G]*

*CPVC*

*NIBCO*

**SE 8817**

**5001-G-M Grooved Adapter**

65mm x 2 1/2"

! Product may or may not bear the NSF U.P. code marking.

\$ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

+++ Material complies with NSF/ANSI 61 health effects requirements when tested at temperatures up to and including Commercial Hot (180° F).

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

*Valves! # + § [G]*

*CPVC 41*

*NIBCO/Chemtrol ASTM  
F1970*

**Single-Union Ball Valves - EPDM**

S51SU-E 1/2" - 2"

T51SU-E 1/2" - 2"

F51SU-E 1/2" -  
2"

**True-Union Ball Check, Foot, and Vent Valves- EPDM**

U51BC-E 1/2" - 2"

S51BC-E 3" - 4"

T51BC-E 3" - 4" F51BC-E  
1/2" - 4"

**True-Union Ball Valves - EPDM**

S51TB-E 3" - 6"

T51TB-E 3" - 4"

F51TB-E 1/2" - 6"

**True-Union Diverter Ball Valves-EPDM@@@**

S51D2-E 1/2" - 2"

T51D2-E 1/2" - 2"

F51D2-E 1/2" - 2"

**True-Union Multiport Ball Valves-EPDM@@@**

S51M3-E 1/2" - 2"

T51M3-E 1/2" - 2"

F51M3-E 1/2" -  
2"

@@@ 3-Way/2-Position

! Product may or may not bear the NSF U.P. code marking.

# Product tested for use in cold water (73°F) applications with a rated pressure of 150 PSI.

+ Material complies with NSF/ANSI 61 health effects requirements when tested at 73° F.

\$ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

*Valves! + § ## [G]*

*CPVC 41*

*NIBCO/Chemtrol ASTM  
F1970*

**True-Union Ball Valves – EPDM**

U51TB-E 1/2" - 2"

NU51TB-E 1/2" - 2"

! Product may or may not bear the NSF U.P. code marking.  
 + Material complies with NSF/ANSI 61 health effects requirements when tested at 73° F.  
 \$ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.  
 ## Product tested for use in cold water (73°F) applications with a rated pressure of 250 PSI.  
 [G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

Valves (PW)! + \$ ## [G]

PVC I-G1

NIBCO/Chemtrol ASTM  
F1970

#### True-Union Ball Valves - EPDM

NU45TB-E 1/2" - 2"

U45TB-E-BBV 1/2" - 2"

U45TB-E 1/2" -  
2"

! Product may or may not bear the NSF U.P. code marking.  
 + Material complies with NSF/ANSI 61 health effects requirements when tested at 73° F.  
 \$ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.  
 ## Product tested for use in cold water (73°F) applications with a rated pressure of 250 PSI.  
 [G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

Valves (PW)! # + \$ [G]

PVC I-G1

NIBCO/Chemtrol ASTM  
F1970

#### Angle Valves-EPDM

T45AC-E 1/4" - 1"

#### Calibrated Needle Valves-EPDM

T45CN-E 1/4"

#### Single-Union Ball Valves-EPDM

S45SU-E 1/2" - 2"

T45SU-E 1/2" - 2"

F45SU-V 1/2" -  
2"

#### True-Union Ball Check, Foot, and Vent Valves-EPDM

U45BC-E 1/2" - 2"

S45BC-E 3" - 4"

T45BC-E 3" - 4" F45BC-E  
1/2" - 4"

#### True-Union Ball Valves-EPDM

S45TB-E 3" - 6"

T45TB-E 3" - 4"

F45TB-E 1/2" -  
6"

#### True-Union Diverter Ball Valves-EPDM@@@

S45D2-E 1/2" - 2"

T45D2-E 1/2" - 2"

F45D2-E 1/2" -  
2"

#### True-Union Multiport Ball Valves-EPDM

S45M3-E 1/2" - 2"

T45M3-E 1/2" - 2"

F45M3-E 1/2" -  
2"

#### Y-Pattern Valves-EPDM

T45YP-E 1/4" - 1"

@@@ 3-Way/2-Position

! Product may or may not bear the NSF U.P. code marking.  
# Product tested for use in cold water (73°F) applications with a rated pressure of 150 PSI.  
+ Material complies with NSF/ANSI 61 health effects requirements when tested at 73° F.  
\$ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.  
[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

**Facility :** Goshen, IN

**Drain, Waste, and Vent - Pipe and Fittings**

Product Type	Material Type	Trade Name	Product Standard
<i>Fittings#</i>	<i>ABS</i>	<i>NIBCO</i>	<i>ASTM D2661</i>
<b>22 1/2° Ells</b>			
5808\$	5808-2\$		
<b>45° Ells</b>			
5806\$	5806-2\$		
<b>60° Ell</b>			
5860\$	5860-2\$		
<b>90° Ells</b>			
5807\$	5807-2\$	5807-2CL\$	5807-2LT\$
5807-2V\$	5807-3\$	5807-9	5807-CL\$
5807-LT\$	5807-V\$	5861\$	5861-LH\$
<b>Adapters</b>			
5803\$	5803-2\$	5803-2-CS	5804\$
5816-CS			
<b>Caps\$</b>			
5817	5826	5827	
<b>Cleanout</b>			
5816\$			
<b>Closet Flanges</b>			
5851\$	5851-2\$	5851-2A\$	5851-3
5851-4	5851-A\$	5855	
<b>Coupling</b>			
5801\$			
<b>Double 90° Ell</b>			
5837			
<b>Fitting Adapter</b>			
5804-2\$			
<b>Flush Adapter</b>			
5803-2-F 1 1/2" x 1 1/4" - 4" x 3"			
<b>Flush Bushing</b>			
5801-2-F\$			

**Nipple**

5829§

**No Hub Soil Pipe Adapter**

5805-N

**P-Traps**

5880	5881	5884	5884-CS
5885§	5892§	5893§	5894-CS
5895§	5895-3§		

**Return Bends**

5878	5879§
------	-------

**Sewer and Drain Adapter**

5800-SD§

**Soil Pipe Adapter**

5800§	5805§
-------	-------

**Swivel Adapters**

5803-2-SW§	5803-2-SW-EL§
------------	---------------

**Tees**

5811§	5811-14-FX§	5811-14V§	5811-14V-CS
5811-2§	5811-C	5811-V§	5812-LR§
5814§	5814-CS	5835§	5835-18§
5835-2B§	5835-9	5835-9-9	5835-B§
5836	5870§	5871§	5872§

**Trap Adapters**

5801-2-7	5801-7
----------	--------

**Wyes**

5810§	5810-14§	5810-2§	5834§
-------	----------	---------	-------

**plug**

5818§	5818-CS
-------	---------

§ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

# Figure numbers may have one of the following optional prefixes used to identify retail packaging requirements: UCP, U, UTP, USP, UPP, UP, UMP, UHP, UBP, PP, MPP, CP, MCP, C, CS, MCC, CL or CLC.

<i>Fittings#</i>	<i>ABS</i>	<i>NIBCO</i>	<i>CSA B181.1</i>
------------------	------------	--------------	-------------------

**22 1/2° Ells**

5808§	5808-2§
-------	---------

**45° Ells**

5806§	5806-2§	5806-2-SR	5806-SR
-------	---------	-----------	---------

**60° Ell**

5860§	5860-2§
-------	---------

**90° Ells**

5807§	5807-2§	5807-2-SR	5807-2CL§
5807-2LT§	5807-9	5807-CL§	5807-LT§
5807-SR	5861§	5861-LH§	

**Adapters**

5803§	5803-2§	5803-2-CS	5804§
5816-CS			

**Caps§**

5817	5826	5827	
<b>Closet Flanges</b>			
5851§	5851-2§	5851-2A§	5851-3
5851-4	5851-A§	5855	
<b>Coupling</b>			
5801§			
<b>Double 90° Ell</b>			
5837			
<b>Fitting Adapter</b>			
5804-2§			
<b>Flush Adapter</b>			
5803-2-F 1 1/2" x 1 1/4" - 4" x 3"§			
<b>Flush Bushing</b>			
5801-2-F§			
<b>Nipple</b>			
5829§	5829-2		
<b>No Hub Soil Pipe Adapter</b>			
5805-N			
<b>P-Traps</b>			
5880	5884	5884-CS	5885§
5892§	5892-3-C	5892-B	5892-C
5893§	5894-CS	5895§	5895-3§
<b>Plug</b>			
5818-CS			
<b>Return Bends</b>			
5878	5879§		
<b>Sewer and Drain Adapter</b>			
5800-SD§			
<b>Soil Pipe Adapter</b>			
5800§	5805§		
<b>Swivel Adapters</b>			
5803-2-SW§	5803-2-SW-EL§		
<b>Tees</b>			
5811§	5811-14V-CS	5811-18	5811-2§
5811-C	5812-LR§	5814-CS	5835§
5835-9	5835-9-9	5835-B§	5836
5870§	5871§	5872§	
<b>Trap Adapters</b>			
5801-2-7	5801-2-7-B	5801-7	5801-7-B
5801-7-C	5803-2-7C		
<b>Tray Plug Adapter</b>			
5803-2 TPA 1 1/2"§	5803-2 TPA-SE 1 1/2"§		
<b>Wyes</b>			
5810§	5810-14§	5810-2§	5810-CS
5834§			

§ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

# Figure numbers may have one of the following optional prefixes used to identify retail packaging requirements: UCP, U, UTP, USP, UPP, UP, UMP, UHP, UBP, PP, MPP, CP, MCP, C, CS, MCC, CL or CLC.

<i>Fittings (DWV)#</i>	<i>ABS</i>	<i>NIBCO</i>	<b><u>SE 12246</u></b>
------------------------	------------	--------------	------------------------

**Tray Plug Adapter**  
5803-2-TPA-SE 1 1/2"

# Figure numbers may have one of the following optional prefixes used to identify retail packaging requirements: UCP, U, UTP, USP, UPP, UP, UMP, UHP, UBP, PP, MPP, CP, MCP, C, CS, MCC, CL or CLC.

<i>Fittings (DWV)#</i>	<i>ABS</i>	<i>NIBCO</i>	<b><u>SE 7992</u></b>
------------------------	------------	--------------	-----------------------

**Closet Flanges**  
5848-A

# Figure numbers may have one of the following optional prefixes used to identify retail packaging requirements: UCP, U, UTP, USP, UPP, UP, UMP, UHP, UBP, PP, MPP, CP, MCP, C, CS, MCC, CL or CLC.

<i>Fittings (DWV)#</i>	<i>PVC I-G1</i>	<i>NIBCO</i>	<b><u>SE 7992</u></b>
------------------------	-----------------	--------------	-----------------------

**Closet Flanges**  
4848-A

# Figure numbers may have one of the following optional prefixes used to identify retail packaging requirements: UCP, U, UTP, USP, UPP, UP, UMP, UHP, UBP, PP, MPP, CP, MCP, C, CS, MCC, CL or CLC.

<i>Fittings#</i>	<i>PVC I-G1</i>	<i>NIBCO</i>	<i>ASTM D2665</i>
------------------	-----------------	--------------	-------------------

**22 1/2° Ells! §**  
4808

4808-2

**45° Ells! §**  
4806

4806-2

**60° Ell! §**  
4860

4860-2

**90° Ells! §**

4807

4807-2CL

4807-2LT

4807-2V

4807-9

4807-CL

4807-LT

4807-V

4861

4861-LH

**Adapters! §**

4803

4803-2

4804

**Cap§**

4817

**Cleanout! §**

4816

**Closet Flanges! §**

4851

4851-2A

4851-3

4851-4

4851-A

4855

**Coupling! §**

4801

**Double 90° Ell! §**

4837

**Fitting Adapter! §**

4804-2

**Flush Bushing! §**

4801-2-F

**No Hub Soil Pipe Adapter! §**

4805-N

**P-Traps**

4880	4881	4884	4885
4892	4895	4895-3	

**Plug! §**

4818

**Return Bends! §**

4878	4879
------	------

**Sewer and Drain Adapter! §**

4800-SD

**Soil Pipe Adapter! §**

4800	4805
------	------

**Swivel Adapters§**

4803-2-SW	4803-2-SW-EL
-----------	--------------

**Tees! §**

4811	4811-14FX	4811-14V	4811-2
4811-C	4811-V	4812-LR	4814
4835	4835-9	4835-9-9	4836
4870	4871	4872	

**Trap Adapters! §**

4801-2-7	4801-7
----------	--------

**Wyes! §**

4810	4834
------	------

! Product may or may not bear the NSF U.P. code marking.

§ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

§ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

# Figure numbers may have one of the following optional prefixes used to identify retail packaging requirements: UCP, U, UTP, USP, UPP, UP, UMP, UHP, UBP, PP, MPP, CP, MCP, C, CS, MCC, CL or CLC.

**Potable Water - Pipe and Fittings**

Product Type	Material Type	Trade Name	Product Standard
<i>Fittings! # + § [G]</i>	<i>PVC I-G1</i>	<i>NIBCO</i>	<i>ASTM D2466</i>
<b>45° Ell Sch 40</b>			
4606 (417)			
<b>90° Ell Sch 40</b>			
4607 (406)	4607-2 (409)	4607-2-3 (411)	4607-3 (407)
4607-3-3 (408)	4607-3-4 (412)	4607-4 (410)	

**Adapters Sch 40**

4603 (435)	4603-2 (478)	4604 (436)
------------	--------------	------------

**Bushings Sch 40**

4618 (437)	4618-3 (438)
------------	--------------

**Caps Sch 40**

4617 (447)	4617-3 (448)
------------	--------------

**Couplings Sch 40**

4601 (429)	4601-3-3 (430)
------------	----------------

**Plugs Sch 40**

4616 (449)	4616-4 (450)
------------	--------------

**Tees Sch 40**

4611 (401)	4612 (402)	4612-3-3 (405)
------------	------------	----------------

! Product may or may not bear the NSF U.P. code marking.

# Figure numbers may have one of the following optional prefixes used to identify retail packaging requirements: UCP, U, UTP, USP, UPP, UP, UMP, UHP, UBP, PP, MPP, CP, MCP, C, CS, MCC, CL or CLC.

+ Material complies with NSF/ANSI 61 health effects requirements when tested at 73° F.

\$ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

<i>Fittings! # \$ +++ [G]</i>	<i>CPVC</i>	<i>NIBCO</i>	<i>ASTM F438</i>
-------------------------------	-------------	--------------	------------------

**5001 Coupling**

3/4"	1"	1 1/4"
------	----	--------

**5001-G Grooved Adapter**

1 1/4"
--------

**5001R Coupling**

1 1/2" x 3/4"	1 1/2" x 1 1/4"	2" x 1"
---------------	-----------------	---------

**5001R Reducer Coupling**

1" x 3/4"	1 1/4" x 1"
-----------	-------------

**5006 45° Elbow**

3/4"	1"	1 1/4"
------	----	--------

**5007 90° Elbow**

3/4"	1"	1 1/4"
------	----	--------

**5007R 90° Reducing Elbow**

1" x 3/4"
-----------

**5011 Tee**

3/4"	1"	1 1/4"
------	----	--------

**5011R Reducer Tee**

1 1/4" x 1" x 3/4"	1 1/4" x 1" x 1"	1 1/4" x 1" x 1 1/4"
		1/4" x 3/4"
1 1/4" x 1 1/4" x 1"	1 1/4" x 1 1/4" x 1 1/2"	1 1/2" x 1 1/4" 1 1/2" x 1 1/4"
		x 3/4" x 1"
1 1/2" x 1 1/2" x 3/4"	1 1/2" x 1 1/2" x 1"	1 1/2" x 1 1/2" 2" x 2" x 3/4"
		x 1 1/4"
2" x 2" x 1 1/4"	2" x 2" x 1"	

<b>5011R Tee</b>		
3/4" x 3/4" x 1"	1" x 3/4" x 3/4"	1" x 3/4" x 1" 1" x 1" x 3/4"
2 1/2" x 2 1/2" x 1"	2 1/2" x 2 1/2" x 1 1/4"	
<b>5017 Cap</b>		
3/4"	1"	1 1/4"
<b>5018 Bushing</b>		
1 1/4" x 3/4"	1 1/4" x 1"	
<b>5018 Flush Bushing</b>		
2 1/2" x 1"		
<b>5018 Reducer Bushing</b>		
1" x 3/4"		
<b>5019-H Blind Flange</b>		
3/4"	1"	1 1/4"
<b>5035 Cross</b>		
3/4"	1"	1 1/4"
<b>5035R Reducing Cross</b>		
1" X 3/4"		
<b>5051-H Flange</b>		
3/4"	1"	1 1/4"

! Product may or may not bear the NSF U.P. code marking.

# Figure numbers may have one of the following optional prefixes used to identify retail packaging requirements: UCP, U, UTP, USP, UPP, UP, UMP, UHP, UBP, PP, MPP, CP, MCP, C, CS, MCC, CL or CLC.

\$ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

+++ Material complies with NSF/ANSI 61 health effects requirements when tested at temperatures up to and including Commercial Hot (180° F).

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

<i>Fittings! # \$ +++ [G]</i>	<i>CPVC</i>	<i>NIBCO</i>	<i>ASTM F439</i>
<b>5001 Coupling</b>			
1 1/2"	2"	2 1/2"	3"
<b>5001-G Grooved Adapter</b>			
1 1/2"	2"	2 1/2"	3"
<b>5001R Coupling</b>			
1 1/2" x 3/4"	1 1/2" x 1"	1 1/2" x 1 1/4"	2" x 1"
2" x 1 1/2"			
<b>5006 45° Elbow</b>			
1 1/2"	2"	2 1/2"	3"
<b>5007 90° Elbow</b>			
1 1/2"	2"	2 1/2"	3"
<b>5011 Tee</b>			
1 1/2"	2"	2 1/2"	3"
<b>5011R Reducer Tee</b>			
1 1/4" x 1 1/4" x 1 1/2"	1 1/2" x 1 1/4" x 3/4"	1 1/2" x 1 1/4"	1 1/2" x 1 1/2"
1 1/2" x 1 1/2" x 1"	1 1/2" x 1 1/2" x 2"	x 1"	x 3/4"
			2" x 2" x 3/4"

		1 1/2" x 1 1/2"	
		x 1 1/4"	
2" x 2" x 1"	2" x 2" x 1 1/4"	2" x 2" x 1 1/2"	
<b>5011R Tee</b>			
2 1/2" x 2 1/2" x 1"	2 1/2" x 2 1/2" x 2"	2 1/2" x 2 1/2"	2 1/2" x 2 1/2"
		x 1 1/4"	x 1 1/2"
3" x 3" x 1 1/2"	3" x 3" x 2"	3" x 3" x 2	1/2"
<b>5017 Cap</b>			
1 1/2"	2"	2 1/2"	3"
<b>5018 Bushing</b>			
1 1/2" x 3/4"	1 1/2" x 1"	1 1/2" x 1 1/4"	2" x 3/4"
2" x 1"	2" x 1 1/4"	2" x 1 1/2"	2 1/2" x 1 1/4"
2 1/2" x 1 1/2"	2 1/2" x 2"	3" x 2"	3" x 2 1/2"
<b>5018 Flush Bushing</b>			
2 1/2" x 1"	3" x 1 1/2"		
<b>5019-H Blind Flange</b>			
1 1/2"	2"	2 1/2"	3"
<b>5035 Cross</b>			
1 1/2"	2"	2 1/2"	3"
<b>5051-2-A Flange - Van Stone</b>			
3"			
<b>5051-A Flange - Van Stone</b>			
3"			
<b>5051-H Flange</b>			
1 1/2"	2"	2 1/2"	3"

! Product may or may not bear the NSF U.P. code marking.

# Figure numbers may have one of the following optional prefixes used to identify retail packaging requirements: UCP, U, UTP, USP, UPP, UP, UMP, UHP, UBP, PP, MPP, CP, MCP, C, CS, MCC, CL or CLC.

S Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

+++ Material complies with NSF/ANSI 61 health effects requirements when tested at temperatures up to and including Commercial Hot (180° F).

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

<i>Fittings! # ¢ § +++ [G]</i>	<i>CPVC 41</i>	<i>NIBCO</i>	<i>ASTM D2846</i>
--------------------------------	----------------	--------------	-------------------

**45° Ell**  
4706 1/2" - 2"

**45° Street Elbow**  
4706-2 1/2" - 2"

**90° Drop Ear Ell, Slip x Slip**  
1/2" 4707-5

**90° Ell**  
4707 1/2" - 2"

**90° Street Elbow**  
4707-2 1/2" - 2"

**Bushing**

4718 1/2" - 2"

#### Cap

4717 1/2" - 2"

#### Coupling

4701 1/2" - 2"

#### Male Adapter

4704 1/2" - 2"

#### Tee

4711 1/2" - 2"

#### Transition Bushing

4718-T 1/2" - 2"

#### Transition Coupling

4701-T 1/2" - 2"

! Product may or may not bear the NSF U.P. code marking.  
# Figure numbers may have one of the following optional prefixes used to identify retail packaging requirements: UCP, U, UTP, USP, UPP, UP, UMP, UHP, UBP, PP, MPP, CP, MCP, C, CS, MCC, CL or CLC.  
¢ Product is authorized to bear the cNSF and/or the cNSFus Mark.  
\$ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.  
+++ Material complies with NSF/ANSI 61 health effects requirements when tested at temperatures up to and including Commercial Hot (180° F).  
[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

Fittings# % ¢ +++ [G]

CPVC 41

NIBCO

ASTM D2846

#### 90° Drop Ear Ell, Slip x FIPT

1/2" 4707-3-5

#### Adapter

4703

# Figure numbers may have one of the following optional prefixes used to identify retail packaging requirements: UCP, U, UTP, USP, UPP, UP, UMP, UHP, UBP, PP, MPP, CP, MCP, C, CS, MCC, CL or CLC.  
% Product is Certified for use as a non-repeating fitting, not Certified when installed within 30-feet of any other transition fitting.  
¢ Product is authorized to bear the cNSF and/or the cNSFus Mark.  
+++ Material complies with NSF/ANSI 61 health effects requirements when tested at temperatures up to and including Commercial Hot (180° F).  
[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

Fittings! # ¢ § +++ [G]

CPVC 41

NIBCO

CSA B137.6

#### 45° Ell

4706 1/2" - 2"

#### 45° Street Elbow

4706-2 1/2" - 2"

#### 90° Drop Ear Ell, Slip x Slip

1/2" 4707-5

**90° Ell**

4707 1/2" - 2"

**90° Street Elbow**

4707-2 1/2" - 2"

**Bushing**

4718 1/2" - 2"

**Cap**

4717 1/2" - 2"

**Coupling**

4701 1/2" - 2"

**Male Adapter**

4704 1/2" - 2"

**Tee**

4711 1/2" - 2"

**Transition Bushing**

4718-T 1/2" - 2"

**Transition Coupling**

4701-T 1/2" - 2"

! Product may or may not bear the NSF U.P. code marking.

# Figure numbers may have one of the following optional prefixes used to identify retail packaging requirements: UCP, U, UTP, USP, UPP, UP, UMP, UHP, UBP, PP, MPP, CP, MCP, C, CS, MCC, CL or CLC.

¢ Product is authorized to bear the cNSF and/or the cNSFus Mark.

\$ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

+++ Material complies with NSF/ANSI 61 health effects requirements when tested at temperatures up to and including Commercial Hot (180° F).

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

Fittings# % ¢ +++ [G]

CPVC 41

NIBCO

CSA B137.6

**90° Drop Ear Ell, Slip x FIPT**

1/2" 4707-3-5

**Adapter**

4703

# Figure numbers may have one of the following optional prefixes used to identify retail packaging requirements: UCP, U, UTP, USP, UPP, UP, UMP, UHP, UBP, PP, MPP, CP, MCP, C, CS, MCC, CL or CLC.

% Product is Certified for use as a non-repeating fitting, not Certified when installed within 30-feet of any other transition fitting.

¢ Product is authorized to bear the cNSF and/or the cNSFus Mark.

+++ Material complies with NSF/ANSI 61 health effects requirements when tested at temperatures up to and including Commercial Hot (180° F).

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

**5001-G-M Grooved Adapter**

65 mm x 2 1/2"

! Product may or may not bear the NSF U.P. code marking.

# Figure numbers may have one of the following optional prefixes used to identify retail packaging requirements: UCP, U, UTP, USP, UPP, UP, UMP, UHP, UBP, PP, MPP, CP, MCP, C, CS, MCC, CL or CLC.

§ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

Fittings# ¢ § P ++ [G]

PPSU

NIBCO

ASTM F2159

**Adapter**

1/2" NPD22

3/4" NPD22

1 NPD22

1/2" x 3/4"  
NPD22

3/4" x 1/2" NPD22

**Adapter Elbow**

1/2" NPD25BE

3/4" NPD25BE

**Coupling**

1/2" NPD01

3/4" NPD01

1" NPD01

1" x 3/4"  
NPD01R

3/4" x 1/2" NPD01R

**Elbow**

1/2" NPD07

3/4" NPD07

1" NPD07

3/4" x 1/2"  
NPD07R**Plug**

1/2" NP18P

3/4" NP18P

1" NP18P

**Tee**

1/2" NPD11

3/4" NPD11

1/2" x 1/2" x 3/4" x 3/4" x  
3/4" NPD11R 1/2" NPD11R  
1" x 1" x 1/2" 1" x 1" x 3/4"  
NPD11R NPD11R

3/4" x 1/2" x 1/2" NPD11R

3/4" x 1/2" x 3/4" NPD11R

1" x 3/4" x 1" NPD11R

1" x 3/4" x 3/4" NPD11R

# Figure numbers may have one of the following optional prefixes used to identify retail packaging requirements: UCP, U, UTP, USP, UPP, UP, UMP, UHP, UBP, PP, MPP, CP, MCP, C, CS, MCC, CL or CLC.

¢ Product is authorized to bear the cNSF and/or the cNSFus Mark.

§ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

Þ Product is Certified to the International Plumbing Code. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the International Plumbing Code.

++ Material complies with NSF/ANSI 61 health effects requirements when tested at temperatures up to and including Domestic Hot (140° F).

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

Fittings# ¢ § P ++ [G]

PPSU

NIBCO

ASTM F877

<b>Adapter</b>			
1/2" NPD22	3/4" NPD22	1" NPD22	1/2" x 3/4" NPD22
3/4" x 1/2" NPD22			
<b>Adapter Elbow</b>			
3/4" NPD25BE	1/2" NPD25BE		
<b>Coupling</b>			
1/2" NPD01	3/4" NPD01	1" NPD01	3/4" x 1/2" NPD01R
1" x 3/4" NPD01R			
<b>Elbow</b>			
1/2" NPD07	3/4" NPD07	1" NPD07	3/4" x 1/2" NPD07R
<b>Plug</b>			
1/2" NP18P	3/4" NP18P	1" NP18P	
<b>Tee</b>			
1/2" NPD11	3/4" NPD11	1" NPD11	1/2" x 1/2" x 3/4" NPD11R
3/4" x 3/4" x 1/2" NPD11R	3/4" x 1/2" x 1/2" NPD11R	3/4" x 1/2" x 3/4" NPD11R	1" x 1" x 1/2" NPD11R
1" x 1" x 3/4" NPD11R	1" x 3/4" x 1" NPD11R	1" x 3/4" x 3/4" NPD11R	

# Figure numbers may have one of the following optional prefixes used to identify retail packaging requirements: UCP, U, UTP, USP, UPP, UP, UMP, UHP, UBP, PP, MPP, CP, MCP, C, CS, MCC, CL or CLC.

¢ Product is authorized to bear the cNSF and/or the cNSFus Mark.

\$ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

P Product is Certified to the International Plumbing Code. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the International Plumbing Code.

++ Material complies with NSF/ANSI 61 health effects requirements when tested at temperatures up to and including Domestic Hot (140° F).

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

<i>Fittings# ¢ § P ++ [G]</i>	<i>PPSU</i>	<i>NIBCO</i>	<i>CSA B137.5</i>
<b>Adapter</b>			
1/2" NPD22	3/4" NPD22	1" NPD22	1/2" x 3/4" NPD22
3/4" x 1/2" NPD22			
<b>Adapter Elbow</b>			
1/2" NPD25BE	3/4" NPD25BE		
<b>Coupling</b>			
1/2" NPD01	3/4" NPD01	1" NPD01	3/4" x 1/2" NPD01R
1" x 3/4" NPD01R			
<b>Elbow</b>			
1/2" NPD07	3/4" NPD07	1" NPD07	3/4" x 1/2" NPD07R
<b>Plug</b>			
1" NP18P	1/2" NP18P	3/4" NP18P	

**Tee**

1/2" NPD11	3/4" NPD11	1" NPD11	1/2" x 1/2" x 3/4" NPD11R
3/4" x 3/4" x 1/2" NPD11R	3/4" x 1/2" x 1/2" NPD11R	3/4" x 1/2" x 3/4" NPD11R	1" x 1" x 1/2" NPD11R
1" x 3/4" x 3/4" NPD11R	1" x 3/4" x 1" NPD11R	1" x 3/4" x 1" NPD11R	

# Figure numbers may have one of the following optional prefixes used to identify retail packaging requirements: UCP, U, UTP, USP, UPP, UP, UMP, UHP, UBP, PP, MPP, CP, MCP, C, CS, MCC, CL or CLC.

¢ Product is authorized to bear the cNSF and/or the cNSFus Mark.

\$ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

P Product is Certified to the International Plumbing Code. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the International Plumbing Code.

++ Material complies with NSF/ANSI 61 health effects requirements when tested at temperatures up to and including Domestic Hot (140° F).

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

**Facility :** Lebanon, OH

### Potable Water - Pipe and Fittings

Product Type	Material Type	Trade Name	Product Standard
Manifold# @ § ++ [G]	MLTPL	NIBCO PEX	ASTM F877
		Home Run	
		Manifold	
<b>PM6-P-LF</b>			
1"			
<b>PM12-P-LF</b>			
1"			
<b>PM6-LF</b>			
3/4"			
<b>PH40D-LF</b>			
3/4"			
<b>PH32D-LF</b>			
3/4"			
<b>PH24D-LF</b>			
3/4"			
<b>PH16D-LF</b>			
3/4"			
<b>PH16-LF</b>			
3/4"			
<b>PH8-LF</b>			
3/4"			
<b>PM12-LF</b>			
3/4"			
<b>PM6-LF</b>			

1"

**PH40D-LF**

1"

**PH32D-LF**

1"

**PH24D-LF**

1"

**PH16D-LF**

1"

**PH16-LF**

1"

**PH8-LF**

1"

**PM12-LF**

1"

**PH8-LF**

1 1/4"

**PH40D-LF**

1 1/4"

**PH32D-LF**

1 1/4"

**PH24D-LF**

1 1/4"

**PH16D-LF**

1 1/4"

**PH16-LF**

1 1/4"

# Figure numbers may have one of the following optional prefixes used to identify retail packaging requirements: UCP, U, UTP, USP, UPP, UP, UMP, UHP, UBP, PP, MPP, CP, MCP, C, CS, MCC, CL or CLC.

@ Certified for manifolds without ball valves.

\$ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

++ Material complies with NSF/ANSI 61 health effects requirements when tested at temperatures up to and including Domestic Hot (140° F).

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

**Facility :** Stuarts Draft, VA

#### Potable Water - Pipe and Fittings

Product Type	Material Type	Trade Name	Product Standard
<i>Fittings! # § ¨ +++ [G]</i>	<i>MLTPL</i>	<i>NIBCO</i>	<i>ASTM F1807</i>
<b>PC604P Pex x Press Adapter</b>			
1" x 1"	1/2" x 1/2"	1/2" x 3/4"	3/4" x 1/2"
3/4" x 3/4"			

! Product is exempt from bearing the PS 117 performance standard.

# Figure numbers may have one of the following optional prefixes used to identify retail packaging requirements: UCP, U, UTP, USP, UPP, UP, UMP, UHP, UBP, PP, MPP, CP, MCP, C, CS, MCC, CL or CLC.

\$ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

¿ All Listed Products from this facility are NSF Certified, whether or not they bear the NSF Mark.

+++ Material complies with NSF/ANSI 61 health effects requirements when tested at temperatures up to and including Commercial Hot (180° F).

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

*Fittings! # \$ ¿ +++ [G]*

*MLTPL*

*NIBCO*

*ASTM F877*

**PC604P Pex x Press Adapter**

1" x 1"

1/2" x 1/2"

1/2" x 3/4"

3/4" x 1/2"

3/4" x 3/4"

! Product is exempt from bearing the PS 117 performance standard.

# Figure numbers may have one of the following optional prefixes used to identify retail packaging requirements: UCP, U, UTP, USP, UPP, UP, UMP, UHP, UBP, PP, MPP, CP, MCP, C, CS, MCC, CL or CLC.

\$ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

¿ All Listed Products from this facility are NSF Certified, whether or not they bear the NSF Mark.

+++ Material complies with NSF/ANSI 61 health effects requirements when tested at temperatures up to and including Commercial Hot (180° F).

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

*Fittings! # \$ ¿ +++ [G]*

*MLTPL*

*NIBCO*

*CSA B137.5*

**PC604P Pex x Press Adapter**

1" x 1"

1/2" x 1/2"

1/2" x 3/4"

3/4" x 1/2"

3/4" x 3/4"

! Product is exempt from bearing the PS 117 performance standard.

# Figure numbers may have one of the following optional prefixes used to identify retail packaging requirements: UCP, U, UTP, USP, UPP, UP, UMP, UHP, UBP, PP, MPP, CP, MCP, C, CS, MCC, CL or CLC.

\$ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

¿ All Listed Products from this facility are NSF Certified, whether or not they bear the NSF Mark.

+++ Material complies with NSF/ANSI 61 health effects requirements when tested at temperatures up to and including Commercial Hot (180° F).

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

Facility : Taichung, Taiwan

Potable Water - Pipe and Fittings			
Product Type	Material Type	Trade Name	Product Standard
Valves+ @ [G]	PVC I-G1	NIBCO	ASTM F1970
<b>4660-S (Socket End) Compact Ball Valves</b>			
1/2" thru 4"			
<b>4660-T (Threaded End) Comapct Ball Valves</b>			
1/2" thru 4"			
<b>S45CE-E (Solvent Weld)</b>			
1/2" thru 2"			
<b>S45CE-V (Solvent Weld)</b>			
1/2" thru 2"			
<b>T45CE-E (Threaded End)</b>			
1/2" thru 2"			
<b>T45CE-V (Threaded End)</b>			
1/2" thru 2"			

+ Material complies with NSF/ANSI 61 health effects requirements when tested at 73° F.  
@ PVC Valves rated at 150psi at 73°F.  
[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for  
"lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state  
laws and the U.S. Safe Drinking Water Act.

NIBCO INC.  
World Headquarters  
1516 Middlebury Street  
Elkhart, IN 46516-4740  
United States  
574-295-3445

Facility : D USA

Potable Water - Pipe and Fittings			
Product Type	Material Type	Trade Name	Product Standard
Crimp Rings# 3/8" - 1 1/4"	Copper	NIBCO	ASTM F1807

# Product meets the requirements of CSA B137.5 when used with Nibco, Inc. PEX Stub Out fittings Listed to CSA B137.5.

Radiant Floor Heating			
Product Type	Material Type	Trade Name	Product Standard
Crimp Rings# 3/8" - 1 1/4"	Copper	NIBCO	ASTM F1807

# Product meets the requirements of CSA B137.5 when used with Nibco, Inc. PEX Stub Out fittings Listed to CSA B137.5.

---

**NIBCO INC.**  
World Headquarters  
1516 Middlebury Street  
Elkhart, IN 46516-4740  
United States  
574-295-3254

**Facility : # 1 USA**

#### Joining Materials

Product Type	General Material	For Use With	Trade Name	Product Standard
Solvent Cement (1,2) +++ [G]	CPVC	PW	NIBCO® BLAZEMASTER® CPVC Cement FP-1000 One Step Low VOC Red Heavy Bodied	ASTM F493

+++ Material complies with NSF/ANSI 61 health effects requirements when tested at temperatures up to and including Commercial Hot (180° F).

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

(1) This product was evaluated by NSF according to the requirements of NSF/ANSI Standard 61, Section 4.

(2) This product is acceptable for use with pipe and fittings sized 1/2" and greater diameter.

---

**NIBCO INC.**  
World Headquarters  
1516 Middlebury Street  
Elkhart, IN 46516-4740  
United States  
800-234-0227  
574-295-3000

**Facility : # 1 Canada**

#### Potable Water - Pipe and Fittings

Product Type	Material Type	Trade Name	Product Standard
Tubing! \$ ^ ~ ¢ £ \$ +++ [G]	PEX 5006	NIBCO® PEX	ASTM F876/F877
<b>1/4" - 2" (NP 75) SDR 9</b>			

! Orange.

\$ Crosslinked polyethylene plastic hot and cold water distribution system and/or hydronic radiant heating system made in accordance with the current version of the ASTM F877 standard intended for a maximum 100 psi water service and a maximum working temperature of 180°F. System components consist of tubing and/or fittings. To be installed in accordance with manufacturer's instructions and the latest edition of the Uniform Plumbing Code™.

^ Meets the chlorine resistance requirements of ASTM F876 when tested in accordance with ASTM F2023.

~ Accepted by NSF for use in residential and commercial construction, including manufactured housing.

¢ Product is authorized to bear the cNSF and/or the cNSFus Mark.

£ This product is barrier tubing.

\$ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

+++ Material complies with NSF/ANSI 61 health effects requirements when tested at temperatures up to and including Commercial Hot (180° F).

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

*Tubing! \$ ^ ~ ¢ £ \$ +++ [G]*

*PEX*

*NIBCO® CSA B137.5  
PEX*

**1/4" - 2" (NP 75) SDR 9**

! Orange.

\$ Crosslinked polyethylene plastic hot and cold water distribution system and/or hydronic radiant heating system made in accordance with the current version of the ASTM F877 standard intended for a maximum 100 psi water service and a maximum working temperature of 180°F. System components consist of tubing and/or fittings. To be installed in accordance with manufacturer's instructions and the latest edition of the Uniform Plumbing Code™.

^ Meets the chlorine resistance requirements of ASTM F876 when tested in accordance with ASTM F2023.

~ Accepted by NSF for use in residential and commercial construction, including manufactured housing.

¢ Product is authorized to bear the cNSF and/or the cNSFus Mark.

£ This product is barrier tubing.

\$ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

+++ Material complies with NSF/ANSI 61 health effects requirements when tested at temperatures up to and including Commercial Hot (180° F).

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

*Tubing\$ ? ^ ~ ¢ \$ +++ [G]*

*PEX 5306*

*NIBCO® ASTM F876/F877  
PEX-R*

**3/8" - 2" (PR60, Red) SDR 9**  
**3/8" - 2" (PR70, Blue) SDR 9**  
**3/8" - 2" (PR80, White) SDR 9**

\$ Crosslinked polyethylene plastic hot and cold water distribution system and/or hydronic radiant heating system made in accordance with the current version of the ASTM F877 standard intended for a maximum 100 psi water service and a maximum working temperature of 180°F. System components consist of tubing and/or fittings. To be installed in accordance with manufacturer's instructions and the latest edition of the Uniform Plumbing Code™.

? The UV material type 5306 is applicable to the blue, red, and white pipe.

^ Meets the chlorine resistance requirements of ASTM F876 when tested in accordance with ASTM F2023.

~ Accepted by NSF for use in residential and commercial construction, including manufactured housing.

¢ Product is authorized to bear the cNSF and/or the cNSFus Mark.

\$ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

+++ Material complies with NSF/ANSI 61 health effects requirements when tested at temperatures up to and including Commercial Hot (180° F).

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

Tubing\$ ? ^ ~ ¢ \$ +++ [G]

PEX

NIBCO® CSA B137.5  
PEX-R

**3/8" - 2" (PR60, Red) SDR 9**  
**3/8" - 2" (PR70, Blue) SDR 9**  
**3/8" - 2" (PR80, White) SDR 9**

\$ Crosslinked polyethylene plastic hot and cold water distribution system and/or hydronic radiant heating system made in accordance with the current version of the ASTM F877 standard intended for a maximum 100 psi water service and a maximum working temperature of 180°F. System components consist of tubing and/or fittings. To be installed in accordance with manufacturer's instructions and the latest edition of the Uniform Plumbing Code™.

? The UV material type 5306 is applicable to the blue, red, and white pipe.

^ Meets the chlorine resistance requirements of ASTM F876 when tested in accordance with ASTM F2023.

~ Accepted by NSF for use in residential and commercial construction, including manufactured housing.

¢ Product is authorized to bear the cNSF and/or the cNSFus Mark.

\$ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

+++ Material complies with NSF/ANSI 61 health effects requirements when tested at temperatures up to and including Commercial Hot (180° F).

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

Tubing% @ ++ [G]

PE-RT 4710

NIBCO® ASTM F2769  
PERTpro™

**1/4" - 2" SDR 9**

% Meets the chlorine resistance requirements of ASTM F2769 when tested in accordance with ASTM F2023.

@ Blue, natural, red, or white.

++ Material complies with NSF/ANSI 61 health effects requirements when tested at temperatures up to and including Domestic Hot (140° F).

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

Tubing@ ¢ ++ [G]

PE-RT 4710

NIBCO® CSA B137.18  
PERTpro™

**1/4" - 2" SDR 9**

@ Blue, natural, red, or white.

¢ Product is authorized to bear the cNSF and/or the cNSFus Mark.

++ Material complies with NSF/ANSI 61 health effects requirements when tested at temperatures up to and including Domestic Hot (140° F).

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

#### Radiant Floor Heating

Product Type	Material Type	Trade Name	Product Standard
Tubing! \$ ^ ~ ¢ £ \$	PEX 5006	NIBCO® PEX	ASTM F876/F877

#### 1/4" - 2" (NP 75) SDR 9

! Orange.

\$ Crosslinked polyethylene plastic hot and cold water distribution system and/or hydronic radiant heating system made in accordance with the current version of the ASTM F877 standard intended for a maximum 100 psi water service and a maximum working temperature of 180°F. System components consist of tubing and/or fittings. To be installed in accordance with manufacturer's instructions and the latest edition of the Uniform Plumbing Code™.

^ Meets the chlorine resistance requirements of ASTM F876 when tested in accordance with ASTM F2023.

~ Accepted by NSF for use in residential and commercial construction, including manufactured housing.

¢ Product is authorized to bear the cNSF and/or the cNSFus Mark.

£ This product is barrier tubing.

\$ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

Tubing! \$ ^ ~ ¢ £ \$

PEX

NIBCO®  
PEX

CSA B137.5

#### 1/4" - 2" (NP 75) SDR 9

! Orange.

\$ Crosslinked polyethylene plastic hot and cold water distribution system and/or hydronic radiant heating system made in accordance with the current version of the ASTM F877 standard intended for a maximum 100 psi water service and a maximum working temperature of 180°F. System components consist of tubing and/or fittings. To be installed in accordance with manufacturer's instructions and the latest edition of the Uniform Plumbing Code™.

^ Meets the chlorine resistance requirements of ASTM F876 when tested in accordance with ASTM F2023.

~ Accepted by NSF for use in residential and commercial construction, including manufactured housing.

¢ Product is authorized to bear the cNSF and/or the cNSFus Mark.

£ This product is barrier tubing.

\$ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

Tubing\$ ? ^ ~ ¢ \$

PEX 5306

NIBCO®  
PEX-R

ASTM F876/F877

#### 3/8" - 2" (PR60, Red) SDR 9

#### 3/8" - 2" (PR70, Blue) SDR 9

#### 3/8" - 2" (PR80, White) SDR 9

\$ Crosslinked polyethylene plastic hot and cold water distribution system and/or hydronic radiant heating system made in accordance with the current version of the ASTM F877 standard intended for a maximum 100 psi water service and a maximum working temperature of 180°F. System components consist of tubing and/or fittings. To be installed in accordance with manufacturer's instructions and the latest edition of the Uniform Plumbing Code™.

? The UV material type 5306 is applicable to the blue, red, and white pipe.

^ Meets the chlorine resistance requirements of ASTM F876 when tested in accordance with ASTM F2023.

~ Accepted by NSF for use in residential and commercial construction, including manufactured housing.

¢ Product is authorized to bear the cNSF and/or the cNSFus Mark.

\$ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

Tubing\$ ? ^ ~ ¢ \$

PEX

NIBCO®  
PEX-R

CSA B137.5

#### 3/8" - 2" (PR60, Red) SDR 9

#### 3/8" - 2" (PR70, Blue) SDR 9

3/8" - 2" (PR80, White) SDR 9

§ Crosslinked polyethylene plastic hot and cold water distribution system and/or hydronic radiant heating system made in accordance with the current version of the ASTM F877 standard intended for a maximum 100 psi water service and a maximum working temperature of 180°F. System components consist of tubing and/or fittings. To be installed in accordance with manufacturer’s instructions and the latest edition of the Uniform Plumbing Code™.

? The UV material type 5306 is applicable to the blue, red, and white pipe.

^ Meets the chlorine resistance requirements of ASTM F876 when tested in accordance with ASTM F2023.

~ Accepted by NSF for use in residential and commercial construction, including manufactured housing.

† Product is authorized to bear the cNSF and/or the cNSFus Mark.

§ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

Tubing% @ £ ¥	PE-RT PE 2708	NIBCO® PERTpro™ Barrier	ASTM F2623
---------------	---------------	-------------------------------	------------

1/4" - 2" SDR 9

% Meets the chlorine resistance requirements of ASTM F2623 when tested in accordance with ASTM F2023.

@ This barrier tubing product has been evaluated against the performance requirements of ASTM F2623. This product is not NSF Certified for use in a potable water distribution system. This product has been evaluated for use in radiant floor heating (NSF-rfh) applications only.

£ This product is barrier tubing.

¥ Product is Certified to the Uniform Mechanical Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Mechanical Code™.

NIBCO INC.  
 World Headquarters  
 1516 Middlebury Street  
 Elkhart, IN 46516-4740  
 United States  
 574-295-3000

Facility : # 2 China

Potable Water - Pipe and Fittings			
Product Type	Material Type	Trade Name	Product Standard
Fittings# § +++ [G]	PPSU	NIBCO	ASTM F2159
<b>Poly Adapter</b> 1/2" PEX x 1/2" MPT (NPD22)	1/2" PEX x 3/4" MPT (NPD22)	3/4" PEX x 1/2" MPT (NPD22)	3/4" PEX x 3/4" MPT (NPD22)
1" PEX x 1" MPT (NPD22)			
<b>Poly Adapter Elbow</b> 1/2" PEX x 3/8" MPT (NPD25BE)	1/2" PEX x 1/2" MPT (NPD25BE)	3/4" PEX x 1/2" MPT (NPD25BE)	3/4" PEX x 3/4" MPT (NPD25BE)
<b>Poly Insert Coupling</b> 3/8" (NPD01)	3/4" x 1/2" (NPD01R)	1/2" (NPD01)	1/2" x 3/8" (NPD01R)
3/4" (NPD01)	1" x 3/4" (NPD01R)	1" (NPD01)	

<b>Poly Insert Elbow</b>			
3/4" x 1/2" (NPD07R)	1/2" (NPD07)	3/4" (NPD07)	1" (NPD07)
<b>Poly Insert Plug</b>			
3/8" (NP18P)	3/4" (NP18P)	1/2" (NP18P)	1" (NP18P)
<b>Poly Insert Tee</b>			
3/8" (NPD11)	1/2" (NPD11)	1/2" x 1/2" x 3/4" (NPD11)	3/4" (NPD11)
3/4" x 1/2" x 1/2" (NPD11R)	3/4" x 1/2" x 3/4" (NPD11R)	3/4" x 3/4" x 1/2" (NPD11R)	3/4" x 3/4" x 1" (NPD11R)
1" (NPD11)	1" x 3/4" x 3/4" (NPD11R)	1" x 3/4" x 1" (NPD11R)	1" x 1" x 1/2" (NPD11R)
1" x 1" x 3/4" (NPD11R)			
<b>Poly Swivel Adapter</b>			
3/8" PEX x 1/2" FPT (NPD26)	1/2" PEX x 1/2" FPT (NPD26)	3/4" PEX x 3/4" FPT (NPD26)	

<b>Poly Swivel Elbow</b>			
1/2" PEX x 1/2" FPT (NPD26E)	3/4" PEX x 3/4" FPT (NPD26E)		

# Figure numbers may have one of the following optional prefixes used to identify retail packaging requirements: UCP, U, UTP, USP, UPP, UP, UMP, UHP, UBP, PP, MPP, CP, MCP, C, CS, MCC, CL or CLC.

\$ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

+++ Material complies with NSF/ANSI 61 health effects requirements when tested at temperatures up to and including Commercial Hot (180° F).

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

<i>Fittings# \$ +++ [G]</i>	<i>PPSU</i>	<i>NIBCO</i>	<i>ASTM F877</i>
<b>Poly Adapter</b>			
1/2" PEX x 1/2" MPT (NPD22)	1/2" PEX x 3/4" MPT (NPD22)	3/4" PEX x 1/2" MPT (NPD22)	3/4" PEX x 3/4" MPT (NPD22)
1" PEX x 1" MPT (NPD22)			
<b>Poly Adapter Elbow</b>			
1/2" PEX x 3/8" MPT (NPD25BE)	1/2" PEX x 1/2" MPT (NPD25BE)	3/4" PEX x 1/2" MPT (NPD25BE)	3/4" PEX x 3/4" MPT (NPD25BE)
<b>Poly Insert Coupling</b>			
3/8" (NPD01)	3/4" x 1/2" (NPD01R)	1/2" (NPD01)	1/2" x 3/8" (NPD01R)
3/4" (NPD01)	1" x 3/4" (NPD01R)	1" (NPD01)	
<b>Poly Insert Elbow</b>			
3/4" x 1/2" (NPD07R)	1/2" (NPD07)	3/4" (NPD07)	1" (NPD07)
<b>Poly Insert Plug</b>			
3/8" (NP18P)	3/4" (NP18P)	1/2" (NP18P)	1" (NP18P)
<b>Poly Insert Tee</b>			
3/8" (NPD11)	1/2" (NPD11)	1/2" x 1/2" x 3/4" (NPD11)	3/4" (NPD11)
3/4" x 1/2" x 1/2" (NPD11R)	3/4" x 1/2" x 3/4" (NPD11R)	3/4" x 3/4" x 1/2" (NPD11R)	3/4" x 3/4" x 1" (NPD11R)
1" (NPD11)	1" x 3/4" x 3/4" (NPD11R)	1" x 3/4" x 1" (NPD11R)	1" x 1" x 1/2" (NPD11R)

1" x 1" x 3/4" (NPD11R)

#### Poly Swivel Adapter

3/8" PEX x 1/2" FPT (NPD26)

1/2" PEX x 1/2" FPT (NPD26)

3/4" PEX x  
3/4" FPT  
(NPD26)

#### Poly Swivel Elbow

1/2" PEX x 1/2" FPT (NPD26E)

3/4" PEX x 3/4" FPT (NPD26E)

# Figure numbers may have one of the following optional prefixes used to identify retail packaging requirements: UCP, U, UTP, USP, UPP, UP, UMP, UHP, UBP, PP, MPP, CP, MCP, C, CS, MCC, CL or CLC.

\$ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

+++ Material complies with NSF/ANSI 61 health effects requirements when tested at temperatures up to and including Commercial Hot (180° F).

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

Fittings# ¢ \$ +++ [G]

PPSU

NIBCO

CSA B137.5

#### Poly Adapter

1/2" PEX x 1/2" MPT (NPD22)

1/2" PEX x 3/4" MPT (NPD22)

3/4" PEX x  
1/2" MPT  
(NPD22)

3/4" PEX x  
3/4" MPT  
(NPD22)

1" PEX x 1" MPT (NPD22)

#### Poly Adapter Elbow

1/2" PEX x 3/8" MPT (NPD25BE)

1/2" PEX x 1/2" MPT (NPD25BE)

3/4" PEX x  
1/2" MPT  
(NPD25BE)

3/4" PEX x  
3/4" MPT  
(NPD25BE)

#### Poly Insert Coupling

3/8" (NPD01)

3/4" x 1/2" (NPD01R)

1/2" (NPD01)

1/2" x  
3/8" (NPD01R)

3/4" (NPD01)

1" x 3/4" (NPD01R)

1" (NPD01)

#### Poly Insert Elbow

3/4" x 1/2" (NPD07R)

1/2" (NPD07)

3/4" (NPD07)

1" (NPD07)

#### Poly Insert Plug

3/8" (NP18P)

1/2" (NP18P)

3/4" (NP18P)

1" (NP18P)

#### Poly Insert Tee

3/8" (NPD11)

1/2" (NPD11)

1/2" x 1/2" x  
3/4" (NPD11R)

3/4" (NPD11)

3/4" x 1/2" x 1/2" (NPD11R)

3/4" x 1/2" x 3/4" (NPD11R)

3/4" x 3/4" x  
1/2" (NPD11R)

3/4" x 3/4"

1" (NPD11)

1" x 3/4" x 3/4" (NPD11R)

1" x 3/4" x  
1" (NPD11R)

1" x 1" x

1/2" (NPD11R)

1" x 1" x 3/4" (NPD11R)

#### Poly Swivel Adapter

3/8" PEX x 1/2" FPT (NPD26)

1/2" PEX x 1/2" FPT (NPD26)

3/4" PEX x  
3/4" FPT  
(NPD26)

#### Poly Swivel Elbow

1/2" PEX x 1/2" FPT (NPD26E)

3/4" PEX x 3/4" FPT (NPD26E)

# Figure numbers may have one of the following optional prefixes used to identify retail packaging requirements: UCP, U, UTP, USP, UPP, UP, UMP, UHP, UBP, PP, MPP, CP, MCP, C, CS, MCC, CL or CLC.

¢ Product is authorized to bear the cNSF and/or the cNSFus Mark.

§ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

+++ Material complies with NSF/ANSI 61 health effects requirements when tested at temperatures up to and including Commercial Hot (180° F).

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

*Fittings*§ +++ [G] *PPSU* *NIBCO* *ASTM F2159*

**Faucet Adapter Elbow**

Poly Swivel Elbow (Faucet), 3/4 x 1/2, (NPD26E)

**Multiport Tees - Closed**

Multiport Tee, 3/4" Inlet, Closed, 3/4 x 1/2 (2), (NPDCMT102) Multiport Tee, 3/4" Inlet, Closed, 3/4 x 1/2 (3), (NPDCMT103)

**Multiport Tees - Open**

Multiport Tee, 3/4" Inlet & Outlet, Open, 3/4 x 3/4 x 1/2 (2), (NPDOMT102)

**NPSM Plastic Swivel Elbow**

Poly Swivel Elbow (Faucet), 1/2 x 3/4, (NPD26E)

**Plastic Swivel Adapter**

Poly Swivel Adapter (Faucet), 1/2 x 3/4, (NPD26)

§ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

+++ Material complies with NSF/ANSI 61 health effects requirements when tested at temperatures up to and including Commercial Hot (180° F).

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

*Fittings*§ +++ [G] *PPSU* *NIBCO* *ASTM F877*

**Faucet Adapter Elbow**

Poly Swivel Elbow (Faucet), 3/4 x 1/2, (NPD26E)

**Multiport Tees - Closed**

Multiport Tee, 3/4" Inlet, Closed, 3/4 x 1/2 (2), (NPDCMT102) Multiport Tee, 3/4" Inlet, Closed, 3/4 x 1/2 (3), (NPDCMT103)

**Multiport Tees - Open**

Multiport Tee, 3/4" Inlet & Outlet, Open, 3/4 x 3/4 x 1/2 (2), (NPDOMT102)

**NPSM Plastic Swivel Elbow**

Poly Swivel Elbow (Faucet), 1/2 x 3/4, (NPD26E)

**Plastic Swivel Adapter**

Poly Swivel Adapter (Faucet), 1/2 x 3/4, (NPD26)

§ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

+++ Material complies with NSF/ANSI 61 health effects requirements when tested at temperatures up to and including Commercial Hot (180° F).

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for

“lead free” plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

Fittings\$ +++ [G] PPSU NIBCO CSA B137.5

**Faucet Adapter Elbow**

Poly Swivel Elbow (Faucet), 3/4 x 1/2, (NPD26E)

**Multiport Tees - Closed**

Multiport Tee, 3/4" Inlet, Closed, 3/4 x 1/2 (2), (NPDCMT102) Multiport Tee, 3/4" Inlet, Closed, 3/4 x 1/2 (3), (NPDCMT103)

**Multiport Tees - Open**

Multiport Tee, 3/4" Inlet & Outlet, Open, 3/4 x 3/4 x 1/2 (2), (NPDOMT102)

**NPSM Plastic Swivel Elbow**

Poly Swivel Elbow (Faucet), 1/2 x 3/4, (NPD26E)

**Plastic Swivel Adapter**

Poly Swivel Adapter (Faucet), 1/2 x 3/4, (NPD26)

⌘ Product is authorized to bear the cNSF and/or the cNSFus Mark.

\$ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

+++ Material complies with NSF/ANSI 61 health effects requirements when tested at temperatures up to and including Commercial Hot (180° F).

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for “lead free” plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

Manifolds\$ +++ [G] PPSU NIBCO ASTM F2159

**Multiport Tees - Closed**

Multiport Tee, 3/4" Inlet, Closed, 3/4 x 1/2 (4), (NPDCMT104) Multiport Tee, 1" Inlet, Closed, 1 x 1/2 (6), (NPDCMT106)

**Multiport Tees - Open**

Multiport Tee, 3/4" Inlet & Outlet, Open, 3/4 x 3/4 x 1/2 (3), (NPDOMT103) Multiport Tee, 3/4" Inlet & Outlet, Open, 3/4 x 3/4 x 1/2 (4), (NPDOMT104) Multiport Tee, 3/4" Inlet & Outlet, Open, 3/4 x 3/4 x 1/2 (6), (NPDOMT106)

\$ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

+++ Material complies with NSF/ANSI 61 health effects requirements when tested at temperatures up to and including Commercial Hot (180° F).

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for “lead free” plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

Manifolds\$ +++ [G] PPSU NIBCO ASTM F877

**Multiport Tees - Closed**

Multiport Tee, 3/4" Inlet, Closed, 3/4 x 1/2 (4), (NPDCMT104) Multiport Tee, 1" Inlet, Closed, 1 x 1/2 (6), (NPDCMT106)

**Multiport Tees - Open**

Multiport Tee, 3/4" Inlet & Outlet, Open, 3/4 x 3/4 x 1/2 (3),  
(NPDOMT103)

Multiport Tee, 3/4" Inlet & Outlet, Open, 3/4 x 3/4 x 1/2 (4),  
(NPDOMT104)

Multiport Tee,  
3/4" Inlet &  
Outlet, Open,  
3/4 x 3/4 x 1/2  
(6),  
(NPDOMT106)

§ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

+++ Material complies with NSF/ANSI 61 health effects requirements when tested at temperatures up to and including Commercial Hot (180° F).

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for “lead free” plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

Manifolds¢ § +++ [G]

PPSU

NIBCO

CSA B137.5

Multiport Tees - Closed

Multiport Tee, 3/4" Inlet, Closed, 3/4 x 1/2 (4), (NPDCMT104) Multiport Tee, 1" Inlet, Closed, 1 x 1/2 (6), (NPDCMT106)

Multiport Tees - Open

Multiport Tee, 3/4" Inlet & Outlet, Open, 3/4 x 3/4 x 1/2 (3),  
(NPDOMT103)

Multiport Tee, 3/4" Inlet & Outlet, Open, 3/4 x 3/4 x 1/2 (4),  
(NPDOMT104)

Multiport Tee,  
3/4" Inlet &  
Outlet, Open,  
3/4 x 3/4 x 1/2  
(6),  
(NPDOMT106)

¢ Product is authorized to bear the cNSF and/or the cNSFus Mark.

§ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

+++ Material complies with NSF/ANSI 61 health effects requirements when tested at temperatures up to and including Commercial Hot (180° F).

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for “lead free” plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

NIBCO INC.  
World Headquarters  
1516 Middlebury Street  
Elkhart, IN 46516-4740  
United States  
574-295-3000

Facility : D China

Potable Water - Pipe and Fittings			
Product Type	Material Type	Trade Name	Product Standard
Fittings@ ¢ +++ [G]	MLTPL	HEATLINK	ASTM F1807
Brass Coupling			
NP01S-LF 1 BRASS COUPLING W/ STOP (PX80605X)			
Brass Elbow Female Thread			
1/2" PEX x 3/4" FIP ADAPTER ELBOW NP26BE-LF (PX81317X)	NP26BE-LF 1/2" PEX X 3/4" FIP ADAPTER ELBOW BAG NP26BE-LF 1/2" NP26BE-LF 1/2" PEX X 3/4" FIP PEX X FIP		

		ELBOW (PX81317XR1)	ELBOW (PX81316XR1)
<b>Brass Female Adapter</b>			
3/4" PEX x 1" FIP BRNZ ADPT NP26B-LF (PX81305X)	NP26B 3/4" PEX X 1" FPT NONSVL DZR ADPT BAG 1 (PX81305XR1)	NP26B-LF 1 1/4" PEX X 1" FPT NON-SVL ADPT (PX81313X)	UPNP26B-LF 3/4" PEX x 1" FIP BRNZ ADI BAG 1 NP26B- LF (PX81305XR1)
<b>Brass Sweat Female Elbow</b>			
UPNP22FELF 1/2" PEX x FEM SWEAT ADP ELB BG1 NP22FE-LF (PX81020XR1)			
<b>Brass Swivel Elbow w/ Brass Nut</b>			
UPNP26BE-LF 3/4" PEX x 1/2" FIP ADAPT ELB BG 1 NP26BE-LF (PX81710XR1)			
<b>Coupling</b>			
NP29 1/2" PEX x 1/2" PB DZR TRANSITION FITTING (PX81530X)	NP29 3/4" PEX X 3/4" PB DZR TRANS FITTING (PX81540X)	NP29R-LF 1/2" PEX x PB TRANSITION KIT (PX02283X)	NP29R-LF 3/4" PEX x PB TRANSITION KIT (PX02293
<b>Drop-Ear Elbow</b>			
NP28 1/2" PEX X 1/2" FIP DZR DROP Whls R ELBOW (PX81400X)	NP28 1/2" PEX X 1/2" FPT DZR DROP Whls R EL Bag 1 (PX81400XR1)	NP28 3/4" PEX X 3/4" FIP DZR DROP Whls R ELBOW (PX81420X)	
<b>Elbow</b>			
NP07 1 1/4" DZR BRASS ELBOW (PX80670X)	NP07 1" DZR BRASS ELBOW (PX80660X)	NP07 1" DZR BRASS ELBOW Bag of 2 (PX80660XR2)	NP07 1/2" DZ BRASS ELBOV (PX80630X)
NP07 1/2" DZR BRASS ELBOW BAG OF 10 (PX80630XR10)	NP07 1/2" DZR BRASS ELBOW Bag of 2 (PX80630XR2)	NP07 1/2" DZR BRASS ELBOW Bag of 25 (PX80631X)	NP07 3/4" DZ BRASS ELBOV (PX80650X)
NP07 3/4" DZR BRASS ELBOW BAG OF 10 (PX80650XR10)	NP07 3/4" DZR BRASS ELBOW BAG OF 50 (PX80650XR50)	NP07 3/4" DZR BRASS ELBOW Bag of 2 (PX80650XR2)	NP07 3/8" DZ BRASS ELBOV (PX80620X)
NP07 3/8" DZR BRASS ELBOW Bag of 2 (PX80620XR2)	NP07R 3/4" X 1/2" DZR BRASS ELBOW (PX80640X)	NP07R 3/4" X 1/2" DZR BRASS ELBOW BAG OF 2 (PX80640XR2)	
<b>Elbow Male Thread</b>			
3/4" PEX X MIP BRONZE ADAPTER ELBOW BAG OF 1 (PX81510XR1)	3/4" PEX x 3/4" MIP BRONZE ADAPTER ELBOW NP25BE-LF (PX81504X)	NP25BE 1/2" PEX X 1/2" MIP DZR ELBOW (PX81500X)	NP25BE 1/2" PEX X 1/2" MI DZR ELBOW BAG 1 (PX81500XR1)
NP25BE 3/4" PEX X 3/4" MIP DZR ELBOW (PX81510X)	NP25BE-LF 1/2" BARB X 3/4" MPT ELBOW BAG 2 (PX81505XR2)	NP25BE-LF 1/2" BARB x 3/4" MPT ELBOW NP25BE-LF (PX81505X)	NP25BE-LF 1/ PEX X 3/8" MI ELBOW BAG 1 (PX81490XR1)
NP25BE-LF 1/2" PEX x 3/8" MIP ELBOW NP25BE-LF (PX81490X)	NP25BE-LF 3/4" BARB x 1/2" MPT BRONZE ELBOW NP25BE-LF (PX81502X)	UPNP25BE-LF 3/4" PEX X MIP BRONZE ADAPTER ELBOW BAG OF LF 1(PX81504XR1)	UPNP25BE-LF 3/4" PEX x 1/2 MPT ELBOW BAG 1 NP25BE (PX81502XR1)

**Equal Coupling**

NP01 1" DZR BRASS COUPLING (PX80570X)	NP01 1" DZR BRASS COUPLING Bag of 2 (PX80570XR2)	NP01 1/2" DZR BRASS COUPLING (PX80520X)	NP01 1/2" DZR BRASS COUPLING BAG OF 10 (PX80520XR10)
NP01 1/2" DZR BRASS COUPLING BAG OF 2 (PX80520XR2)	NP01 1/2" DZR Brass Coupling Bag of 25 (PX80521X)	NP01 3/4" DZR BRASS COUPLING (PX80550X)	NP01 3/4" DZR BRASS COUPLING BAG OF 10 (PX80550XR10)
NP01 3/4" DZR BRASS COUPLING BAG OF 50 (PX80550XR50)	NP01 3/4" DZR BRASS COUPLING Bag of 2 (PX80550XR2)	NP01 3/8" DZR BRASS COUPLING (PX80500X)	NP01 3/8" DZR BRASS COUPLING Bag of 2 (PX80500XR2)
NP27-LF 3/8" PEX FAUCET ADPT - BAG OF 2 NP27-LF (PX81330XR2)	NP27-LF 3/8" PEX FAUCET ADPT NP27-LF (PX81330X)		

**Equal Tee**

NP11 1 1/4" BRASS TEE NP11-LF (PX80860X)	NP11 1 1/4" DZR BRASS TEE BAG OF 10 (PX80860XR10)	NP11 1" DZR BRASS TEE (PX80820X)	NP11 1" DZR BRASS TEE Bag of 1 (PX80820XR1)
NP11 1/2" DZR BRASS TEE (PX80710X)	NP11 1/2" DZR BRASS TEE BAG OF 10 (PX80710XR10)	NP11 1/2" DZR BRASS TEE Bag of 1 (PX80710XR1)	NP11 1/2" DZR BRASS TEE Bag of 25 (PX80711X)
NP11 3/4" DZR BRASS TEE BAG OF 10 (PX80760XR10)	NP11 3/4" DZR BRASS TEE BAG OF 25 (PX80760X)	NP11 3/4" DZR BRASS TEE BAG OF 50 (PX80760XR50)	NP11 3/4" DZR BRASS TEE Bag of 1 (PX80760XR1)
NP11-LF 3/8 PEX INSERT TEE BAG OF 1 (PX80680XR1)	NP11-LF 3/8" PEX INSERT TEE NP11-LF (PX80680X)		

**Female Adapter**

3/4" PEX x 1/2" FIP Adapter NP26B-LF (PX81285X)	NP26B 1 1/4" PEX x 1 1/4" FIP DZR NON-SVL ADPT (PX81315X)	NP26B 1" PEX X 1" FIP DZR NON-SWIVEL ADPT (PX81310X)	NP26B 1" PEX X 1" FPT DZR NON-SVL ADF Bag 1 (PX81310XR1)
NP26B 1/2" PEX X 1/2" FIP DZR NON-SVL ADPT (PX81270X)	NP26B 1/2" PEX X 1/2" PT DZR NONSVL ADPT Bag 1 (PX81270XR1)	NP26B 1/2" PEX X 3/4" FIP DZR NON-SVL ADPT (PX81280X)	NP26B 1/2" PEX X 3/4" FPT DZ NONSVL ADPT Bag 1 (PX81280XR1)
NP26B 1/2" PEX x 1/2" FPT NONSVL DZR ADPT Bag 25 (PX81271X)	NP26B 3/4" PEX X 3/4" FIP DZR ADAPTER (PX81300X)	NP26B 3/4" PEX X 3/4" FPT DZR NONSVL ADPT Bag 1 (PX81300XR1)	UPNP26B-LF 3/4" PEX x 1/2" FIP Adapter BAG OF 1 (PX81285XR1)
UPNP26B-LF 3/4" PEX x 1/2" FIP Adapter BAG OF 10 (PX81285XR10)			

**Female Sweat**

NP23F 1 1/4 PEX X 1 1/4" F DZR SWT ADAPTER (PX81145X)	NP23F 1" PEX X 1" FEMALE DZR SWT ADAPTER (PX81140X)	NP23F 1" PEX X 1" FEMALE X 1/2" FEM SWT DZR ADPT Bag 2 (PX81140XR2)	NP23F 1/2" PEX X 1/2" FEM SWT DZR ADF Bag of 2 (PX81120XR2)
NP23F 1/2" PEX X 1/2" FEMALE DZR SWT ADPT (PX81120X)	NP23F 1/2" PEX X 3/4" FEMALE SWT DZR ADPT Bag 2 (PX01676XR2)	NP23F 1/2" PEX X 3/4" FEMALE SWWhls T ADAPTER (PX01676X)	NP23F 1/2" PEX X 1/2" FEM SW DZR ADPT Bag 25 (PX81121X)
NP23F 3/4" PEX X 3/4" FEMALE DZR SWT ADPT (PX81130X)	NP23F 3/4" PEX X 3/4" FEMALE SWT DZR ADPT Bag 2 (PX81130XR2)		

**Female Sweat Elbow**

1/2" PEX x 3/4" FEMALE SWEAT ADAPTER ELBOW NP22FE-LF (PX81025X)	3/4" PEX x 3/4" FEMALE SWEAT ADAPTER ELBOW NP22FE-LF (PX81030X)	UPNP22FELF 1/2" PEX x 3/4" FEM SWT ADP EL BG1 NP22FE-LF (PX81025XR1)	UPNP22FELF 3/4" PEX x FE SWT ADAP EL BG1 NP22FE-I (PX81030XR1)
<b>In PEX Brass Tee</b>			
NP11 3/8" X 3/8" X 1/2" DZR BRASS TEE (PX80690X)			
<b>Male Adapter</b>			
1/2" PEX x 3/8" MIP ADAPTER NP25B-LF (PX81185X)	NP25B 1 1/4" PEX X 1 1/4" MIP DZR ADAPTER (PX81265X)	NP25B 1" PEX X 1" MIP DZR ADAPTER (PX81260X)	NP25B 1" PEX 1" MPT DZR ADAPTER Bag of 1 (PX81260XR1)
NP25B 1/2" PEX X 1/2" MIP DZR ADAPTER BAG OF 50 (PX81190XR50)	NP25B 1/2" PEX x 1/2" MIP ADAPTER NP25B-LF (PX81190X)	NP25B 3/4" PEX X 3/4" MIP DZR ADAPTER BAG OF 10 (PX81220XR10)	NP25B 3/4" PE X 3/4" MIP DZ ADAPTER BAG OF 50 (PX81220XR50)
NP25B 3/4" PEX x 3/4" MIP ADAPTER NP25B-LF (PX81220X)	NP25B-LF 1/2" PEX X 3/8" MIP ADAPTER BAG OF 1 (PX81185XR1)	UTPNP25B-LF 1/2" PEX X 1/2" MIP ADPT BAG OF 10 (PX81190XR10)	
<b>Male Sweat</b>			
NP23 1/2" PEX X 1/2" MALE DZR SWT ADAPTER (PX81070X)	NP23 1/2" PEX X 1/2" MALE SWT DZR ADPT BAG 2 (PX81070XR2)	NP23 1/2" PEX X 3/4" DZR MALE SWWhls T ADAPT (PX01646X)	NP23 1/2" PEX X 3/4" MALE SWT DZR ADF Bag 2 (PX01646XR2)
NP23 1/2" PEX x 1/2" MALE SWT DZR ADPT Bag 25 (PX81071X)	NP23 3/4" PEX X 1/2" MALE DZR SWT ADAPT (PX01751X)	NP23 3/4" PEX X 1/2" MALE SWT DZR ADPT Bag 2 (PX01751XR2)	
<b>PEX Barb Coupling</b>			
NP01 1 1/4" DZR BRASS COUPLING (PX80580X)	NP01R 1 1/4" X 1" DZR BRASS COUPLING (PX80600X)	NP01R 1 1/4" X 3/4" DZR BRASS COUPLING (PX80590X)	
<b>PEX Brass Drop-Ear Elbow</b>			
NP28 3/4" PEX X 1/2" FIP DZR DROP Whls R ELBOW (PX81410X)	NP28 3/4" PEX X 1/2" FPT DZR DROP Whls R EL BAG 1 (PX81410XR1)		
<b>PEX Brass Male Adatper</b>			
NP25B 3/4" PEX X 1" MIP DZR ADAPTER (PX81250X)	NP25B 3/4" PEX X 1" MPT DZR ADPT BAG OF 2 (PX81250XR2)		
<b>PEX Seperator</b>			
1 1/4" PEX Seperator NP01S-LF (PX80610X)			
<b>PEX Tee</b>			
NP11R 1 1/4" X 1 1/4" X 1" DZR BRASS TEE (PX80870X)	NP11R 1 1/4" X 1" X 1" DZR BRASS TEE BAG OF 10 (PX80880XR10)	NP11R 1 1/4" x 1" x 1" BRASS TEE NP11R-LF (PX80880X)	NP11R 1" X 1/2" X 1" DZR BRASS TEE (PX80840X)
NP11R 1" X 1/2" X 3/4" DZR BRASS TEE (PX80830X)	NP23 1 1/4" PEX X 1 1/4" MALE DZR SWT ADPT (PX81110X)	NP23 1" PEX X 1" MALE DZR SWWhls T ADAPTER (PX81100X)	NP23 1" PEX X 1" MALE SWWhls T DZI ADPT Bag 2 (PX81100XR2)
NP23 3/4" PEX X 3/4" MALE DZR SWT ADAPTER (PX81090X)	NP23 3/4" PEX X 3/4" MALE SWT DZR ADPT BAG 2 (PX81090XR2)	NP25B 1" PEX X 3/4" MIP DZR	NP25B 1" PEX 3/4" MPT DZR ADAPTER Bag

NP25B 1/2" PEX X 1/2" MPT DZR ADPT Bag of 1 (PX81190XR1)	NP25B 1/2" PEX X 3/4" MIP DZR ADAPTER (PX81200X)	ADAPTER of 2 (PX81240X) (PX81240XR2)	
		NP25B 1/2" PEX X 3/4" MPT DZR ADPT Bag of 1 (PX81200XR1)	NP25B 1/2" PEX x 1/2" MPT DZR ADPT Bag 25 (PX81191X)
NP25B 3/4" PEX X 1/2" MIP DZR ADAPTER (PX81210X)	NP25B 3/4" PEX X 1/2" MPT DZR ADPT Bag of 1 (PX81210XR1)	NP25B 3/4" PEX X 3/4" MPT DZR ADPT Bag of 1 (PX81220XR1)	NP25B 3/4" PEX x 3/4" MPT DZR ADPT Bag 25 (PX81221X)
NP25B 3/8" PEX X 1/2" MIP DZR ADAPTER (PX81180X)	NP25B 3/8" PEX X 1/2" MPT DZR ADPT Bag of 1 (PX81180XR1)		

### PEX To Polybutylene

5/8" COMP. 083 SDR9 X 3/4" MALE SWEAT AD (PX81600X)

### Reducing Coupling

NP01R 1" X 3/4" DZR BRASS COUPLING (PX80560X)	NP01R 1" X 3/4" DZR BRASS COUPLING Bag of 2 (PX80560XR2)	NP01R 1/2" X 3/8" DZR BRASS COUPLING Bag 2 (PX80510XR2)	NP01R 3/4" X 1/2" DZR BRASS COUPLING (PX80540X)
NP01R 3/4" X 1/2" DZR BRASS COUPLING Bag 2 (PX80540XR2)			

### Reducing Tee

NP11R 1" X 1" X 1/2" DZR BRASS TEE (PX80800X)	NP11R 1" X 1" X 1/2" DZR BRASS TEE Bag of 1 (PX80800XR1)	NP11R 1" X 1" X 3/4" DZR BRASS TEE (PX80810X)	NP11R 1" X 1" X 3/4" DZR BRASS TEE OF 2 (PX80810XR2)
NP11R 1" X 3/4" X 3/4" DZR BRASS TEE BAG 1 (PX80780XR1)	NP11R 1/2" X 1/2" X 3/4" DZR BRASS TEE (PX80720X)	NP11R 1/2" X 1/2" X 3/4" DZR BRASS TEE BAG 1 (PX80720XR1)	NP11R 3/4" X 1/2" X 1/2" DZR BRASS TEE (PX80730X)
NP11R 3/4" X 1/2" X 1/2" DZR BRASS TEE BAG OF 1 (PX80730XR1)	NP11R 3/4" X 1/2" X 3/4" DZR BRASS TEE (PX80740X)	NP11R 3/4" X 1/2" X 3/4" DZR BRASS TEE BAG 1 (PX80740XR1)	NP11R 3/4" X 1/2" X 1/2" DZR BRASS TEE (PX80750X)
NP11R 3/4" X 3/4" X 1/2" DZR BRASS TEE BAG 1 (PX80750XR1)	NP11R-LF 1" X 3/4" X 1" PEX TEE BAG 1 (PX80790XR1)	NP11R-LF 1" X 3/4" X 3/4" PEX TEE BAG 1 (PX80780XR1)	NP11R-LF 1" x 3/4" x 1" PEX TEE NP11R-LF (PX80790X)
NP11R-LF 1" x 3/4" x 3/4" PEX TEE NP11R-LF (PX80780X)	NP11R-LF 3/4" X 3/4" X 1" FORGED TEE BAG 1 (PX80770XR1)	NP11R-LF 3/4" x 3/4" x 1" FORGED TEE NP11R-LF (PX80770X)	

### Swivel

NP27SE 3/8" PEX x 1/2" NPSMDZRSVLELFAUCETADPT (PX81350X)

### Swivel Cone Connection

NP26SE 1/2" PEX X 3/4" FIP DZR SVL ELBOW (PX81290X)	NP26SE 3/4" PEX X 3/4" FIP DZR SVL ELBOW (PX81320X)	UPNP26BE-LF 3/4" PEX x FIP ADAPT ELB BG 1 (PX81720XR1)	UPNP27GH-LI 1/2" PEX x FGHT SWIVEI ELB BG 1 (PX81800XR1)
UPNP27P-LF 3/4" PEX X NPSM BRONZE SWIVEL ELBOW BAG OF 1 (PX02218XR1)			

### Swivel w/ Brass Nut

NP26BS 1/2" PEX X 1/2" NPSM DZR SVL ADPT NUT (PX02346X)	NP26BS 1/2" PEX X 3/4" FPT DZR SVL ADPT BAG 1 (PX81340XR1)	NP26BS 3/4" PEX X 3/4" FPT DZR SVL ADPT BAG 1 (PX81360XR1)	NP26BS 3/4" PEX X 3/4" NPSM DZR SVL ADPT (PX81360X)
NP26BS-LF 1/2" X 3/4" NPSM SWVL ADPT BAG 1 (PX81340XR1)			
Swivel w/ Brass Nut Adapter			
NP26BS-LF 1/2" x 3/4" NPSM SWVL ADPT NP26BS-LF (PX81340X)			
Swivel w/ Plastic Nut			
NP44-LF 1/2" PEX STRAIGHT SVL CLOSET ADPT (PX81380XR1)			
Swivel, EPDM Washer			
NP26PS 1/2" PEX X NPSM SVL ADPT-PLASTICNUT (PX02345X)	NP27B 1/2" X 1/2" NPSM DZR SVL ELB BRASSNUT (PX02255X)	NP27P-LF 1/2" PEX X NPSM SVL EL-PLSTC NUT (PX02245X)	
Test Plug			
NP18 1 1/4" DZR BRASS PLUG (PX81470X)	NP18 1" DZR BRASS PLUG (PX81480X)	NP18 1" DZR BRASS PLUG Bag of 2 (PX81480XR2)	NP18 1/2" DZF BRASS PLUG Bag of 2 (PX81450XR2)
NP18 3/4" BRASS PLUG NP18-LF (PX81460X)	NP18 3/4" DZR BRASS PLUG BAG OF 50 (PX81460XR50)	NP18 3/4" DZR BRASS PLUG Bag of 2 (PX81460XR2)	UTPNP18-LF 1/2" PEX BRONZE PLUG BAG OF 10 (PX81450XR10)
UTPNP18-LF 1/2" PEX BRONZE PLUG NP18-LF (PX81450X)	UTPNP18-LF 3/4" PEX BRONZE PLUG BAG OF 10 (PX81460XR10)		
<p>@ Product also complies to NSF/ANSI 372.</p> <p>¢ Product is authorized to bear the cNSF and/or the cNSFus Mark.</p> <p>+++ Material complies with NSF/ANSI 61 health effects requirements when tested at temperatures up to and including Commercial Hot (180° F).</p> <p>[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.</p>			
Fittings@ ¢ § +++ [G]	MLTPL	HEATLINK	ASTM F876/F877
Brass Coupling			
NP01S-LF 1 BRASS COUPLING W/ STOP (PX80605X)			
Brass Elbow Female Thread			
1/2" PEX x 3/4" FIP ADAPTER ELBOW NP26BE-LF (PX81317X)	NP26BE-LF 1/2" PEX X 3/4" FIP ADAPTER ELBOW BAG OF 1 (PX81317XR1)	NP26BE-LF 1/2" PEX X 3/4" FIP ELBOW (PX81317XR1)	NP26BE-LF 1/2" PEX X 1" FIP ELBOW (PX81316XR1)
Brass Female Adapter			
3/4" PEX x 1" FIP BRNZ ADPT NP26B-LF (PX81305X)	NP26B 3/4" PEX X 1" FPT NONSVL DZR ADPT BAG 1 (PX81305XR1)	NP26B-LF 1 1/4" PEX X 1" FPT NON-SVL ADPT (PX81313X)	UPNP26B-LF 3/4" PEX x 1" FIP BRNZ ADI BAG 1 NP26B-LF (PX81305XR1)
Brass Sweat Female Elbow			
UPNP22FELF 1/2" PEX x FEM SWEAT ADP ELB BG1 NP22FE-LF (PX81020XR1)			

**Brass Swivel Elbow w/ Brass Nut**

UPNP26BE-LF 3/4" PEX x 1/2" FIP ADAPT ELB BG 1 NP26BE-LF (PX81710XR1)

**Coupling**

NP29 1/2" PEX x 1/2" PB DZR TRANSITION FITTING (PX81530X)

NP29 3/4" PEX X 3/4" PB DZR TRANS FITTING (PX81540X)

NP29R-LF 1/2" PEX x PB TRANSITION KIT (PX02283X) NP29R-LF 3/4" PEX x PB TRANSITION KIT (PX02293X)

**Drop-Ear Elbow**

NP28 1/2" PEX X 1/2" FIP DZR DROP Whls R ELBOW (PX81400X)

NP28 1/2" PEX X 1/2" FPT DZR DROP Whls R EL Bag 1 (PX81400XR1)

NP28 3/4" PEX X 3/4" FIP DZR DROP Whls R ELBOW (PX81420X)

**Elbow**

NP07 1 1/4" DZR BRASS ELBOW (PX80670X)

NP07 1" DZR BRASS ELBOW (PX80660X)

NP07 1" DZR BRASS ELBOW Bag of 2 (PX80660XR2) NP07 1/2" DZF BRASS ELBOV (PX80630X)

NP07 1/2" DZR BRASS ELBOW BAG OF 10 (PX80630XR10)

NP07 1/2" DZR BRASS ELBOW Bag of 2 (PX80630XR2)

NP07 1/2" DZR BRASS ELBOW Bag of 25 (PX80631X) NP07 3/4" DZI BRASS ELBOV (PX80650X)

NP07 3/4" DZR BRASS ELBOW BAG OF 10 (PX80650XR10)

NP07 3/4" DZR BRASS ELBOW BAG OF 50 (PX80650XR50)

NP07 3/4" DZR BRASS ELBOW Bag of 2 (PX80650XR2) NP07 3/8" DZI BRASS ELBOV (PX80620X)

NP07 3/8" DZR BRASS ELBOW Bag of 2 (PX80620XR2)

NP07R 3/4" X 1/2" DZR BRASS ELBOW (PX80640X)

NP07R 3/4" X 1/2" DZR BRASS ELBOW BAG OF 2 (PX80640XR2)

**Elbow Male Thread**

3/4" PEX X MIP BRONZE ADAPTER ELBOW BAG OF 1 (PX81510XR1)

3/4" PEX x 3/4" MIP BRONZE ADAPTER ELBOW NP25BE-LF (PX81504X)

NP25BE 1/2" PEX X 1/2" MIP DZR ELBOW (PX81500X) NP25BE 1/2" PEX X 1/2" MIP DZR ELBOW BAG 1 (PX81500XR1)

NP25BE 3/4" PEX X 3/4" MIP DZR ELBOW (PX81510X)

NP25BE-LF 1/2" BARB X 3/4" MPT ELBOW BAG 2 (PX81505XR2)

NP25BE-LF 1/2" BARB x 3/4" MPT ELBOW NP25BE-LF (PX81505X) NP25BE-LF 1/2" PEX X 3/8" MIP ELBOW BAG 1 (PX81490XR1)

NP25BE-LF 1/2" PEX x 3/8" MIP ELBOW NP25BE-LF (PX81490X)

NP25BE-LF 3/4" BARB x 1/2" MPT BRONZE ELBOW NP25BE-LF (PX81502X)

UPNP25BE-LF 3/4" PEX X MIP BRONZE ADAPTER ELBOW BAG OF LF 1 (PX81504XR1) UPNP25BE-LF 3/4" PEX x 1/2" MPT ELBOW BAG 1 NP25BE ELBOW BAG OF LF 1 (PX81502XR1)

**Equal Coupling**

NP01 1" DZR BRASS COUPLING (PX80570X)

NP01 1" DZR BRASS COUPLING Bag of 2 (PX80570XR2)

NP01 1/2" DZR BRASS COUPLING (PX80520X) NP01 1/2" DZF BRASS COUPLING BAG OF 10 (PX80520XR10)

NP01 1/2" DZR BRASS COUPLING BAG OF 2 (PX80520XR2)

NP01 1/2" DZR Brass Coupling Bag of 25 (PX80521X)

NP01 3/4" DZR BRASS COUPLING (PX80550X) NP01 3/4" DZI BRASS COUPLING BAG OF 10 (PX80550XR10)

NP01 3/4" DZR BRASS COUPLING BAG OF 50 (PX80550XR50)

NP01 3/4" DZR BRASS COUPLING Bag of 2 (PX80550XR2)

NP01 3/8" DZR BRASS COUPLING BAG OF 10 (PX80550XR10) NP01 3/8" DZI BRASS COUPLING BAG OF 10 (PX80550XR10)

		COUPLING (PX80500X)	of 2 (PX80500XR2)
NP27-LF 3/8" PEX FAUCET ADPT - BAG OF 2 NP27-LF (PX81330XR2)	NP27-LF 3/8" PEX FAUCET ADPT NP27-LF (PX81330X)		
<b>Equal Tee</b>			
NP11 1 1/4" BRASS TEE NP11-LF (PX80860X)	NP11 1 1/4" DZR BRASS TEE BAG OF 10 (PX80860XR10)	NP11 1" DZR BRASS TEE (PX80820X)	NP11 1" DZR BRASS TEE Ba of 1 (PX80820XR1)
NP11 1/2" DZR BRASS TEE (PX80710X)	NP11 1/2" DZR BRASS TEE BAG OF 10 (PX80710XR10)	NP11 1/2" DZR BRASS TEE Bag of 1 (PX80710XR1)	NP11 1/2" DZR BRASS TEE Ba of 25 (PX80711X)
NP11 3/4" DZR BRASS TEE BAG OF 10 (PX80760XR10)	NP11 3/4" DZR BRASS TEE BAG OF 25 (PX80760X)	NP11 3/4" DZR BRASS TEE BAG OF 50 (PX80760XR50)	NP11 3/4" DZR BRASS TEE Ba of 1 (PX80760XR1)
NP11-LF 3/8" PEX INSERT TEE BAG OF 1 (PX80680XR1)	NP11-LF 3/8" PEX INSERT TEE NP11-LF (PX80680X)		
<b>Female Adapter</b>			
3/4" PEX x 1/2" FIP Adapter NP26B-LF (PX81285X)	NP26B 1 1/4" PEX x 1 1/4" FIP DZR NON-SVL ADPT (PX81315X)	NP26B 1" PEX X 1" FIP DZR NON-SWIVEL ADPT (PX81310X)	NP26B 1" PEX 1" FPT DZR NON-SVL ADF Bag 1 (PX81310XR1)
NP26B 1/2" PEX X 1/2" FIP DZR NON-SVL ADPT (PX81270X)	NP26B 1/2" PEX X 1/2" FPT DZR NONSVL ADPT Bag 1 (PX81270XR1)	NP26B 1/2" PEX X 3/4" FIP DZR NON-SVL ADPT (PX81280X)	NP26B 1/2" PE X 3/4" FPT DZ NONSVL ADP Bag 1 (PX81280XR1)
NP26B 1/2" PEX x 1/2" FPT NONSVL DZR ADPT Bag 25 (PX81271X)	NP26B 3/4" PEX X 3/4" FIP DZR ADAPTER (PX81300X)	NP26B 3/4" PEX X 3/4" FPT DZR NONSVL ADPT Bag 1 (PX81300XR1)	UPNP26B-LF 3/4" PEX x 1/2 FIP Adapter BAG OF 1 (PX81285XR1)
UPNP26B-LF 3/4" PEX x 1/2" FIP Adapter BAG OF 10 (PX81285XR10)			
<b>Female Sweat</b>			
NP23F 1 1/4" PEX X 1 1/4" F DZR SWT ADAPTER (PX81145X)	NP23F 1" PEX X 1" FEMALE DZR SWT ADAPTER (PX81140X)	NP23F 1" PEX X 1" FEMALE SWT DZR ADPT Bag 2 (PX81140XR2)	NP23F 1/2" PE X 1/2" FEM SWT DZR ADF Bag of 2 (PX81120XR2)
NP23F 1/2" PEX X 1/2" FEMALE DZR SWT ADPT (PX81120X)	NP23F 1/2" PEX X 3/4" FEMALE SWT DZR ADPT Bag 2 (PX01676XR2)	NP23F 1/2" PEX X 3/4" FEMALE SWWhls T ADAPTER (PX01676X)	NP23F 1/2" PE x 1/2" FEM SW DZR ADPT Bag 25 (PX81121X)
NP23F 3/4" PEX X 3/4" FEMALE DZR SWT ADPT (PX81130X)	NP23F 3/4" PEX X 3/4" FEMALE SWT DZR ADPT Bag 2 (PX81130XR2)		
<b>Female Sweat Elbow</b>			
1/2" PEX x 3/4" FEMALE SWEAT ADAPTER ELBOW NP22FE-LF (PX81025X)	3/4" PEX x 3/4" FEMALE SWEAT ADAPTER ELBOW NP22FE-LF (PX81030X)	UPNP22FELF 1/2" PEX x 3/4" FEM SWT ADP EL BG1 NP22FE-LF (PX81025XR1)	UPNP22FELF 3/4" PEX x FE SWT ADAP EL BG1 NP22FE-I (PX81030XR1)
<b>In PEX Brass Tee</b>			
NP11 3/8" X 3/8" X 1/2" DZR BRASS TEE (PX80690X)			
<b>Male Adapter</b>			
1/2" PEX x 3/8" MIP ADAPTER NP25B-LF (PX81185X)	NP25B 1 1/4" PEX X 1 1/4" MIP DZR ADAPTER (PX81265X)	NP25B 1" PEX X 1" MIP DZR ADAPTER (PX81260X)	NP25B 1" PEX 1" MPT DZR ADAPTER Bag of 1 (PX81260XR1)

NP25B 1/2" PEX X 1/2" MIP DZR ADAPTER BAG OF 50 (PX81190XR50)	NP25B 1/2" PEX x 1/2" MIP ADAPTER NP25B-LF (PX81190X)	NP25B 3/4" PEX X 3/4" MIP X 3/4" MIP DZ DZR ADAPTER ADAPTER BAG OF 10 OF 50 (PX81220XR10) (PX81220XR50)
NP25B 3/4" PEX x 3/4" MIP ADAPTER NP25B-LF (PX81220X)	NPNP25B-LF 1/2" PEX X 3/8" MIP ADAPTER BAG OF 1 (PX81185XR1)	UTPNP25B-LF 1/2" PEX X 1/2" MIP ADPT BAG OF 10 (PX81190XR10)
<b>Male Sweat</b>		
NP23 1/2" PEX X 1/2" MALE DZR SWT ADAPTER (PX81070X)	NP23 1/2" PEX X 1/2" MALE SWT DZR ADPT BAG 2 (PX81070XR2)	NP23 1/2" PEX X 3/4" DZR MALE SWWhls T ADAPT (PX01646X)
NP23 1/2" PEX x 1/2" MALE SWT DZR ADPT Bag 25 (PX81071X)	NP23 3/4" PEX X 1/2" MALE DZR SWT ADAPT (PX01751X)	NP23 1/2" PEX X 3/4" MALE SWT DZR ADF Bag 2 (PX01646XR2)
<b>PEX Barb Coupling</b>		
NP01R 1 1/4" DZR BRASS COUPLING (PX80580X)	NP01R 1 1/4" X 1" DZR BRASS COUPLING (PX80600X)	NP01R 1 1/4" X 3/4" DZR BRASS COUPLING (PX80590X)
<b>PEX Brass Drop-Ear Elbow</b>		
NP28 3/4" PEX X 1/2" FIP DZR DROP Whls R ELBOW (PX81410X)	NP28 3/4" PEX X 1/2" FPT DZR DROP Whls R EL BAG 1 (PX81410XR1)	
<b>PEX Brass Male Adatper</b>		
NP25B 3/4" PEX X 1" MIP DZR ADAPTER (PX81250X)	NP25B 3/4" PEX X 1" MPT DZR ADPT BAG OF 2 (PX81250XR2)	
<b>PEX Seperator</b>		
1 1/4" PEX Seperator NP01S-LF (PX80610X)		
<b>PEX Tee</b>		
NP11R 1 1/4" X 1" X 1" DZR BRASS TEE BAG OF 10 (PX80880XR10)	NP11R 1 1/4" x 1" x 1" BRASS TEE NP11R-LF (PX80880X)	NP11R 1" X 1/2" X 1" DZR BRASS X 3/4" DZR TEE (PX80840X)
NP11R 1" X 3/4" X 1/2" DZR BRASS TEE (PX80850X)	NP23 1 1/4" PEX X 1 1/4" MALE DZR SWT ADPT (PX81110X)	NP23 1" PEX X 1" MALE DZR SWWhls T ADAPTER (PX81100X)
NP23 3/4" PEX X 3/4" MALE DZR SWT ADAPTER (PX81090X)	NP23 3/4" PEX X 3/4" MALE SWT DZR ADPT BAG 2 (PX81090XR2)	NP23 1" PEX X 3/4" MIP DZR ADAPTER (PX81240X)
NP25B 1/2" PEX X 1/2" MPT DZR ADPT Bagof1(PX81190XR1)	NP25B 1/2" PEX X 3/4" MIP DZR ADAPTER(PX81200X)	NP25B 1" PEX X 3/4" MPT DZR ADAPTER Bagof2 (PX81240XR2)
NP25B 3/4" PEX X 1/2" MIP DZR ADAPTER (PX81210X)	NP25B 3/4" PEX X 1/2" MPT DZR ADPT Bag of 1 (PX81210XR1)	NP25B 1/2" PEX X 3/4" MPT DZR ADPT Bag 25 of 1 (PX81200XR1)
NP25B 3/8" PEX X 1/2" MIP DZR ADAPTER (PX81180X)	NP25B 3/8" PEX X 1/2" MPT DZR ADPT Bag of 1 (PX81180XR1)	NP25B 3/4" PEX X 3/4" MPT DZ ADPT Bag 25 (PX81221X)

**PEX To Polybutylene**

**Reducing Coupling**

NPo1R 1" X 3/4" DZR BRASS COUPLING (PX8o56oX)	NPo1R 1" X 3/4" DZR BRASS COUPLING Bag of 2 (PX8o56oXR2)	NPo1R 1/2" X 3/8" DZR BRASS COUPLING Bag 2 (PX8o51oXR2)	NPo1R 3/4" X 1/2" DZR BRASS COUPLING (PX8o54oX)
NPo1R 3/4" X 1/2" DZR BRASS COUPLING Bag 2 (PX8o54oXR2)			

**Reducing Tee**

NP11R 1" X 1" X 1/2" DZR BRASS TEE (PX8o8ooX)	NP11R 1" X 1" X 1/2" DZR BRASS TEE Bag of 1 (PX8o8ooXR1)	NP11R 1" X 1" X 3/4" DZR BRASS TEE OF 2 (PX8o81oX)	NP11R 1" X 1" X 1/2" DZR BRASS TEE OF 2 (PX8o81oXR2)
NP11R 1" X 3/4" X 3/4" DZR BRASS TEE BAG 1 (PX8o78oXR1)	NP11R 1/2" X 1/2" X 3/4" DZR BRASS TEE (PX8o72oX)	NP11R 1/2" X 1/2" X 3/4" DZR BRASS TEE BAG 1 (PX8o72oXR1)	NP11R 3/4" X 1/2" DZ BRASS TEE (PX8o73oX)
NP11R 3/4" X 1/2" X 1/2" DZR BRASS TEE BAG OF 1 (PX8o73oXR1)	NP11R 3/4" X 1/2" X 3/4" DZR BRASS TEE (PX8o74oX)	NP11R 3/4" X 1/2" X 3/4" DZR BRASS TEE BAG 1 (PX8o74oXR1)	NP11R 3/4" X 1/2" DZ BRASS TEE (PX8o75oX)
NP11R 3/4" X 3/4" X 1/2" DZR BRASS TEE BAG 1 (PX8o75oXR1)	NP11R-LF 1" X 3/4" X 1" PEX TEE BAG 1 (PX8o79oXR1)	NP11R-LF 1" X 3/4" X 3/4" PEX TEE BAG 1 (PX8o78oXR1)	NP11R-LF 1" X 3/4" x 3/4" PEE TEE NP11R-LF (PX8o78oX)
NP11R-LF 1" x 3/4" x 1" PEX TEE NP11R-LF (PX8o79oX)	NP11R-LF 3/4" X 3/4" X 1" FORGED TEE BAG 1 (PX8o77oXR1)	NP11R-LF 3/4" x 3/4" x 1" FORGED TEE NP11R-LF (PX8o77oX)	

**Swivel**

NP27SE 3/8" PEX x 1/2" NPSMDZRSVLELFAUCETADPT (PX8135oX)

**Swivel Cone Connection**

NP26SE 1/2" PEX X 3/4" FIP DZR SVL ELBOW (PX8129oX)	UPNP27GH-LF 1/2" PEX x FGHT SWIVEL ELB BG 1 NP27GH-LF (PX818ooXR1)
---	--

**Swivel w/ Brass Nut**

NP26BS 1/2" PEX X 1/2" NPSM DZR SVL ADPT NUT (PXo2346X)	NP26BS 1/2" PEX X 3/4" FPT DZR SVL ADPT BAG 1 (PX8134oXR1)	NP26BS 3/4" PEX X 3/4" FPT DZR SVL ADPT BAG 1 (PX8136oXR1)	NP26BS 3/4" PEX X 3/4" NPSM DZR SV ADPT (PX8136oX)
NP26BS-LF 1/2" X 3/4" NPSM SWVL ADPT BAG 1 (PX8134oXR1)			

**Swivel w/ Brass Nut Adapter**

NP26BS-LF 1/2" x 3/4" NPSM SWVL ADPT NP26BS-LF (PX8134oX)

**Swivel w/ Plastic Nut**

NP44-LF 1/2" PEX STRAIGHT SVL CLOSET ADPT (PX8138oXR1)

**Test Plug**

NP18 1 1/4" DZR BRASS PLUG (PX8147oX)	NP18 1" DZR BRASS PLUG (PX8148oX)	NP18 1" DZR BRASS PLUG Bag of 2 (PX8148oXR2)	NP18 1/2" DZF BRASS PLUG Bag 2 (PX8145oXR2)
NP18 3/4" BRASS PLUG NP18-LF (PX8146oX)	NP18 3/4" DZR BRASS PLUG BAG OF 50 (PX8146oXR5o)	NP18 3/4" DZR BRASS PLUG	UTPNP18-LF 1/2" PEX

UTPNP18-LF 1/2" PEX BRONZE PLUG NP18-LF (PX81450X) UTPNP18-LF 3/4" PEX BRONZE PLUG BAG OF 10  
(PX81460XR10)

@ Product also complies to NSF/ANSI 372.

¢ Product is authorized to bear the cNSF and/or the cNSFus Mark.

\$ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

+++ Material complies with NSF/ANSI 61 health effects requirements when tested at temperatures up to and including Commercial Hot (180° F).

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

Fittings@ ¢ \$ +++ [G]

MLTPL

HEATLINK

CSA B137.5

### Brass Coupling

NP01S-LF 1" BRASS COUPLING W/ STOP (PX80605X)

### Brass Elbow Female Thread

1/2" PEX x 3/4" FIP ADAPTER ELBOW NP26BE-LF  
(PX81317X)

NP26BE-LF 1/2" PEX X 3/4" FIP ADAPTER ELBOW BAG NP26BE-LF 1/2" NP26BE-LF 1/2" PEX X 3/4" FIP PEX X FIP  
OF 1 (PX81317XR1) ELBOW ELBOW  
(PX81317XR1) (PX81316XR1)

### Brass Female Adapter

3/4" PEX x 1" FIP BRNZ ADPT NP26B-LF (PX81305X)

NP26B 3/4" PEX X 1" FPT NONSVL DZR ADPT BAG 1 NP26B-LF 1 UPNP26B-LF  
(PX81305XR1) 1/4" PEX X 1" 3/4" PEX x 1"  
FPT NON-SVL FIP BRNZ ADI  
ADPT BAG 1 NP26B-  
(PX81313X) LF  
(PX81305XR1)

### Brass Sweat Female Elbow

UPNP22FELF 1/2" PEX X FEM SWEAT ADP ELB BG1 NP22FE-  
LF (PX81020XR1)

### Brass Swivel Elbow w/ Brass Nut

UPNP26BE-LF 3/4" PEX x 1/2" FIP ADAPT ELB BG 1 NP26BE-  
LF (PX81710XR1)

### Coupling

NP29 1/2" PEX x 1/2" PB DZR TRANSITION FITTING  
(PX81530X)

NP29 3/4" PEX X 3/4" PB DZR TRANS FITTING  
(PX81540X)

NP29R-LF 1/2" NP29R-LF 3/4"  
PEX x PB PEX x PB  
TRANSITION TRANSITION  
KIT KIT (PX02293  
(PX02283X)

### Drop-Ear Elbow

NP28 1/2" PEX X 1/2" FIP DZR DROP Whls R ELBOW  
(PX81400X)

NP28 1/2" PEX X 1/2" FPT DZR DROP Whls R EL Bag 1  
(PX81400XR1)

NP28 3/4" PEX  
X 3/4" FIP DZR  
DROP Whls R  
ELBOW  
(PX81420X)

### Elbow

NP07 1" DZR BRASS ELBOW (PX80660X)

NP07 1" DZR BRASS ELBOW Bag of 2 (PX80660XR2)

NP07 1/2" DZR NP07 1/2" DZF  
BRASS ELBOW BRASS ELBOV  
(PX80630X) BAG OF 10  
(PX80630XR1)

NP07 1/2" DZR BRASS ELBOW Bag of 2 (PX80630XR2)

NP07 1/2" DZR BRASS ELBOW Bag of 25 (PX80631X)

NP07 3/4" DZR NP07 3/4" DZI  
BRASS ELBOW BRASS ELBOV  
(PX80650X) BAG OF 10  
(PX80650XR1)

NP07 3/4" DZR BRASS ELBOW BAG OF 50 (PX80650XR50)	NP07 3/4" DZR BRASS ELBOW Bag of 2 (PX80650XR2)	NP07 3/8" DZR BRASS ELBOW (PX80620X)	NP07 3/8" DZI BRASS ELBOW Bag of 2 (PX80620XR2)
NP07R 3/4" X 1/2" DZR BRASS ELBOW (PX80640X)	NP07R 3/4" X 1/2" DZR BRASS ELBOW BAG OF 2 (PX80640XR2)		
<b>Elbow Male Thread</b>			
3/4" PEX X MIP BRONZE ADAPTER ELBOW BAG OF 1 (PX81510XR1)	3/4" PEX x 3/4" MIP BRONZE ADAPTER ELBOW NP25BE-LF (PX81504X)	NP25BE 1/2" PEX X 1/2" MIP DZR ELBOW (PX81500X)	NP25BE 1/2" PEX X 1/2" MF DZR ELBOW BAG 1 (PX81500XR1)
NP25BE 3/4" PEX X 3/4" MIP DZR ELBOW (PX81510X)	NP25BE-LF 1/2" BARB X 3/4" MPT ELBOW BAG 2 (PX81505XR2)	NP25BE-LF 1/2" BARB x 3/4" MPT ELBOW NP25BE-LF (PX81505X)	NP25BE-LF 1/2" PEX X 3/8" MIP ELBOW BAG 1 (PX81490XR1)
NP25BE-LF 1/2" PEX x 3/8" MIP ELBOW NP25BE-LF (PX81490X)	NP25BE-LF 3/4" BARB x 1/2" MPT BRONZE ELBOW NP25BE-LF (PX81502X)	UPNP25BE-LF 3/4" PEX X MIP BRONZE ADAPTER ELBOW BAG OF LF 1 (PX81504XR1)	UPNP25BE-LF 3/4" PEX x 1/2" MPT ELBOW BAG 1 NP25BE ELBOW BAG OF LF 1 (PX81502XR1)
<b>Equal Coupling</b>			
NP01 1" DZR BRASS COUPLING (PX80570X)	NP01 1" DZR BRASS COUPLING Bag of 2 (PX80570XR2)	NP01 1/2" DZR BRASS COUPLING (PX80520X)	NP01 1/2" DZF BRASS COUPLING BAG OF 10 (PX80520XR1)
NP01 1/2" DZR BRASS COUPLING BAG OF 2 (PX80520XR2)	NP01 1/2" DZR Brass Coupling Bag of 25 (PX80521X)	NP01 3/4" DZR BRASS COUPLING (PX80550X)	NP01 3/4" DZI BRASS COUPLING BAG OF 10 (PX80550XR1)
NP01 3/4" DZR BRASS COUPLING BAG OF 50 (PX80550XR50)	NP01 3/4" DZR BRASS COUPLING Bag of 2 (PX80550XR2)	NP01 3/8" DZR BRASS COUPLING (PX80500X)	NP01 3/8" DZI BRASS COUPLING Bag of 2 (PX80500XR2)
NP27-LF 3/8" PEX FAUCET ADPT - BAG OF 2 NP27-LF (PX81330XR2)	NP27-LF 3/8" PEX FAUCET ADPT NP27-LF (PX81330X)		
<b>Equal Tee</b>			
NP11 1" DZR BRASS TEE (PX80820X)	NP11 1" DZR BRASS TEE Bag of 1 (PX80820XR1)	NP11 1/2" DZR BRASS TEE (PX80710X)	NP11 1/2" DZF BRASS TEE BAG OF 10 (PX80710XR1)
NP11 1/2" DZR BRASS TEE Bag of 1 (PX80710XR1)	NP11 1/2" DZR BRASS TEE Bag of 25 (PX80711X)	NP11 3/4" DZR BRASS TEE BAG OF 10 (PX80760XR10)	NP11 3/4" DZF BRASS TEE BAG OF 25 (PX80760X)
NP11 3/4" DZR BRASS TEE BAG OF 50 (PX80760XR50)	NP11 3/4" DZR BRASS TEE Bag of 1 (PX80760XR1)	NP11-LF 3/8" PEX INSERT TEE BAG OF 1 (PX80680XR1)	NP11-LF 3/8" PEX INSERT TEE NP11-LF (PX80680X)
<b>Female Adapter</b>			
3/4" PEX x 1/2" FIP Adapter NP26B-LF (PX81285X)	NP26B 1" PEX X 1" FIP DZR NON-SWIVEL ADPT (PX81310X)	NP26B 1" PEX X 1" FPT DZR NON-SVL ADPT Bag 1 (PX81310XR1)	NP26B 1/2" PEX X 1/2" FIP DZI NON-SVL ADF Bag 1 (PX81270X)
NP26B 1/2" PEX X 1/2" FPT DZR NONSVL ADPT Bag 1 (PX81270XR1)	NP26B 1/2" PEX X 3/4" FIP DZR NON-SVL ADPT (PX81280X)	NP26B 1/2" PEX X 3/4" FPT DZR NONSVL ADPT Bag 1 (PX81280XR1)	NP26B 1/2" PEX x 1/2" FPT NONSVL DZR ADPT Bag 25 (PX81271X)
NP26B 3/4" PEX X 3/4" FIP DZR ADAPTER (PX81300X)			

	NP26B 3/4" PEX X 3/4" FPT DZR NONSVL ADPT Bag 1 (PX81300XR1)	NP26B 3/4" PEX X 3/4" FPT DZR NONSVL ADPT Bag 1 (PX81300XR1)	UPNP26B-LF 3/4" PEX x 1/2" FIP Adapter BAG OF 1 (PX81285XR1)
UPNP26B-LF 3/4" PEX x 1/2" FIP Adapter BAG OF 10 (PX81285XR10)			
<b>Female Sweat</b>			
NP23F 1" PEX X 1" FEMALE DZR SWT ADAPTER (PX81140X)	NP23F 1" PEX X 1" FEMALE SWT DZR ADPT Bag 2 (PX81140XR2)	NP23F 1/2" PEX X 1/2" FEMAL SWT DZR ADPT Bag of 2 (PX81120XR2)	NP23F 1/2" PEX X 1/2" FEMAL DZR SWT ADF (PX81120X)
NP23F 1/2" PEX X 3/4" FEMALE SWT DZR ADPT Bag 2 (PX01676XR2)	NP23F 1/2" PEX X 3/4" FEMALE SWWhls T ADAPTER (PX01676X)	NP23F 1/2" PEX X 3/4" FEMAL DZR ADPT Bag 25 (PX81121X)	NP23F 3/4" PEX X 3/4" FEMAL DZR SWT ADF (PX81130X)
NP23F 3/4" PEX X 3/4" FEMALE SWT DZR ADPT Bag 2 (PX81130XR2)			
<b>Female Sweat Elbow</b>			
1/2" PEX x 3/4" FEMALE SWEAT ADAPTER ELBOW NP22FE-LF (PX81025X)	3/4" PEX x 3/4" FEMALE SWEAT ADAPTER ELBOW NP22FE-LF (PX81030X)	UPNP22FELF 1/2" PEX x 3/4" FEM SWT ADP EL BG1 NP22FE-LF (PX81025XR1)	UPNP22FELF 3/4" PEX x 3/4" FEMAL SWT ADAP EL BG1 NP22FE-LF (PX81030XR1)
<b>In PEX Brass Tee</b>			
NP11 3/8" X 3/8" X 1/2" DZR BRASS TEE(PX80690X)			
<b>Male Adapter</b>			
1/2" PEX x 3/8" MIP ADAPTER NP25B-LF (PX81185X)	NP25B 1" PEX X 1" MIP DZR ADAPTER (PX81260X)	NP25B 1" PEX X 1" MPT DZR ADAPTER Bag of 1 (PX81260XR1)	NP25B 1/2" PEX X 1/2" MIP DZR ADAPTER BAG OF 50 (PX81190XR50)
NP25B 1/2" PEX x 1/2" MIP ADAPTER NP25B-LF (PX81190X)	NP25B 3/4" PEX X 3/4" MIP DZR ADAPTER BAG OF 10 (PX81220XR10)	NP25B 3/4" PEX X 3/4" MIP DZR ADAPTER BAG OF 50 (PX81220XR50)	NP25B 3/4" PEX X 3/4" MIP DZR ADAPTER BAG OF 50 (PX81220XR50)
NPNP25B-LF 1/2" PEX X 3/8" MIP ADAPTER BAG OF 1 (PX81185XR1)	UTPNP25B-LF 1/2" PEX X 1/2" MIP ADPT BAG OF 10 (PX81190XR10)		
<b>Male Sweat</b>			
NP23 1/2" PEX X 1/2" MALE DZR SWT ADAPTER (PX81070X)	NP23 1/2" PEX X 1/2" MALE SWT DZR ADPT BAG 2 (PX81070XR2)	NP23 1/2" PEX X 3/4" DZR MALE SWWhls T ADAPT (PX01646X)	NP23 1/2" PEX X 3/4" MALE SWT DZR ADF Bag 2 (PX01646XR2)
NP23 1/2" PEX x 1/2" MALE SWT DZR ADPT Bag 25 (PX81071X)	NP23 3/4" PEX X 1/2" MALE DZR SWT ADAPT (PX01751X)	NP23 3/4" PEX X 1/2" MALE SWT DZR ADPT Bag 2 (PX01751XR2)	
<b>PEX Brass Drop-Ear Elbow</b>			
NP28 3/4" PEX X 1/2" FIP DZR DROP Whls R ELBOW (PX81410X)	NP28 3/4" PEX X 1/2" FPT DZR DROP Whls R EL BAG 1 (PX81410XR1)		
<b>PEX Brass Male Adatper</b>			
NP25B 3/4" PEX X 1" MIP DZR ADAPTER (PX81250X)	NP25B 3/4" PEX X 1" MPT DZR ADPT BAG OF 2 (PX81250XR2)		
<b>PEX Seperator</b>			
1 1/4" PEX Seperator NP01S-LF (PX80610X)			
<b>PEX Tee</b>			

NP11R 1 1/4" X 1 1/4" X 1" DZR BRASS TEE (PX80870X)	NP11R 1" X 1/2" X 1" DZR BRASS TEE (PX80840X)	NP11R 1" X 1/2" X 3/4" DZR BRASS TEE (PX80830X)	NP11R 1" X 3/4" X 1/2" DZR BRASS TEE (PX80850X)
NP23 1" PEX X 1" MALE DZR SWWhls T ADAPTER (PX81100X)	NP23 1" PEX X 1" MALE SWWhls T DZR ADPT Bag 2 (PX81100XR2)	NP23 3/4" PEX X 3/4" MALE DZR SWT ADAPTER (PX81090X)	NP23 3/4" PEX X 3/4" MALE DZR SWT ADAPTER BAG 2 (PX81090XR2)
NP25B 1" PEX X 3/4" MIP DZR ADAPTER (PX81240X)	NP25B 1" PEX X 3/4" MPT DZR ADAPTER Bag of 2 (PX81240XR2)	NP25B 1/2" PEX X 1/2" MPT DZR ADPT Bag of 1 (PX81190XR1)	NP25B 1/2" PEX X 3/4" MIP DZR ADAPTER (PX81200X)
NP25B 1/2" PEX X 3/4" MPT DZR ADPT Bag of 1 (PX81200XR1)	NP25B 1/2" PEX x 1/2" MPT DZR ADPT Bag 25 (PX81191X)	NP25B 3/4" PEX X 1/2" MIP DZR ADAPTER (PX81210X)	NP25B 3/4" PEX X 1/2" MPT DZR ADAPTER BAG OF 1 (PX81210XR1)
NP25B 3/4" PEX X 3/4" MPT DZR ADPT Bag of 1 (PX81220XR1)	NP25B 3/4" PEX x 3/4" MPT DZR ADPT Bag 25 (PX81221X)	NP25B 3/8" PEX X 1/2" MIP DZR ADAPTER (PX81180X)	NP25B 3/8" PEX X 1/2" MPT DZR ADAPTER BAG OF 1 (PX81180XR1)

**PEX To Polybutylene**

5/8" COMP. o83 SDR9 X 3/4" MALE SWEAT AD (PX81600X)

**Reducing Coupling**

NP01R 1" X 3/4" DZR BRASS COUPLING (PX80560X)	NP01R 1" X 3/4" DZR BRASS COUPLING Bag of 2 (PX80560XR2)	NP01R 1/2" X 3/8" DZR BRASS COUPLING Bag 2 (PX80510XR2)	NP01R 3/4" X 1/2" DZR BRASS COUPLING (PX80540X)
NP01R 3/4" X 1/2" DZR BRASS COUPLING Bag 2 (PX80540XR2)			

**Reducing Tee**

NP11R 1" X 1" X 1/2" DZR BRASS TEE (PX80800X)	NP11R 1" X 1" X 1/2" DZR BRASS TEE Bag of 1 (PX80800XR1)	NP11R 1" X 1" X 3/4" DZR BRASS TEE (PX80810X)	NP11R 1" X 1" X 3/4" DZR BRASS TEE OF 2 (PX80810XR2)
NP11R 1" X 3/4" X 3/4" DZR BRASS TEE BAG 1 (PX80780XR1)	NP11R 1/2" X 1/2" X 3/4" DZR BRASS TEE (PX80720X)	NP11R 1/2" X 1/2" X 3/4" DZR BRASS TEE BAG 1 (PX80720XR1)	NP11R 3/4" X 1/2" X 1/2" DZR BRASS TEE (PX80730X)
NP11R 3/4" X 1/2" X 1/2" DZR BRASS TEE BAG OF 1 (PX80730XR1)	NP11R 3/4" X 1/2" X 3/4" DZR BRASS TEE (PX80740X)	NP11R 3/4" X 1/2" X 3/4" DZR BRASS TEE BAG 1 (PX80740XR1)	NP11R 3/4" X 1/2" X 1/2" DZR BRASS TEE (PX80750X)
NP11R 3/4" X 3/4" X 1/2" DZR BRASS TEE BAG 1 (PX80750XR1)	NP11R-LF 1" X 3/4" X 1" PEX TEE BAG 1 (PX80790XR1)	NP11R-LF 1" X 3/4" X 3/4" PEX TEE BAG 1 (PX80780XR1)	NP11R-LF 1" x 3/4" x 1" PEX TEE NP11R-LF (PX80790X)
NP11R-LF 1" x 3/4" x 3/4" PEX TEE NP11R-LF (PX80780X)	NP11R-LF 3/4" X 3/4" X 1" FORGED TEE BAG 1 (PX80770XR1)	NP11R-LF 3/4" X 3/4" x 1" FORGED TEE NP11R-LF (PX80770X)	

**Swivel**

NP27SE 3/8" PEX x 1/2" NPSMDZRSVLELFAUCETADPT (PX81350X)

**Swivel Cone Connection**

NP26SE 1/2" PEX X 3/4" FIP DZR SVL ELBOW (PX81290X)	NP26SE 3/4" PEX X 3/4" FIP DZR SVL ELBOW (PX81320X)	UPNP26BE-LF 3/4" PEX x FIP ADAPT ELB BG	UPNP27GH-LI 1/2" PEX x FGHT SWIVEI ELB BG 1
---	---	---	---

UPNP27P-LF 3/4" PEX X NPSM BRONZE SWIVEL ELBOW BAG OF 1 (PX02218XR1)		1 NP26BE-LF (PX81720XR1)	NP27GH-LF (PX81800XR1)
<b>Swivel w/ Brass Nut</b> NP26BS 1/2" PEX X 1/2" NPSM DZR SVL ADPT NUT (PX02346X)		NP26BS 1/2" PEX X 3/4" FPT DZR SVL ADPT BAG 1 (PX81340XR1)	NP26BS 3/4" PEX X 3/4" FPT DZR SVL ADPT BAG 1 (PX81360XR1)
NP26BS-LF 1/2" X 3/4" NPSM SWVL ADPT BAG 1 (PX81340XR1)			NP26BS 3/4" PEX X 3/4" NPSM DZR SVL ADPT (PX81360X)
<b>Swivel w/ Brass Nut Adapter</b> NP26BS-LF 1/2" x 3/4" NPSM SWVL ADPT NP26BS-LF (PX81340X)			
<b>Swivel w/ Plastic Nut</b> NP44-LF 1/2" PEX STRAIGHT SVL CLOSET ADPT (PX81380XR1)			
<b>Swivel, EPDM Washer</b> NP26PS 1/2" PEX X NPSM SVL ADPT-PLASTICNUT (PX02345X)		NP27B 1/2" X 1/2" NPSM DZR SVL ELB BRASSNUT (PX02255X)	NP27P-LF 1/2" PEX X NPSM SVL EL-PLSTC NUT (PX02245X)
<b>Test Plug</b> NP18 1" DZR BRASS PLUG (PX81480X)		NP18 1" DZR BRASS PLUG Bag of 2 (PX81480XR2)	NP18 1/2" DZR BRASS PLUG Bag of 2 (PX81450XR2)
NP18 3/4" DZR BRASS PLUG BAG OF 50 (PX81460XR50)		NP18 3/4" DZR BRASS PLUG Bag of 2 (PX81460XR2)	NP18 3/4" DZR BRASS PLUG (PX81460X)
			NP18-LF (PX81460X)
			UTPNP18-LF 1/2" PEX BRONZE PLUG BAG OF 10 (PX81450XR10)
			UTPNP18-LF 1/2" PEX BRONZE PLUG BAG OF 10 (PX81450X)
UTPNP18-LF 3/4" PEX BRONZE PLUG BAG OF 10 (PX81460XR10)			

@ Product also complies to NSF/ANSI 372.

⋄ Product is authorized to bear the cNSF and/or the cNSFus Mark.

\$ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

+++ Material complies with NSF/ANSI 61 health effects requirements when tested at temperatures up to and including Commercial Hot (180° F).

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

<i>Fittings@ ⋄ +++ [1] [G]</i>	<i>MLTPL</i>	<i>HydraPure®</i>	<i>ASTM F1807</i>
<b>Barb Coupling</b> 1 1/4" x 1 1/4" (PX80580)	1 1/4" x 1" (PX80600)	1 1/4" x 3/4" (PX80590)	

**Brass Coupling**  
1" BRASS COUPLING W/ STOP / 1" PEX Separator (PX80605)

**Brass Elbow Female Thread**  
1/2" PEX x 1/2" FIP (PX81316)

1/2" PEX x 3/4" FIP (PX81317)

**Brass Female Adapter**  
1 1/4" Barb x 1" FPT (PX81313)

3/4" PEX x 1" FPT (PX81305)

**Brass Sweat Female Elbow**

1/2" PEX x 1/2" FEMALE SWEAT ELBOW (PX81020)

**Brass Swivel Elbow w/ Brass Nut**

3/4" PEX x 1/2" FIP Swivel Cone Connection (PX81710)

**Drop-Ear Elbow**

3/4" PEX x 3/4" FPT (PX81420)

**Elbow**

1 1/4" (PX80670)

1" (PX80660)

1/2" (PX80630) 1/2" (PX80631

3/4" (PX80650)

3/4" x 1/2" (PX80640)

3/8" (PX80620)

**Elbow Male Thread**

1/2" PEX x 1/2" MPT (PX81500)

1/2" PEX x 3/4" MPT (PX81502)

1/2" PEX x 3/4" 1/2" PEX x 3/8

3/4" PEX x 3/4" MPT (PX81504)

3/4" PEX x 3/4" MPT (PX81510)

MPT (PX81505) MPT (PX81490)

**Equal Coupling**

1" (PX80570)

1/2" (PX80520)

1/2" (PX80521) 3/4" (PX80550)

3/8" (PX80500)

3/8" (PX81330)

**Equal Tee**

1 1/4" (PX80860)

1" (PX80820)

1/2" (PX80710) 1/2" (PX80711)

3/4" (PX80760)

3/8" (PX80680)

**Female Adapter**

1 1/4" Barb x 1 1/4" FPT (PX81315)

1" PEX x 1" FPT (PX81310)

1/2" PEX x 1/2" 1/2" PEX x 1/2

1/2" PEX x 3/4" FPT (PX81280)

3/4" PEX x 1/2" FPT (PX81285)

FPT (PX81270) FPT (PX81271)

3/4" PEX x 3/4"

FPT (PX81300)

**Female Sweat**

1 1/4" PEX x 1 1/4" (PX81145)

1" PEX x 1" (PX81140)

1/2" PEX x

1/2" PEX x

1/2" PEX x 3/4" (PX01676)

3/4" PEX x 3/4" (PX81130)

1/2" (PX81120)

1/2" (PX81121)

**Female Sweat Elbow**

1/2" PEX x 3/4" (PX81025)

3/4" PEX x 3/4" (PX81030)

**IN PEX Brass Tee**

3/8" x 3/8" x 1/2" (PX80690)

**Male Adapter**

1 1/4" Barb X 1 1/4" MPT (PX81265)

1" PEX x 1" MPT (PX81260)

1" PEX x 3/4"

1/2" PEX x 1/2

1/2" PEX x 1/2" MPT (PX81191)

1/2" PEX x 3/4" MPT (PX81200)

MPT (PX81240) MPT (PX81190)

1/2" PEX x 3/8" 3/4" PEX x 1/2

3/4" PEX x 3/4" MPT (PX812220)

3/4" PEX x 3/4" MPT (PX812221)

MPT (PX81185) MPT (PX81210)

3/8" PEX x 1/2"

MPT (PX81180)

**Male Sweat**

1 1/4" PEX x 1 1/4" (PX81110)

1" PEX x 1" (PX81100)

1/2" PEX x

1/2" PEX x

1/2" PEX x 3/4" (PX01646)

3/4" PEX x 1/2" (PX01751)

1/2" (PX81070)

1/2" (PX81071)

3/4" PEX x

3/4" (PX81090)

**PB Coupling**

1/2" PEX x 1/2" (PX02283)

1/2" PEX x 1/2" (PX81530)

3/4" PEX x

3/4" PEX x

3/4" (PX02293) 3/4" (PX81540)

**PEX Brass Drop-Ear Elbow**

3/4" x 1/2" FPT (PX81410)

**PEX Brass Male Adapter**

3/4" x 1" MPT (PX81250)

**PEX Seperator**

1 1/4" PEX Seperator (PX80610)

<b>PEX TO Polybutylene</b> 5/8" ODX 3/4" MALE SWEAT adaptor (PX81600)			
<b>PEX Tee</b>			
1 1/4" x 1 1/4" x 1" (PX80870)	1 1/4" x 1" x 1" (PX80880)	1" x 1/2" x 1" (PX80840)	1" x 1/2" x 3/4" (PX80830)
<b>Reducing Coupling</b>			
1/2" x 3/4" (PX80540)	3/4" x 1" (PX80560)	3/8" x 1/2" (PX80510)	
<b>Reducing Tee</b>			
1" x 1" x 1/2" (PX80800)	1" x 1" x 3/4" (PX80810)	1" x 3/4" x 1" (PX80790)	1" x 3/4" x 3/4" (PX80780)
1/2" x 1/2" x 3/4" (PX80720)	3/4" x 1/2" x 1/2" (PX80730)	3/4" x 1/2" x 3/4" (PX80740)	3/4" x 1/2" x 1" (PX80770)
3/4" x 3/4" x 1/2" (PX80750)			
<b>Swivel</b>			
3/8" PEX x 1/2" FPT (PX81350)			
<b>Swivel Cone Connection</b>			
1/2" PEX x 1/2" FPT (PX81800)	3/4" PEX x 3/4" FPT (PX81320)	3/4" PEX x 3/4" FPT (PX81720)	
<b>Swivel w/ Brass Nut</b>			
1/2" PEX x 1/2" FPT (PX02345)	1/2" PEX x 3/4" FPT (PX81340)	3/4" PEX x 3/4" FPT (PX81360)	
<b>Swivel w/ Plastic Nut</b>			
1/2" PEX x 1/2" FPT (PX81380)			
<b>Swivel, EPDM Washer</b>			
1/2" PEX x 1/2" FPT (PX02245)			
<b>Test Plug</b>			
1 1/4" (PX81470)	1" (PX81480)	1/2" (PX81450)	3/4" (PX81460)

@ Product also complies to NSF/ANSI 372.

¢ Product is authorized to bear the cNSF and/or the cNSFus Mark.

+++ Material complies with NSF/ANSI 61 health effects requirements when tested at temperatures up to and including Commercial Hot (180° F).

[1] Products may have optional alphanumeric suffixes of X, 1X, XR1, XR25 etc. after the 5 digit product number to indicate sample quantities and packaging options.

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for “lead free” plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

<i>Fittings@ ¢ § +++ [1] [G]</i>	<i>MLTPL</i>	<i>HydraPure®</i>	<i>CSA B137.5</i>
<b>Brass Coupling</b>			
1" BRASS COUPLING W/ STOP / 1" PEX Separator (PX80605)			
<b>Brass Drop-Ear Elbow</b>			
3/4" X 1/2" FPT PEX (PX81410)			
<b>Brass Elbow Female Thread</b>			
1/2" PEX x 1/2" FIP (PX81316)	1/2" PEX x 3/4" FIP (PX81317)		
<b>Brass Female Adapter</b>			
1 1/4" Barb x 1" FPT (PX81313)	3/4" PEX x 1" FPT (PX81305)		
<b>Brass Male Adapter</b>			
3/4" X 1" MPT PEX (PX81250)			

**Brass Sweat Female Elbow**

1/2" PEX x 1/2" FEMALE SWEAT ELBOW (PX81020)

**Brass Swivel Elbow w/ Brass Nut**

3/4" PEX x 1/2" FIP Swivel Cone Connection(PX81710)

**Coupling**

1/2" PEX x 1/2" PB (PX02283)

1/2" PEX x 1/2" PB (PX81530)

3/4" PEX x 3/4" PB (PX02293) 3/4" PEX x 3/4" PB (PX81540)

**Drop-Ear Elbow**

3/4" PEX x 3/4" (PX81420)

**Elbow**

1" (PX80660)

1/2" (PX80630)

1/2" (PX80631) 3/4" (PX80650)

3/4" x 1/2" (PX80640)

3/8" (PX80620)

**Elbow Male Thread**

1/2" PEX x 1/2" (PX81500)

1/2" PEX x 3/4" (PX81502)

1/2" PEX x 3/4" (PX81505) 1/2" PEX x 3/8" (PX81490)

3/4" PEX x 3/4" (PX81504)

3/4" PEX x 3/4" (PX81510)

**Equal Coupling**

1" (PX80570)

1/2" (PX80520)

1/2" (PX80521) 3/4" (PX80550)

3/8" (PX80500)

3/8" (PX81330)

**Equal Tee**

1" (PX80820)

1/2" (PX80710)

1/2" (PX80711) 3/4" (PX80760)

3/8" (PX80680)

**Female Adapter**

1" PEX x 1" FPT (PX81310)

1/2" PEX x 1/2" (PX81270)

1/2" PEX x 1/2" (PX81271) 1/2" PEX x 3/4" (PX81280)

3/4" PEX x 1/2" (PX81285)

3/4" PEX x 3/4" (PX81300)

**Female Sweat Adapter**

1" PEX x 1" (PX81140)

1/2" PEX x 1/2" (PX81120)

1/2" PEX x 1/2" (PX81121) 1/2" PEX x 3/4" (PX01676)

3/4" PEX x 3/4" (PX81130)

**Female Sweat Elbow**

1/2" PEX x 3/4" (PX81025)

3/4" PEX x 3/4" (PX81030)

**In PEX Brass Tee**

3/8" x 3/8" x 1/2" (PX80690)

**Male Adapter**

1" PEX x 1" MPT (PX81260)

1" PEX x 3/4" MPT (PX81240)

1/2" PEX x 1/2" (PX81190) 1/2" PEX x 3/4" (PX81191)

1/2" PEX x 3/4" (PX81200)

1/2" PEX x 3/8" (PX81185)

3/4" PEX x 1/2" (PX81210) 3/4" PEX x 3/4" (PX81220)

3/4" PEX x 3/4" (PX812221)

3/8" PEX x 1/2" (PX81180)

**Male Sweat Adapter**

1" PEX x 1" (PX81100)

1/2" PEX x 1/2" (PX81070)

1/2" PEX x 1/2" (PX81071) 1/2" PEX x 3/4" (PX01646)

3/4" PEX x 1/2" (PX01751)

3/4" PEX x 3/4" (PX81090)

**PEX Seperator**

1 1/4" PEX Seperator (PX80610)

**PEX TO Polybutylene**

5/8" OD x 3/4" MALE SWEAT adaptor (PX81600)

**PEX Tee**

1" x 1/2" x 1" (PX80840)

1" x 1/2" x 3/4" (PX80830)

1" x 3/4" x 1/2" (PX80850)

**Reducing Coupling**

1/2" x 3/4" (PX80540)	3/4" x 1" (PX80560)	3/8" x 1/2" (PX80510)
<b>Reducing Tee</b>		
1" x 1" x 1/2" (PX80800)	1" x 1" x 3/4" (PX80810)	1" x 3/4" x 1" (PX80790) 1" x 3/4" x 3/4" (PX80780)
1/2" x 1/2" x 3/4" (PX80720)	3/4" x 1/2" x 1/2" (PX80730)	3/4" x 1/2" x 3/4" x 3/4" (PX80740) 1" (PX80770)
3/4" x 3/4" x 1/2" (PX80750)		
<b>Swivel Cone Connection</b>		
1/2" PEX x 1/2" (PX81800)	3/4" PEX x 3/4" (PX81320)	3/4" PEX x 3/4" (PX81720)
<b>Swivel Elbow w/ Plastic Nut</b>		
1/2" PEX x 1/2" FPT (PX02245)	3/8" PEX x 1/2" FPT (PX81350)	
<b>Swivel w/ Brass Nut Adapter</b>		
1/2" PEX x 1/2" FPT (PX02345)	1/2" PEX x 3/4" (PX81340)	3/4" PEX x 3/4" (PX81360)
<b>Swivel w/ Plastic Nut Adapter</b>		
1/2" PEX x 1/2" FPT (PX81380)		
<b>Test Plug</b>		
1" (PX81480)	1/2" (PX81450)	3/4" (PX81460)

@ Product also complies to NSF/ANSI 372.

¢ Product is authorized to bear the cNSF and/or the cNSFus Mark.

\$ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

+++ Material complies with NSF/ANSI 61 health effects requirements when tested at temperatures up to and including Commercial Hot (180° F).

[1] Products may have optional alphanumeric suffixes of X, 1X, XR1, XR25 etc. after the 5 digit product number to indicate sample quantities and packaging options.

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

<i>Fittings# @ ¢ \$ +++ [G]</i>	<i>MLTPL</i>	<i>NIBCO</i>	<i>ASTM F877</i>
<b>Ballcock Swivel</b>			
NP44-LF 1/2" PEX x 7/8"			
<b>Barb</b>			
NP29R 1/2" O.D. PEX x 1/2" O.D. PEX	NP29R 3/4" O.D. PEX x 3/4" O.D. PEX		
<b>Barb Coupling</b>			
NP01-LF 1 1/4" x 1 1/4"	NP01R-LF 1 1/4" x 1"	NP01R-LF 1 1/4" x 3/4"	
<b>Brass 90 Degree Elbow</b>			
NP07 1 1/4" Brass Elbow (PX80670D)	NP07 1" Brass Elbow (PX80660D)	NP07 1/2" Brass Elbow (PX80630D)	NP07 3/4" Brass Elbow (PX80650D)
NP07 3/8" Brass Elbow (PX80620D)	NP07R 3/4" x 1/2" Brass Elbow (PX80640D)		
<b>Brass Coupling</b>			
1 1/4" BRASS COUPLING W/ STOP / 1 1/4" PEX Separator (PX80610X)	1" BRASS COUPLING W/ STOP / 1" PEX Separator (PX80605X)	NP01 1 1/4" Brass Coupling (PX80580D)	NP01 1" Brass Coupling (PX80570D)
NP01 1/2" Brass Coupling (PX80520D)	NP01 3/4" Brass Coupling (PX80550D)	NP01 3/8" Brass Coupling (PX80500D)	NP01 5/8" Brass Coupling (PX80530D)
NP01R 1 1/4" x 1" Brass Coupling (PX80600D)	NP01R 1 1/4" x 3/4" Brass Coupling (PX80590D)		NP01R 1/2" x 3/8" Brass

			NP01R 1" x 3/4" Coupling Brass Coupling (PX80510D) (PX80560D)
NP01R 3/4" x 1/2" Brass Coupling (PX80540D)	NP29 1/2" PEX x 1/2" PB Transition Fitting (PX81530D)	NP29 3/4" PEX x 3/4" PB Transition Fitting (PX81540D)	
<b>Brass Drop-Ear Elbow</b>			
NP28 1/2" PEX x 1/2" FIP Drop Ear Elbow (PX81400D)	NP28 3/4" PEX x 1/2" FIP Drop Ear Elbow (PX81410D)	NP28 3/4" PEX x 3/4" FIP Drop Ear Elbow (PX81420D)	
<b>Brass Drop-Ear Elbow</b>			
NP28-LF 3/4" X 1/2" FPT PEX			
<b>Brass Elbow Female Thread</b>			
3/4" PEX x 1/2" FIP (PX81710X)	3/4" PEX x 3/4" FIP (PX81720X)		
<b>Brass Elbow Male Thread</b>			
3/4" Barb x 1/2" MPT (PX81502X)	NP25BE 1/2" PEX x 1/2" MIP Elbow (PX81500D)	NP25BE 1/2" PEX x 3/4" MIP Elbow (PX81505D)	NP25BE 1/2" PEX x 3/8" MI Elbow (PX81490D)
NP25BE 3/4" PEX x 3/4" MIP Elbow (PX81510D)			
<b>Brass Female Adapter</b>			
1 1/4" Barb x 1" FPT (PX81313X)	NP26B 1 1/4" PEX x 1 1/4" FIP Adapter (PX81315D))	NP26B 1" PEX x 1" FIP Non-Swivel Adapter (PX81310D)	NP26B 1/2" PEX x 1/2" FIP Non-SVL Adapter (PX81270D)
NP26B 1/2" PEX x 3/4" FIP Non-SVL Adapter (PX81280D)	NP26B 3/4" PEX x 1/2" FPT Adapter (PX81285D)	NP26B 3/4" PEX x 3/4" FIP Adapter (PX81300D)	
<b>Brass Male Adapter</b>			
NP25B 1 1/4" PEX x 1 1/4" MIP Adapter (PX81265D)	NP25B 1" PEX x 1" MIP Adapter (PX81260D)	NP25B 1" PEX x 3/4" MIP Adapter (PX81240D)	NP25B 1/2" PEX x 1/2" MIP Adapter (PX81190D)
NP25B 1/2" PEX x 3/4" MIP Adapter (PX81200D)	NP25B 3/4" PEX x 1" MIP Adapter (PX81250D)	NP25B 3/4" PEX x 1/2" MIP Adapter (PX81210D)	NP25B 3/4" PEX x 3/4" MIP Adapter (PX81220D)
NP25B 3/8" PEX x 1/2" MIP Adapter (PX81180D)			
<b>Brass Sweat Adapter</b>			
NP23 1" PEX x 1" Male Sweat Adapter (PX81100D)	NP23 1/2" PEX x 1/2" Male Sweat Adapter (PX81070D)	NP23 1/2" PEX x 3/4" Male Sweat Adapter (PX01646D)	NP23 3/4" PEX x 1/2" Male Sweat Adapter (PX01751D)
NP23 3/4" PEX x 3/4" Male Sweat Adapter (PX81090D)	NP23F 1" PEX x 1" Female Sweat Adapter (PX81140D)	NP23F 1/2" PEX x 1/2" Female Sweat Adapter (PX81120D)	NP23F 1/2" PEX x 3/4" Female Sweat Adapter (PX01676D)
NP23F 3/4" PEX x 3/4" Female Sweat Adapter (PX81130D)			
<b>Brass Sweat Female Elbow</b>			
1/2" PEX x 1/2" FEMALE SWEAT ELBOW (PX81020X)	NP22F 3/4" PEX x 3/4" Female SWT Elbow (PX81030D)	NP22F 5/8" PEX x 3/4" Female Sweat Elbow (PX81050D)	
<b>Brass Sweat Male Elbow</b>			
NP22 5/8" PEX x 3/4" Male Sweat Elbow (PX81040D)			

**Brass Swivel Adapter**

1/2" PEX x 7/8" Ballcock Swivel (PX8138oD)

NP26BS 1/2" PEX x 1/2" NPSM SVL ADPT - Brass Nut  
(PX02346D)

NP26BS 1/2" PEX x 3/4" NPSM Swivel Adapter (PX81340D) NP26BS 3/4" PEX x 3/4" NPSM SVL ADPT (PX8136oD) NP44 3/8" PEX x Straight SVL Closet Adapt (PX8137oD)

NP26PS 1/2" NPSM SWL Adapt Plastic Nut (PXo2345D)

NP27 3/8" PEX x 1/2" STR SWVL Faucet Adapt (PX8133oD)

**Brass Swivel Elbow w/ Brass Nut**

1/2" PEX x 3/4" FGHT Swivel Cone connection (PX818ooX)

NP26SE 1/2" PEX x 3/4" FIP Swivel Elbow (PX8129oD)

NP26SE 3/4" PEX x 3/4" FIP Swivel Elbow (PX8132oD) NP27B 1/2" PEX x 1/2" NPSM SVL EL - Brass Nut (PXo2255)

**Brass Swivel Elbow w/ Plastic Nut**

NP27P 1/2" x 1/2" NPSM SVL EL (Plastic Nut) (PXo2245D)

NP27SE 3/8" PEX x 1/2" ELB SVL Faucet ADPT (PX8135oD)

**Brass Tee**

NP11 1 1/4" Brass Tee (PX8o86oD)

NP11 1" PEX Brass Insert Tee (PX8o82oD)

NP11 1/2" Brass Tee (PX8o71oD) NP11 1/2" x 1/2" x 3/8" Brass Tee (PX8o7ooD)

NP11 3/4" PEX Brass Insert Tee (PX8o76oD)

NP11 3/8" Brass Tee (PX8o68oD)

NP11 3/8" x 3/8" x 1/2" Brass Tee (PX8o69oD) NP11R 1 1/4" x 1/4" x 1" Brass Tee (PX8o87o)

NP11R 1 1/4" x 1" x 1" Brass Tee (PX8o88oD)

NP11R 1" x 1" x 1/2" Brass Tee (PX8o8ooD)

NP11R 1" x 1" x 3/4" Brass Tee (PX8o81oD) NP11R 1" x 1/2" 1" Brass Tee (PX8o84oD)

NP11R 1" x 1/2" x 3/4" Brass Tee (PX8o83oD)

NP11R 1" x 3/4" x 1" Brass Tee (PX8o79oD)

NP11R 1" x 3/4" x 1/2" Brass Tee (PX8o85oD) NP11R 1" x 3/4" x 3/4" PEX Brass Tee (PX8o78oD)

NP11R 1/2" x 1/2" x 3/4" Brass Tee (PX8o72oD)

NP11R 3/4" x 1/2" x 1/2" Brass Tee (PX8o73oD)

NP11R 3/4" x 1/2" x 3/4" Brass Tee (PX8o74oD) NP11R 3/4" x 3/4" x 1" Brass Tee (PX8o77o)

NP11R 3/4" x 3/4" x 1/2" Brass Tee (PX8o75oD)

**Brass Test Plug**

NP18 1 1/4" Brass Plug (PX8147oD)

NP18 1" Brass Plug (PX8148oD)

NP18 1/2" Brass Plug (PX8145oD) NP18 3/4" Brass Plug (PX8146oD)

NP18 3/8" Brass Plug (PX8144oD)

**Coupling**

NP29-LF 1/2" PEX x 1/2" PB Coupling

NP29-LF 3/4" PEX x 3/4" PB Coupling

NP29-LF 3/8" PEX x 3/8" PB Coupling

**Drop-Ear Elbow**

NP28-LF 1/2" PEX x 1/2" FPT

NP28-LF 3/4" PEX x 3/4"

**Elbow**

NPo7-LF 1 1/4"

NPo7-LF 3/8"

NPo7-LF 1"

NPo7R-LF 1" x 3/4"

NPo7-LF 1/2"

NPo7R-LF 3/4" x 1/2"

NPo7-LF 3/4"

NPo7R-LF 3/8" x 1/2"

**Elbow Male Thread**

NP25BE-LF 1" Barb x 1 1/4" MPT

NP25BE-LF 1/2" PEX x 1/2" MPT

NP25BE-LF 1/2" PEX x 3/4" MPT NP25BE-LF 1/2" PEX x 3/8" MPT NP25BE-LF 3/8" PEX x 3/8" MPT

NP25BE-LF 3/4" PEX x 3/4" MPT

NP25BE-LF 3/8" PEX x 1/2" MPT

**Equal Coupling**

NP01-LF 1" NP01-LF 5/8"	NP01-LF 1/2"	NP01-LF 3/4"	NP01-LF 3/8"
<b>Equal Tee</b> NP11-LF 1 1/4" NP11-LF 3/8"	NP11-LF 1"	NP11-LF 1/2"	NP11-LF 3/4"
<b>Female Adapter</b> 1 1/4" Barb x 1 1/4" FPT (PX81315X)	NP26B-LF 1 1/4" Barb x 1 1/4" FPT	NP26B-LF 1" PEX x 1" FPT	NP26B-LF 1/2' PEX x 1/2" FP
NP26B-LF 1/2" PEX x 1/8" FPT	NP26B-LF 1/2" PEX x 3/4" FPT	NP26B-LF 3/4"	NP26B-LF 3/4 PEX x 1/2" FPT PEX x 3/4" FP
NP26B-LF 3/8" PEX x 1/2" FPT			
<b>Female Sweat</b> NP23F-LF 1 1/4" PEX x 1 1/4"	NP23F-LF 1" PEX x 1"	NP23F-LF 1/2"	NP23F-LF 1/2' PEX x 3/4"
NP23F-LF 3/4" PEX x 3/4"	NP23F-LF 5/8" PEX x 3/4"		
<b>Female Sweat Elbow</b> NP22F-LF 1/2" PEX x 3/4"	NP22F-LF 3/4" PEX x 3/4"	NP22F-LF 5/8" PEX x 3/4"	
<b>In PEX Brass Tee</b> NP11R-LF 1/2" x 1/2" x 3/8"	NP11R-LF 1/2" x 3/8" x 1/2"	NP11R-LF 3/4" x NP11R-LF 3/8' 3/4" x 3/8" 3/8" x 3/8"	
<b>Male Adapter</b> NP25B-LF 1 1/4" Barb X 1 1/4" MPT (2XABc55)	NP25B-LF 1 1/4" Barb X 1" MPT (2XABc54)	NP25B-LF 1" PEX x 1" MPT (2XABc44)	NP25B-LF 1" PEX x 3/4" MF (2XABc43)
NP25B-LF 1/2" PEX x 1/2" MPT	NP25B-LF 1/2" PEX x 3/4" MPT	NP25B-LF 1/2" PEX x 3/8" MPT	NP25B-LF 3/4 PEX x 1/2" MP (2XABc32)
NP25B-LF 3/4" PEX x 3/4" MPT (2XABc33)	NP25B-LF 3/8" PEX x 1/2" MPT	NP25B-LF 3/8" PEX x 3/8" MPT	
<b>Male Sweat</b> NP23-LF 1 1/4" Barb x 1 1/4"	NP23-LF 1" PEX x 1"	NP23-LF 1/2" PEX x 1/2"	NP23-LF 1/2" PEX x 3/4"
NP23-LF 3/4" PEX x 1/2"	NP23-LF 3/4" PEX x 3/4"	NP23-LF 5/8" PEX x 3/4"	
<b>Male Sweat Elbow</b> NP22-LF 1/2" PEX x 3/4"	NP22-LF 5/8" PEX x 3/4"		
<b>Male Sweat PEX Brass Adapter</b> NP23-LF 3/8" IN x 1/2"			
<b>PEX Brass Elbow</b> NP22-LF 3/4" Male SWT x 3/4" IN			
<b>PEX Brass Male Adapter</b> NP25B-LF 3/4" x 1" MPT			
<b>PEX TO Polybutylene</b> 5/8" OD x 3/4" MALE SWEAT adaptor (PX81600X)			
<b>PEX Tee</b> NP11R 1 1/4" x 1 1/4" x 1" DZR BRASS TEE (PX80870X)	NP11R-LF 1 1/4" x 1 1/4" x 1"	NP11R-LF 1 1/4" x 1 1/4" x 1/2"	NP11R-LF 1 1/4" x 1 1/4" x 3/4"
NP11R-LF 1 1/4" x 1" x 1"	NP11R-LF 1" x 1/2" x 1"	NP11R-LF 1" x 1/2" x 3/4"	NP11R-LF 1" x 3/4" x 1/2"
<b>Reducing Coupling</b> NP01R-LF 1/2" x 3/4" Reducing Coupling	NP01R-LF 3/4" x 1" Reducing Coupling	NP01R-LF 3/8" x 1/2" Reducing Coupling	
<b>Reducing Tee</b>			

NP11R-LF 1" x 1" x 1/2"	NP11R-LF 1" x 1" x 3/4"	NP11R-LF 1" x 3/4" x 1"	NP11R-LF 1" x 3/4" x 3/4"
NP11R-LF 1/2" x 1/2" x 3/4"	NP11R-LF 1/2" x 3/8" x 3/8"	NP11R-LF 3/4" x NP11R-LF 3/4" x 1/2"	NP11R-LF 3/4" x 1/2" x 3/4"
NP11R-LF 3/4" x 3/4" x 1"	NP11R-LF 3/4" x 3/4" x 1/2"		
<b>Swivel</b>			
NP26BS-LF 1" PEX x 1" FPT	NP26BS-LF 1/2" PEX x 3/4" FPT	NP26BS-LF 3/4" PEX x 3/4" FPT	NP26BS-LF 3/4" PEX x 1/2" FPT
NP26BS-LF 3/8" PEX x 3/8" FPT			
<b>Swivel Cone Connection</b>			
NP26SE 3/4" PEX x 3/4" FIP DZR SVL ELBOW (PX81320X)	NP27B-LF 1/2" PEX x 1/2" FPT	NP27B-LF 1/2" PEX x 3/4" FPT	NP27B-LF 3/4" PEX x 3/4" FPT
NP27B-LF 3/8" PEX x 1/2" FPT	UPNP27P-LF 3/4" PEX x NPSM BRONZE SWIVEL ELBOW BAG OF 1 (PX02218XR1)		
<b>Swivel w/ Brass Nut</b>			
NP26BS-LF 1/2" PEX x 1/2" FPT	NP26BS-LF 1/2" PEX x 3/4" FPT	NP26BS-LF 3/4" PEX x 3/4" FPT	
<b>Swivel w/ Plastic Nut</b>			
NP26PS-LF 1/2" PEX x 1/2" FPT	NP26PS-LF 3/8" PEX x 1/2" FPT	NP26PS-LF 3/8" PEX x 3/8" FPT	
<b>Swivel, EPDM Washer</b>			
NP26PS 1/2" PEX x NPSM SVL ADPT-PLASTICNUT (PX02345X)	NP27B 1/2" x 1/2" NPSM DZR SVL ELB BRASSNUT (PX02255X)	NP27P-LF 1/2" PEX x NPSM SVL EL-PLSTC NUT (PX02245X)	
<b>Test Plug</b>			
NP18-LF 1 1/4"	NP18-LF 1"	NP18-LF 1/2"	NP18-LF 3/4"
NP18-LF 3/8"			

# Figure numbers may have one of the following optional prefixes used to identify retail packaging requirements: UCP, U, UTP, USP, UPP, UP, UMP, UHP, UBP, PP, MPP, CP, MCP, C, CS, MCC, CL or CLC.

@ Product also complies to NSF/ANSI 372.

¢ Product is authorized to bear the cNSF and/or the cNSFus Mark.

\$ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

+++ Material complies with NSF/ANSI 61 health effects requirements when tested at temperatures up to and including Commercial Hot (180° F).

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

Fittings@ ¢ \$ +++ [G]

MLTPL

NIBCO

ASTM F877

#### Brass Elbow Female Thread

NP26BE-LF 1/2" PEX x 1/2" FIP (2XAWc22)

NP26BE-LF 1/2" PEX x 3/4" FIP (2XAWc23)

#### Brass Swivel Adapter

NP44-LF 1/2" PEX x 7/8" Ballcock Swivel (2XAFc27)

@ Product also complies to NSF/ANSI 372.

¢ Product is authorized to bear the cNSF and/or the cNSFus Mark.

\$ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

+++ Material complies with NSF/ANSI 61 health effects requirements when tested at temperatures up to and including Commercial Hot (180° F).

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for “lead free” plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

<i>Fittings# @ ¢ \$ +++ [G]</i>	<i>MLTPL</i>	<i>NIBCO</i>	<i>ASTM F1807</i>
<b>Ballcock Swivel</b> NP44-LF 1/2" PEX x 7/8"			
<b>Barb</b> NP29R 1/2" O.D. PEX x 1/2" O.D. PEX			
<b>Brass 90 Degree Elbow</b> NP07 1 1/4" Brass Elbow (PX80670D)			
NP07 3/8" Brass Elbow (PX80620D)			
<b>Brass Coupling</b> 1 1/4" BRASS COUPLING W/ STOP / 1 1/4" PEX Separator (PX80610X)			
NP01 1/2" Brass Coupling (PX80520D)			
NP01R 1 1/4" x 1" Brass Coupling (PX80600D)			
NP01R 3/4" x 1/2" Brass Coupling (PX80540D)			
<b>Brass Drop-Ear Elbow</b> NP28 1/2" PEX x 1/2" FIP Drop Ear Elbow (PX81400D)			
<b>Brass Drop-Ear Elbow</b> NP28-LF 3/4" X 1/2" FPT PEX			
<b>Brass Elbow Female Thread</b> 3/4" PEX x 1/2" FIP (PX81710X)			
<b>Brass Elbow Male Thread</b> 3/4" Barb x 1/2" MPT (PX81502X)			
NP25BE 3/4" PEX x 3/4" MIP Elbow (PX81510D)			
<b>Brass Female Adapter</b> 1 1/4" Barb x 1" FPT (PX81313X)			
NP26B 1/2" PEX x 3/4" FIP Non-SVL Adapter (PX81280D)			
<b>Brass Male Adapter</b>			

NP25B 1 1/4" PEX x 1 1/4" MIP Adapter (PX81265D)	NP25B 1" PEX x 1" MIP Adapter (PX81260D)	NP25B 1" PEX x 3/4" MIP Adapter (PX81240D)	NP25B 1/2" PEX x 1/2" MIP Adapter (PX81190D)
NP25B 1/2" PEX x 3/4" MIP Adapter (PX81200D)	NP25B 3/4" PEX x 1" MIP Adapter (PX81250D)	NP25B 3/4" PEX x 1/2" MIP Adapter (PX81210D)	NP25B 3/4" PEX x 3/4" MIP Adapter (PX81220D)
NP25B 3/8" PEX x 1/2" MIP Adapter (PX81180D)			
<b>Brass Sweat Adapter</b>			
NP23 1" PEX x 1" Male Sweat Adapter (PX81100D)	NP23 1/2" PEX x 1/2" Male Sweat Adapter (PX81070D)	NP23 1/2" PEX x 3/4" Male Sweat Adapter (PX01646D)	NP23 3/4" PEX x 1/2" Male Sweat Adapter (PX01751D)
NP23 3/4" PEX x 3/4" Male Sweat Adapter (PX81090D)	NP23F 1" PEX x 1" Female Sweat Adapter (PX81140D)	NP23F 1/2" PEX x 1/2" Female Sweat Adapter (PX81120D)	NP23F 1/2" PEX x 3/4" Female Sweat Adapter (PX01676D)
NP23F 3/4" PEX x 3/4" Female Sweat Adapter (PX81130D)			
<b>Brass Sweat Female Elbow</b>			
1/2" PEX x 1/2" FEMALE SWEAT ELBOW (PX81020X)	NP22F 3/4" PEX x 3/4" Female SWT Elbow (PX81030D)	NP22F 5/8" PEX x 3/4" Female Sweat Elbow (PX81050D)	
<b>Brass Sweat Male Elbow</b>			
NP22 5/8" PEX x 3/4" Male Sweat Elbow (PX81040D)			
<b>Brass Swivel Adapter</b>			
1/2" PEX x 7/8" Ballcock Swivel (PX81380D)	NP26BS 1/2" PEX x 1/2" NPSM SVL ADPT - Brass Nut (PX02346D)	NP26BS 1/2" PEX x 3/4" NPSM Swivel Adapter (PX81340D)	NP26BS 3/4" PEX x 3/4" NPSM SVL ADPT (PX81360D)
NP26PS 1/2" NPSM SWL Adapt Plastic Nut (PX02345D)	NP27 3/8" PEX x 1/2" STR SWVL Faucet Adapt (PX81330D)	NP44 3/8" PEX x Straight SVL Closet Adapt (PX81370D)	
<b>Brass Swivel Elbow w/ Brass Nut</b>			
1/2" PEX x 3/4" FGHT Swivel Cone connection (PX81800X)	NP26SE 1/2" PEX x 3/4" FIP Swivel Elbow (PX81290D)	NP26SE 3/4" PEX x 3/4" FIP Swivel Elbow (PX81320D)	NP27B 1/2" PEX x 1/2" NPSM SVL EL - Brass Nut (PX02255D)
<b>Brass Swivel Elbow w/Plastic Nut</b>			
NP27P 1/2" x 1/2" NPSM SVL EL (Plastic Nut) (PX02245D)	NP27SE 3/8" PEX x 1/2" ELB SVL Faucet ADPT (PX81350D)		
<b>Brass Tee</b>			
NP11 1 1/4" Brass Tee (PX80860D)	NP11 1" PEX Brass Insert Tee (PX80820D)	NP11 1/2" Brass Tee (PX80710D)	NP11 1/2" x 1/2" x 3/8" Brass Tee (PX80700D)
NP11 3/4" PEX Brass Insert Tee (PX80760D)	NP11 3/8" Brass Tee (PX80680D)	NP11 3/8" x 3/8" x 1/2" Brass Tee (PX80690D)	NP11R 1 1/4" x 1/4" x 1" Brass Tee (PX80870D)
NP11R 1 1/4" x 1" x 1" Brass Tee (PX80880D)	NP11R 1" x 1" x 1/2" Brass Tee (PX80800D)	NP11R 1" x 1" x 3/4" Brass Tee (PX80810D)	NP11R 1" x 1/2" x 1" Brass Tee (PX80840D)
NP11R 1" x 1/2" x 3/4" Brass Tee (PX80830D)	NP11R 1" x 3/4" x 1" Brass Tee (PX80790D)	NP11R 1" x 3/4" x 1/2" Brass Tee (PX80850D)	NP11R 1" x 3/4" x 3/4" PEX Brass Tee (PX80780D)
NP11R 1/2" x 1/2" x 3/4" Brass Tee (PX80720D)	NP11R 3/4" x 1/2" x 1/2" Brass Tee (PX80730D)	NP11R 3/4" x 1/2" x 3/4" Brass Tee (PX80770D)	

NP11R 3/4" x 3/4" x 1/2" Brass Tee (PX80750D)		Brass Tee (PX80740D)	
<b>Brass Test Plug</b> NP18 1 1/4" Brass Plug (PX81470D)		NP18 1" Brass Plug (PX81480D)	
NP18 3/8" Brass Plug (PX81440D)		NP18 1/2" Brass Plug (PX81450D) NP18 3/4" Brass Plug (PX81460D)	
<b>Coupling</b> NP29-LF 1/2" PEX x 1/2" PB Coupling		NP29-LF 3/4" PEX x 3/4" PB Coupling	
<b>Drop-Ear Elbow</b> NP28-LF 1/2" PEX x 1/2" FPT		NP29-LF 3/8" PEX x 3/8" PB Coupling	
<b>Elbow</b> NP07-LF 1 1/4" NP07-LF 3/8"		NP28-LF 3/4" PEX x 3/4"	
<b>Elbow Male Thread</b> NP25BE-LF 1" Barb x 1 1/4" MPT		NP07-LF 1" NP07R-LF 1" x 3/4"	
NP25BE-LF 3/4" PEX x 3/4" MPT		NP07-LF 1/2" NP07R-LF 3/4" x 1/2"	
<b>Equal Coupling</b> NP01-LF 1" NP01-LF 5/8"		NP25BE-LF 1/2" PEX x 1/2" MPT NP25BE-LF 3/8" PEX x 1/2" MPT	
<b>Equal Tee</b> NP11-LF 1 1/4" NP11-LF 3/8"		NP25BE-LF 1/2" NP25BE-LF 1/2" PEX x 3/4" MPT PEX x 3/8" MF NP25BE-LF 3/8" PEX x 3/8" MPT	
<b>Female Adapter</b> 1 1/4" Barb x 1 1/4" FPT (PX81315X)		NP01-LF 1/2" NP01-LF 3/4"	
NP26B-LF 1/2" PEX x 1/8" FPT		NP11-LF 1" NP11-LF 1/2"	
NP26B-LF 3/8" PEX x 1/2" FPT		NP11-LF 1/2" NP11-LF 3/4"	
<b>Female Sweat</b> NP23F-LF 1 1/4" PEX x 1 1/4"		NP26B-LF 1" PEX x 1" FPT NP26B-LF 3/4" PEX x 1/2" FPT	
NP23F-LF 3/4" PEX x 3/4"		NP26B-LF 1/2" PEX x 1/2" FPT NP26B-LF 3/4" PEX x 3/4" FPT	
<b>Female Sweat Elbow</b> NP22F-LF 1/2" PEX x 3/4"		NP23F-LF 1" PEX x 1" NP23F-LF 5/8" PEX x 3/4"	
<b>In PEX Brass Tee</b> NP11R-LF 1/2" x 1/2" x 3/8"		NP22F-LF 3/4" PEX x 3/4"	
<b>Male Adapter</b> NP25B-LF 1 1/4" Barb X 1 1/4" MPT (2XABc55)		NP11R-LF 3/4" x NP11R-LF 3/8" x 3/4" x 3/8"	
NP25B-LF 1/2" PEX x 1/2" MPT		NP25B-LF 1" PEX x 1" MPT (2XABc44)	
NP25B-LF 3/4" PEX x 3/4" MPT (2XABc33)		NP25B-LF 1" PEX x 3/4" MPT (2XABc43)	
<b>Male Sweat</b> NP23-LF 1 1/4" Barb x 1 1/4"		NP25B-LF 3/8" PEX x 1/2" MPT NP25B-LF 3/8" PEX x 3/8" MPT	

NP23-LF 3/4" PEX x 1/2"	NP23-LF 3/4" PEX x 3/4"	NP23-LF 1/2" PEX x 1/2"	NP23-LF 1/2" PEX x 3/4"
<b>Male Sweat Elbow</b> NP22-LF 1/2" PEX x 3/4"	NP22-LF 5/8" PEX x 3/4"		
<b>Male Sweat PEX Brass Adapter</b> NP23-LF 3/8" IN x 1/2"			
<b>PEX Barb Coupling</b> NP01-LF 1 1/4" x 1 1/4"	NP01R-LF 1 1/4" x 1"	NP01R-LF 1 1/4" x 3/4"	
<b>PEX Brass Elbow</b> NP22-LF 3/4" Male SWT x 3/4" IN			
<b>PEX Brass Male Adapter</b> NP25B-LF 3/4" x 1" MPT			
<b>PEX TO Polybutylene</b> 5/8" OD x 3/4" MALE SWEAT adaptor (PX81600X)			
<b>PEX Tee</b> NP11R 1" X 3/4" X 1/2" DZR BRASS TEE (PX80850X)	NP11R-LF 1 1/4" x 1 1/4" x 1"	NP11R-LF 1 1/4" x 1 1/4" x 1/2"	NP11R-LF 1 1/4" x 1 1/4" x 3/4"
NP11R-LF 1 1/4" x 1" x 1"	NP11R-LF 1" x 1/2" x 1"	NP11R-LF 1" x 1/2" x 3/4"	NP11R-LF 1" x 3/4" x 1/2"
<b>Reducing Coupling</b> NP01R-LF 1/2" x 3/4" Reducing Coupling	NP01R-LF 3/4" x 1" Reducing Coupling	NP01R-LF 3/8" x 1/2" Reducing Coupling	
<b>Reducing Tee</b> NP11R-LF 1" x 1" x 1/2"	NP11R-LF 1" x 1" x 3/4"	NP11R-LF 1" x 3/4" x 1"	NP11R-LF 1" x 3/4" x 3/4"
NP11R-LF 1/2" x 1/2" x 3/4"	NP11R-LF 1/2" x 3/8" x 3/8"	NP11R-LF 3/4" x 1/2" x 1/2"	NP11R-LF 3/4" x 1/2" x 3/4"
NP11R-LF 3/4" x 3/4" x 1"	NP11R-LF 3/4" x 3/4" x 1/2"		
<b>Swivel</b> NP26BS-LF 1" PEX x 1" FPT	NP26BS-LF 1/2" PEX x 3/4" FPT	NP26BS-LF 3/4" PEX x 3/4" FPT	NP26BS-LF 3/4" PEX x 1/2" FPT
NP26BS-LF 3/8" PEX x 3/8" FPT			
<b>Swivel Cone Connection</b> 3/4" PEX x 3/4" FPT (PX02218X)	NP27B-LF 1/2" PEX x 1/2" FPT	NP27B-LF 1/2" PEX x 3/4" FPT	NP27B-LF 3/4" PEX x 3/4" FPT
NP27B-LF 3/8" PEX x 1/2" FPT			
<b>Swivel w/ Brass Nut</b> NP26BS-LF 1/2" PEX x 1/2" FPT	NP26BS-LF 1/2" PEX x 3/4" FPT	NP26BS-LF 3/4" PEX x 3/4" FPT	
<b>Swivel w/ Plastic Nut</b> NP26PS-LF 1/2" PEX x 1/2" FPT	NP26PS-LF 3/8" PEX x 1/2" FPT	NP26PS-LF 3/8" PEX x 3/8" FPT	
<b>Test Plug</b> NP18-LF 1 1/4"	NP18-LF 1"	NP18-LF 1/2"	NP18-LF 3/4"
NP18-LF 3/8"			

# Figure numbers may have one of the following optional prefixes used to identify retail packaging requirements: UCP, U, UTP, USP, UPP, UP, UMP, UHP, UBP, PP, MPP, CP, MCP, C,

CS, MCC, CL or CLC.

@ Product also complies to NSF/ANSI 372.

¢ Product is authorized to bear the cNSF and/or the cNSFus Mark.

\$ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

+++ Material complies with NSF/ANSI 61 health effects requirements when tested at temperatures up to and including Commercial Hot (180° F).

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

Fittings@ ¢ \$ +++ [G]

MLTPL

NIBCO

ASTM F1807

#### Brass Elbow Female Thread

NP26BE-LF 1/2" PEX x 1/2" FIP (2XAWc22)

NP26BE-LF 1/2" PEX x 3/4" FIP (2XAWc23)

#### Brass Swivel Adapter

NP44-LF 1/2" PEX x 7/8" Ballcock Swivel (2XAFc27)

@ Product also complies to NSF/ANSI 372.

¢ Product is authorized to bear the cNSF and/or the cNSFus Mark.

\$ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

+++ Material complies with NSF/ANSI 61 health effects requirements when tested at temperatures up to and including Commercial Hot (180° F).

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

Fittings# @ ¢ \$ +++ [G]

MLTPL

NIBCO

CSA B137.5

#### Ballcock Swivel

NP44-LF 1/2" PEX x 7/8"

#### Barb

NP29R 1/2" O.D. PEX x 1/2" O.D. PEX

NP29R 3/4" O.D. PEX x 3/4" O.D. PEX

#### Brass 90 Degree Elbow

NP07 1" Brass Elbow (PX80660D)

NP07 1/2" Brass Elbow (PX80630D)

NP07 3/4" Brass Elbow (PX80650D) NP07 3/8" Brass Elbow (PX80620D)

NP07R 3/4" x 1/2" Brass Elbow (PX80640D)

#### Brass Coupling

1 1/4" BRASS COUPLING W/ STOP / 1 1/4" PEX Separator (PX80610X)

1" BRASS COUPLING W/ STOP / 1" PEX Separator (PX80605X)

NP01 1" Brass Coupling (PX80570D) NP01 1/2" Brass Coupling (PX80520D)

NP01 3/4" Brass Coupling (PX80550D)

NP01 3/8" Brass Coupling (PX80500D)

NP01 5/8" Brass Coupling (PX80530D) NP01R 1" x 3/4" Brass Coupling (PX80560D)

NP01R 1/2" x 3/8" Brass Coupling (PX80510D)

NP01R 3/4" x 1/2" Brass Coupling (PX80540D)

NP29 1/2" PEX x 1/2" PB Transition Fitting (PX81530D) NP29 3/4" PEX x 3/4" PB Transition Fitting (PX81540D)

#### Brass Drop-Ear Elbow

NP28 1/2" PEX x 1/2" FIP Drop Ear Elbow (PX81400D)

NP28 3/4" PEX x 1/2" FIP Drop Ear Elbow (PX81410D)

NP28 3/4" PEX x 3/4" FIP Drop Ear Elbow (PX81420D)

**Brass Drop-Ear Elbow**  
NP28-LF 3/4" X 1/2" FPT PEX

**Brass Elbow Female Thread**  
3/4" PEX x 1/2" FIP (PX81710X) 3/4" PEX x 3/4" FIP (PX81720X)

**Brass Elbow Male Thread**  
3/4" Barb x 1/2" MPT (PX81502X) NP25BE 1/2" PEX x 1/2" MIP Elbow (PX81500D) NP25BE 1/2" PEX x 3/4" MIP Elbow (PX81505D) NP25BE 1/2" PEX x 3/8" MIP Elbow (PX81490D)

NP25BE 3/4" PEX x 3/4" MIP Elbow (PX81510D)

**Brass Female Adapter**  
1 1/4" Barb x 1" FPT (PX81313X) NP26B 1" PEX x 1" FIP Non-Swivel Adapter (PX81310D) NP26B 1/2" PEX x 1/2" FIP Non-SVL Adapter (PX81270D) NP26B 1/2" PEX x 3/8" MIP Non-SVL Adapter (PX81280D)

NP26B 3/4" PEX x 1/2" FPT Adapter (PX81285D) NP26B 3/4" PEX x 3/4" FIP Adapter (PX81300D)

**Brass Male Adapter**  
NP25B 1" PEX x 1" MIP Adapter (PX81260D) NP25B 1" PEX x 3/4" MIP Adapter (PX81240D) NP25B 1/2" PEX x 1/2" MIP Adapter (PX81190D) NP25B 1/2" PEX x 3/4" MIP Adapter (PX81200D)

NP25B 3/4" PEX x 1" MIP Adapter (PX81250D) NP25B 3/4" PEX x 1/2" MIP Adapter (PX81210D) NP25B 3/4" PEX x 1/4" MIP Adapter (PX81220D) NP25B 3/8" PEX x 1/2" MIP Adapter (PX81180D)

**Brass Sweat Adapter**  
NP23 1 1/4" PEX x 1 1/4" Male Sweat Adatper (PX81110D) NP23 1" PEX x 1" Male Sweat Adapter (PX81100D) NP23 1/2" PEX x 1/2" Male Sweat Adapter (PX81070D) NP23 1/2" PEX x 3/4" Male Sweat Adapter (PX01646D)

NP23 3/4" PEX x 1/2" Male Sweat Adapter (PX01751D) NP23 3/4" PEX x 3/4" Male Sweat Adapter (PX81090D) NP23F 1 1/4" PEX x 1 1/4" Female Sweat Adapter (PX81145D) NP23F 1" PEX x 1" Female Sweat Adapter (PX81140D)

NP23F 1/2" PEX x 1/2" Female Sweat Adapter (PX81120D) NP23F 1/2" PEX x 3/4" Female Sweat Adapter (PX01676D) NP23F 3/4" PEX x 3/4" Female Sweat Adapter (PX81130D)

**Brass Sweat Female Elbow**  
1/2" PEX x 1/2" FEMALE SWEAT ELBOW (PX81020X) NP22F 3/4" PEX x 3/4" Female SWT Elbow (PX81030D) NP22F 5/8" PEX x 3/4" Female Sweat Elbow (PX81050D)

**Brass Sweat Male Elbow**  
NP22 5/8" PEX x 3/4" Male Sweat Elbow (PX81040D)

**Brass Swivel Adapter**  
1/2" PEX x 7/8" Ballcock Swivel (PX81380D) NP26BS 1/2" PEX x 1/2" NPSM SVL ADPT - Brass Nut (PX02346D) NP26BS 1/2" PEX x 3/4" NPSM Swivel Adapter (PX81340D) NP26BS 3/4" PEX x 3/4" NPSM SVL ADPT (PX81360D)

NP26PS 1/2" NPSM SWL Adapt Plastic Nut (PX02345D) NP27 3/8" PEX x 1/2" STR SWVL Faucet Adapt (PX81330D) NP44 3/8" PEX x Straight SVL Closet Adapt (PX81370D)

**Brass Swivel Elbow w/ Brass Nut**  
1/2" PEX x 3/4" FGHT Swivel Cone connection (PX81800X) NP26SE 1/2" PEX x 3/4" FIP Swivel Elbow (PX81290D)

NP26SE 3/4"	NP27B 1/2" PE
PEX x 3/4" FIP	x 1/2" NPSM
Swivel Elbow	SVL EL - Brass
(PX81320D)	Nut (PX022551

**Brass Swivel Elbow w/ Plastic Nut**

NP27P 1/2" x 1/2" NPSM SVL EL (Plastic Nut) (PX02245D)	NP27SE 3/8" PEX x 1/2" ELB SVL Faucet ADPT (PX81350D)
--	---

**Brass Tee**

NP11 1" PEX Brass Insert Tee (PX80820D)	NP11 1/2" Brass Tee (PX80710D)	NP11 1/2" x 1/2" x 3/8" Brass Tee (PX80700D)	NP11 3/4" PEX Brass Insert Tee (PX80760D)
NP11 3/8" Brass Tee (PX80680D)	NP11 3/8" x 3/8" x 1/2" Brass Tee (PX80690D)	NP11R 1" x 1" x 1/2" Brass Tee (PX80800D)	NP11R 1" x 1" x 3/4" Brass Tee (PX80810D)
NP11R 1" x 1/2" x 1" Brass Tee (PX80840D)	NP11R 1" x 1/2" x 3/4" Brass Tee (PX80830D)	NP11R 1" x 3/4" x 1" Brass Tee (PX80790D)	NP11R 1" x 3/4" x 1/2" Brass Tee (PX80850D)
NP11R 1" x 3/4" x 3/4" PEX Brass Tee (PX80780D)	NP11R 1/2" x 1/2" x 3/4" Brass Tee (PX80720D)	NP11R 3/4" x 1/2" x 1/2" Brass Tee (PX80740D)	NP11R 3/4" x 1/2" x 3/4" Bra Tee (PX80740D)
NP11R 3/4" x 3/4" x 1" Brass Tee (PX80770D)	NP11R 3/4" x 3/4" x 1/2" Brass Tee (PX80750D)		

**Brass Test Plug**

NP18 1" Brass Plug (PX81480D)	NP18 1/2" Brass Plug (PX81450D)	NP18 3/4" Brass Plug (PX81460D)	NP18 3/8" Bra Plug (PX81440D)
-------------------------------	---------------------------------	---------------------------------	-------------------------------

**Coupling**

NP29-LF 1/2" PEX x 1/2" PB Coupling	NP29-LF 3/4" PEX x 3/4" PB Coupling	NP29-LF 3/8" PEX x 3/8" PB Coupling
-------------------------------------	-------------------------------------	-------------------------------------

**Drop-Ear Elbow**

NP28-LF 1/2" PEX x 1/2" FPT	NP28-LF 3/4" PEX x 3/4"
-----------------------------	-------------------------

**Elbow**

NP07 1 1/4" DZR BRASS ELBOW (PX80670X)	NP07-LF 1 1/4"	NP07-LF 1"	NP07-LF 1/2"
NP07-LF 3/4"	NP07-LF 3/8"	NP07R-LF 1" x 3/4"	NP07R-LF 3/4 x 1/2"
NP07R-LF 3/8" x 1/2"			

**Elbow Male Thread**

NP25BE-LF 1" Barb x 1 1/4" MPT	NP25BE-LF 1/2" PEX x 1/2" MPT	NP25BE-LF 1/2" PEX x 3/4" MPT	NP25BE-LF 1/2" PEX x 3/8" MF
NP25BE-LF 3/4" PEX x 3/4" MPT	NP25BE-LF 3/8" PEX x 1/2" MPT	NP25BE-LF 3/8" PEX x 3/8" MPT	

**Equal Coupling**

NP01-LF 1"	NP01-LF 1/2"	NP01-LF 3/4"	NP01-LF 3/8"
NP01-LF 5/8"			

**Equal Tee**

NP11 1 1/4" BRASS TEE NP11-LF (PX80860X)	NP11 1 1/4" DZR BRASS TEE BAG OF 10 (PX80860XR10)	NP11-LF 1 1/4"	NP11-LF 1"
NP11-LF 1/2"	NP11-LF 3/4"	NP11-LF 3/8"	

**Female Adapter**

NP26B 1 1/4" PEX x 1 1/4" FIP DZR NON-SVL ADPT (PX81315X)	NP26B-LF 1 1/4" Barb x 1 1/4" FPT	NP26B-LF 1" PEX x 1" FPT	NP26B-LF 1/2' PEX x 1/2" FP1
NP26B-LF 1/2" PEX x 1/8" FPT	NP26B-LF 1/2" PEX x 3/4" FPT	NP26B-LF 3/4" PEX x 1/2" FPT	NP26B-LF 3/4 PEX x 3/4" FP'
NP26B-LF 3/8" PEX x 1/2" FPT			

**Female Sweat**

NP23F-LF 1 1/4" PEX x 1 1/4"	NP23F-LF 1" PEX x 1"	NP23F-LF 1/2" PEX x 1/2"	NP23F-LF 1/2' PEX x 3/4"
NP23F-LF 3/4" PEX x 3/4"	NP23F-LF 5/8" PEX x 3/4"		

**Female Sweat Elbow**

NP22F-LF 1/2" PEX x 3/4"

NP22F-LF 3/4" PEX x 3/4"

NP22F-LF 5/8"  
PEX x 3/4"**In PEX Brass Tee**

NP11R-LF 1/2" x 1/2" x 3/8"

NP11R-LF 1/2" x 3/8" x 1/2"

NP11R-LF 3/4" x NP11R-LF 3/8'  
3/4" x 3/8" 3/8" x 3/8"**Male Adapter**

NP25B 1 1/4" PEX x 1 1/4" MIP DZR ADAPTER (PX81265X)

NP25B-LF 1 1/4" Barb x 1 1/4" MPT (2XABc55)

NP25B-LF 1 1/4" NP25B-LF 1"  
Barb x 1" MPT PEX x 1" MPT  
(2XABc54) (2XABc44)  
NP25B-LF 1/2" NP25B-LF 1/2'  
PEX x 3/4" MPT PEX x 3/8" MF  
NP25B-LF 3/8" NP25B-LF 3/8  
PEX x 1/2" MPT PEX x 3/8" MF

NP25B-LF 1" PEX x 3/4" MPT (2XABc43)

NP25B-LF 1/2" PEX x 1/2" MPT

NP25B-LF 3/4" PEX x 1/2" MPT (2XABc32)

NP25B-LF 3/4" PEX x 3/4" MPT (2XABc33)

**Male Sweat**

NP23 1 1/4" PEX x 1 1/4" MALE DZR SWT ADPT (PX81110X)

NP23-LF 1 1/4" Barb x 1 1/4"

NP23-LF 1" PEX NP23-LF 1/2"  
x 1" PEX x 1/2"  
NP23-LF 3/4" NP23-LF 5/8"  
PEX x 3/4" PEX x 3/4"

NP23-LF 1/2" PEX x 3/4"

NP23-LF 3/4" PEX x 1/2"

NP23F 1 1/4" PEX x 1 1/4" F DZR SWT ADAPTER (PX81145X)

**Male Sweat Elbow**

NP22-LF 1/2" PEX x 3/4"

NP22-LF 5/8" PEX x 3/4"

**Male Sweat PEX Brass Adapter**

NP23-LF 3/8" IN x 1/2"

**PEX Barb Coupling**

NP01 1 1/4" DZR BRASS COUPLING (PX80580X)

NP01R 1 1/4" x 1" DZR BRASS COUPLING (PX80600X)

NP01R 1 1/4" x  
3/4" DZR  
BRASS  
COUPLING  
(PX80590X)**PEX Brass Elbow**

NP22-LF 3/4" Male SWT x 3/4" IN

**PEX Brass Male Adapter**

NP25B-LF 3/4" x 1" MPT

**PEX TO Polybutylene**

5/8" OD x 3/4" MALE SWEAT adaptor (PX81600X)

**PEX Tee**

NP11R 1 1/4" x 1" x 1" BRASS TEE NP11R-LF (PX80880X)

NP11R 1 1/4" x 1" x 1" DZR BRASS TEE BAG OF 10  
(PX80880XR10)NP11R-LF 1 1/4" NP11R-LF 1 1/4'  
x 1 1/4" x 1" x 1 1/4" x 1/2"  
NP11R-LF 1" x NP11R-LF 1" x  
1/2" x 1" 1/2" x 3/4"

NP11R-LF 1 1/4" x 1 1/4" x 3/4"

NP11R-LF 1 1/4" x 1" x 1"

NP11R-LF 1" x 3/4" x 1/2"

**Reducing Coupling**

NP01R-LF 1/2" x 3/4" Reducing Coupling

NP01R-LF 3/4" x 1" Reducing Coupling

NP01R-LF 3/8"  
x 1/2" Reducing  
Coupling**Reducing Tee**

NP11R-LF 1" x 1" x 1/2"

NP11R-LF 1" x 1" x 3/4"

NP11R-LF 1" x NP11R-LF 1" x  
3/4" x 1" 3/4" x 3/4"  
NP11R-LF 3/4" x NP11R-LF 3/4'  
1/2" x 1/2" 1/2" x 3/4"

NP11R-LF 1/2" x 1/2" x 3/4"

NP11R-LF 1/2" x 3/8" x 3/8"

NP11R-LF 3/4" x 3/4" x 1"

NP11R-LF 3/4" x 3/4" x 1/2"

**Swivel**

NP26BS-LF 1" PEX x 1" FPT

NP27P-LF 1/2" PEX x 3/4" FPT

NP27P-LF 3/4" NP27P-LF 3/8'  
PEX x 3/4" FPT PEX x 1/2"

NP27P-LF 3/8" PEX x 3/8" FPT

**Swivel Cone Connection**

3/4" PEX x 3/4" FPT (PX02218X)

NP27B-LF 1/2" PEX x 1/2" FPT

NP27B-LF 1/2" NP27B-LF 3/4"  
PEX x 3/4" FPT PEX x 3/4" FP

NP27B-LF 3/8" PEX x 1/2" FPT

**Swivel w/ Brass Nut**

NP26BS-LF 1/2" PEX x 1/2" FPT

NP26BS-LF 1/2" PEX x 3/4" FPT

NP26BS-LF  
3/4" PEX x 3/4"  
FPT**Swivel w/ Plastic Nut**

NP26PS-LF 1/2" PEX x 1/2" FPT

NP26PS-LF 3/8" PEX x 1/2" FPT

NP26PS-LF  
3/8" PEX x 3/8"  
FPT**Test Plug**

NP18 1 1/4" DZR BRASS PLUG (PX81470X)

NP18-LF 1 1/4"

NP18-LF 1" NP18-LF 1/2"

NP18-LF 3/4"

NP18-LF 3/8"

# Figure numbers may have one of the following optional prefixes used to identify retail packaging requirements: UCP, U, UTP, USP, UPP, UP, UMP, UHP, UBP, PP, MPP, CP, MCP, C, CS, MCC, CL or CLC.

@ Product also complies to NSF/ANSI 372.

¢ Product is authorized to bear the cNSF and/or the cNSFus Mark.

\$ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

+++ Material complies with NSF/ANSI 61 health effects requirements when tested at temperatures up to and including Commercial Hot (180° F).

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

Fittings@ ¢ \$ +++ [G]

MLTPL

NIBCO

CSA B137.5

**Brass Elbow Female Thread**

NP26BE-LF 1/2" PEX x 1/2" FIP (2XAWc22)

NP26BE-LF 1/2" PEX x 3/4" FIP (2XAWc23)

**Brass Swivel Adapter**

NP44-LF 1/2" PEX x 7/8" Ballcock Swivel (2XAFc27)

@ Product also complies to NSF/ANSI 372.

¢ Product is authorized to bear the cNSF and/or the cNSFus Mark.

\$ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

+++ Material complies with NSF/ANSI 61 health effects requirements when tested at temperatures up to and including Commercial Hot (180° F).

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

Fittings# @ \$ +++ [G]

MLTPL

NIBCO

SE 7956**Brass 90 Degree Elbow**

NP07 1 1/4" Brass Elbow (PX80670D)

**Brass Coupling**

NP01 1 1/4" Brass Coupling (PX80580D)

NP01R 1 1/4" x 1" Brass Coupling (PX80600D)

NP01R 1 1/4" x  
3/4" Brass  
Coupling  
(PX80590D)

**Brass Female Adapter**

NP25B 1 1/4" PEX x 1 1/4" MIP Adapter (PX81265D)

NP26B 1 1/4" PEX x 1 1/4" FIP Non-SVL ADPT  
(PX81315D)**Brass Sweat Adapter**

NP23 1 1/4" PEX x 1 1/4" Male Sweat Adapter (PX81110D)

NP23F 1 1/4" PEX x 1 1/4" F Sweat Adapter (PX81145D)

NP23F 1" PEX x  
1" Female Sweat  
Adapter  
(PX81140D)**Brass Tee**

NP11 1 1/4" Brass Tee (PX80860D)

NP11R 1 1/4" x 1 1/4" x 1" Brass Tee (PX80870D)

NP11R 1 1/4" x  
1" x 1" Brass Tee  
(PX80880D)**Brass Test Plug**

NP18 1 1/4" Brass Plug (PX81470D)

**Female Sweat**

NP23F-LF 1 1/2 PEX x 1 1/2

NP23F-LF 2" PEX BARB X 2"

**Male Sweat**

NP23-LF 1 1/2" PEX x 1 1/2"

NP23-LF 2" PEX BARB x 1 1/2"

NP23-LF 2" PEX  
BARB x 2"**PEX Barb Adapter**

NP25B-LF 2" BARB X 2" MPT

**PEX Barb Coupling**

NP01-LF 1/2"

NP01-LF 2"

NP01R-LF 1 1/2" NP01R-LF 1 1/  
x 1 1/4" x 1"  
NP01R-LF 2" x 1 NP01R-LF 2" x  
1/4" 1"

NP01R-LF 1 1/2" x 3/4"

NP01R-LF 2" x 1 1/2"

**PEX Barb Elbow**

NP07-LF 2"

**PEX Barb Plug**

NP18-LF 2"

**PEX Barb Tee**

NP11-LF 1 1/2"

NP11-LF 2" x 2" x 2"

NP11R-LF 1 1/2" NP11R-LF 1 1/  
x 1 1/2" x 1 1/4" x 1 1/2" x 1"  
NP11R-LF 1 1/2" NP11R-LF 1 1/  
x 1 1/4" x 1 1/4" x 1 1/4" x 1"  
NP11R-LF 1 1/2" NP11R-LF 1 1/  
x 1" x 3/4" x 3/4" x 3/4"  
NP11R-LF 2" x 1 NP11R-LF 2" x  
1/2" x 1 1/4" 1/2" x 1"  
NP11R-LF 2" x NP11R-LF 2" x  
2" x 1 1/2" 2" x 1 1/4"  
NP11R-LF 2" x  
2" x 3/4"

NP11R-LF 1 1/2" x 1 1/2" x 1 1/2"

NP11R-LF 1 1/2" x 1 1/2" x 3/4"

NP11R-LF 1 1/2" x 1 1/4" x 3/4"

NP11R-LF 1 1/2" x 1" x 1"

NP11R-LF 1 1/4" x 1" x 3/4"

NP11R-LF 2" x 1 1/2" x 1 1/2"

NP11R-LF 2" x 1 1/2" x 3/4"

NP11R-LF 2" x 1 1/4" x 1 1/4"

NP11R-LF 2" x 2" x 1"

NP11R-LF 2" x 2" x 1/2"

**PEX Elbow**

NP07-LF 1 1/2"

**PEX Male Adapter**

NP25B-LF 1 1/2" BARB X 1 1/2" MPT

**Test Plug**

NP18-LF 1 1/2"

# Figure numbers may have one of the following optional prefixes used to identify retail packaging requirements: UCP, U, UTP, USP, UPP, UP, UMP, UHP, UBP, PP, MPP, CP, MCP, C, CS, MCC, CL or CLC.

@ Product also complies to NSF/ANSI 372.

\$ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the

manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

+++ Material complies with NSF/ANSI 61 health effects requirements when tested at temperatures up to and including Commercial Hot (180° F).

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

## NIBCO INC.

1516 Middlebury Street  
Elkhart, IN 46516  
United States  
574-295-3445

**Facility : # 3 USA**

### Potable Water - Pipe and Fittings

Product Type	Material Type	Trade Name	Product Standard
<i>Fittings*</i>	<i>SS T304</i>	<i>NP51</i>	<i>ASTM F2098</i>
3/8"	1/2"	5/8"	3/4"
1"			

\* Fittings may be marked with metric size designation.

## MP Mechanical Plumbing Products

## NIBCO INC.

World Headquarters  
1516 Middlebury Street  
Elkhart, IN 46516-4740  
United States  
574-295-3000

Visit this company's website (<http://www.nibco.com>)

(<http://www.nibco.com>)

**Facility : Stuarts Draft, VA**

Product Type	Material Type	Trade Name	Product Standard
<i>Fittings! § 4 +++ [G]</i>	<i>MLTPL</i>	<i>NIBCO</i>	<i>ASME B16.51</i>
<b>PC612 Press x Press x F Tee</b>			
3/4" x 3/4" x 1/4"	1" x 1" x 3/4"	1 1/4" x 1 1/4"	1 1/4" x 1 1/4" x 1/2"
1 1/2" x 1 1/2" x 3/4"	2" x 2" x 3/4"		3/4"

! Product is exempt from bearing the PS 117 performance standard.

§ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

¿ All Listed Products from this facility are NSF Certified, whether or not they bear the NSF Mark.

+++ Material complies with NSF/ANSI 61 health effects requirements when tested at temperatures up to and including Commercial Hot (180° F).

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state

<i>Fittings! § 6.1.1 [G]</i>	<i>MLTPL</i>	<i>NIBCO</i>	<i>ASME B16.51</i>
<b>PC600-2 Ftg x Press Reducer</b>			
1/2" x 1/2"	3/4" x 1/2"	3/4" x 3/4"	1" x 1/2"
1" x 3/4"	1" x 1"	1 1/4" x 3/4"	1 1/4" x 1"
1 1/4" x 1 1/4"	1 1/2" x 1/2"	1 1/2" x 3/4"	1 1/2" x 1"
1 1/2" x 1 1/4"	1 1/2" x 1 1/2"	2" x 1/2"	2" x 3/4"
2" x 1"	2" x 1 1/4"	2" x 1 1/2"	2" x 2"
<b>PC600-DS Dimple Stop Press x Press Coupling</b>			
1/2"	3/4"	1"	1 1/4"
1 1/2"	2"		
<b>PC600-R Press x Press Reducing Coupling</b>			
3/4" x 1/2"	1" x 3/4"	1" x 1/2"	1 1/4" x 3/4"
1 1/4" x 1"	1 1/2" x 3/4"	1 1/2" x 1"	1 1/2" x 1 1/4"
2" x 3/4"	2" x 1"	2" x 1 1/4"	2" x 1 1/2"
<b>PC601 Press x Press Repair Coup (No Stop)</b>			
1/2"	3/4"	1"	1 1/4"
1 1/2"	2"		
<b>PC603 Press x F Adapter</b>			
1/2"	1/2" x 3/8"	1/2" x 3/4"	3/4"
3/4" x 1/2"	1"	1" x 1/2"	1" x 3/4"
1" x 1 1/4"	1 1/4"	1 1/4" x 1"	1 1/4" x 1 1/2"
1 1/2"	1 1/2" x 3/4"	1 1/2" x 1 1/4"	2"
<b>PC604 Press x M Adapter</b>			
1/2"	1/2" x 3/8"	1/2" x 3/4"	3/4"
3/4" x 1/2"	1"	1" x 3/4"	1" x 1 1/4"
1 1/4"	1 1/4" x 1"	1 1/4" x 1 1/2"	1 1/2"
1 1/2" x 1 1/4"	2"		
<b>PC604P Pex x Press Adapter</b>			
1" x 1"	1/2" x 1/2"	1/2" x 3/4"	3/4" x 1/2"
3/4" x 3/4"			
<b>PC606 Press x Press 45° Elbow</b>			
1/2"	3/4"	1"	1 1/4"
1 1/2"	2"		
<b>PC606-2 Ftg x Press 45° Elbow</b>			
1/2"	3/4"	1"	1 1/4"
1 1/2"	2"		
<b>PC607 Press x Press 90° Elbow</b>			
1/2"	3/4"	1"	1 1/4"
1 1/2"	2"		
<b>PC607-2 Ftg x Press 90° Elbow</b>			
1/2"	3/4"	1"	1 1/4"
1 1/2"	2"		
<b>PC607-3 Press x F 90° Elbow</b>			
1/2"	3/4"	1"	1 1/4"
1 1/2"	2"	1/2" x 3/4"	1/2" x 3/8"
3/4" x 1/2"			
<b>PC607-4 Press x M 90° Elbow</b>			
1/2"	3/4"	1"	1 1/4"
1 1/2"	2"	1/2" x 3/4"	3/4" x 1/2"
<b>PC607-R Press x M 90° Elbow</b>			
3/4" x 1/2"			

**PC611 Press x Press x Press Tee**

1/2"	1/2" x 1/2" x 3/4"	1/2" x 1/2" x 3/4"
3/4" x 1/2" x 1/2"	3/4" x 1/2" x 3/4"	3/4" x 3/4" x 3/4" x 1/2"
1"	1" x 1/2" x 1"	1" x 3/4" x 1" x 3/4" x 3/4"
1" x 3/4" x 1"	1" x 1" x 1/2"	1" x 1" x 3/4" x 1" x 1/4"
1 1/4"	1 1/4" x 1" x 3/4"	1 1/4" x 1" x 1" x 1/4" x 1/2"
1 1/4" x 1 1/4" x 3/4"	1 1/4" x 1 1/4" x 1"	1 1/2" x 1 1/2" x 1/2" x 1/2"
1 1/2" x 3/4" x 3/4"	1 1/2" x 1" x 3/4"	1 1/2" x 1" x 1" x 1 1/2" x 1/2"
1 1/2" x 1 1/2" x 1"	1 1/2" x 1 1/4" x 1 1/4"	1 1/2" x 1 1/2" x 1 1/2" x 1/2"
1 1/2" x 1 1/2" x 1"	1 1/2" x 1 1/2" x 1 1/4"	2" x 1/2" x 2"
2" x 1" x 1"	2" x 1" x 2"	1" x 1 1/4" x 1" x 1 1/2" x 1/4"
2" x 1 1/2" x 1"	2" x 1 1/2" x 1 1/4"	2" x 1 1/2" x 1" x 2" x 1/2"
2" x 2" x 3/4"	2" x 2" x 1"	2" x 2" x 1" x 1/2" x 1/4"

**PC617 Press Tube Cap**

1/2"	3/4"	1"	1 1/4"
1 1/2"	2"		

**PC633 Press x Press Union**

1/2"	3/4"	1"	1 1/4"
1 1/2"	2"		

**PC633-3 Press x F Union**

1/2"	3/4"	1"	1 1/4"
1 1/2"	2"		

**PC633-4 Press x M Union**

1/2"	3/4"	1"	1 1/4"
1 1/2"	2"		

**PC636 Press x Press Crossover Coup**

1/2"	3/4"
------	------

**PC695 Press x Ftg x Press 1 Outlet Manifold**

1" x 1" x 1/2"

**PC696 Press x Ftg x Press 3 Outlet Manifold**

1" x 1" x 1/2"

! Product is exempt from bearing the PS 117 performance standard.

§ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

¿ All Listed Products from this facility are NSF Certified, whether or not they bear the NSF Mark.

+++ Material complies with NSF/ANSI 61 health effects requirements when tested at temperatures up to and including Commercial Hot (180° F).

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

Fittings! § ¿ +++ [G]

MLTPL

NIBCO

IAPMO PS-117

**PC707-3-5 Prs x F 90° Drop Elbow**

1/2"	3/4"
------	------

**PC707-3-5A Prs x Prs 90° High Ear**

1/2"

! Product is exempt from bearing the PS 117 performance standard.

§ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

¿ All Listed Products from this facility are NSF Certified, whether or not they bear the NSF Mark.

+++ Material complies with NSF/ANSI 61 health effects requirements when tested at temperatures up to and including Commercial Hot (180° F).

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

*Fittings! § ¿ +++ [G]**MLTPL**NIBCO**IAPMO PS-117***PC603 Press x F Adapter**

1/2" x 3/8"

1" x 1/2"

1" x 1 1/4"

1 1/2" x 3/4"

1 1/4" x 1 1/2"

**PC604 Press x M Adapter**

1/2" x 3/8"

! Product is exempt from bearing the PS 117 performance standard.

§ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

¿ All Listed Products from this facility are NSF Certified, whether or not they bear the NSF Mark.

+++ Material complies with NSF/ANSI 61 health effects requirements when tested at temperatures up to and including Commercial Hot (180° F).

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

*Fittings! § ¿ +++ [G]**MLTPL**NIBCO**IAPMO PS-117***PC607-3 Press x F 90° Elbow**

1/2"

3/4"

1"

1 1/4"

1 1/2"

2"

1/2" x 3/4"

1/2" x 3/8"

3/4" x 1/2"

**PC607-4 Press x M 90° Elbow**

1/2"

3/4"

1"

1 1/4"

1 1/2"

2"

1/2" x 3/4"

3/4" x 1/2"

**PC612 Press x Press x F Tee**

1/2"

2" x 2" x 3/4"

1" x 1" x 1/2"

1" x 1" x 3/4"

1 1/2" x 1 1/2" x 1/2"

1 1/2" x 1 1/2" x 3/4"

1 1/4" x 1 1/4"

1 1/4" x 1 1/4" x 1/2"

3/4"

2" x 2" x 1/2"

3/4" x 3/4" x 1/2"

3/4" x 3/4" x 1/4"

! Product is exempt from bearing the PS 117 performance standard.

§ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

¿ All Listed Products from this facility are NSF Certified, whether or not they bear the NSF Mark.

+++ Material complies with NSF/ANSI 61 health effects requirements when tested at temperatures up to and including Commercial Hot (180° F).

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

*Fittings! § 6000 [G]*

*MLTPL*

*NIBCO*

*IAPMO PS-117*

**PC600-2 Ftg x Press Reducer**

1 1/2" x 1 1/2"	1 1/4" x 1 1/4"	1" x 1"	1/2" x 1/2"
2" x 1/2" x 1/2"	2" x 1/2" x 1"	2" x 1/2" x 1 1/4"	2" x 1/2" x 2"
2" x 2"	3/4" x 3/4"	1 1/4" x 1"	1 1/4" x 3/4"
1" x 1/2"	1" x 3/4"	1 1/2" x 1"	1 1/2" x 1/2"
1 1/2" x 1 1/4"	1 1/2" x 3/4"	2" x 1"	2" x 1/2"
2" x 1 1/2"	2" x 1 1/4"	2" x 3/4"	3/4" x 1/2"
3" x 1 1/4"	3" x 1 1/2"	3" x 2"	3" x 2 1/2"
4" x 2"	4" x 2 1/2"	4" x 3"	

**PC600-DS Press x Press Coupling**

1/2"	3/4"	1"	1 1/4"
1 1/2"	2"	2 1/2"	3"
4"			

**PC600-R Press x Press Reducing Coupling**

3/4" x 1/2"	1" x 1/2"	1" x 3/4"	1 1/4" x 3/4"
1 1/4" x 1"	1 1/2" x 1"	1 1/2" x 1 1/4"	1 1/2" x 3/4"
2" x 1"	2" x 1 1/2"	2" x 1 1/4"	2" x 3/4"
2 1/2" x 1"	2 1/2" x 1 1/4"	2 1/2" x 1 1/2"	2 1/2" x 2"
3" x 1 1/2"	3" x 2"	3" x 2 1/2"	4" x 2"
4" x 2 1/2"	4" x 3"		

**PC600-RS Roll Stop Press x Press Coupling**

2 1/2"	3"	4"	
--------	----	----	--

**PC601 Press x Press Repair Coup (No Stop)**

1/2"	3/4"	1"	1 1/4"
1 1/2"	2"	2 1/2"	3"
4"			

**PC603 Press x F Adapter**

1/2"	1/2" x 3/8"	3/4"	1"
1" x 1/2"	1" x 1 1/4"	1 1/4"	1 1/4" x 1 1/2"
1 1/2" x 3/4"	1 1/2"	2"	2 1/2"
1 1/4" x 1"	1" x 3/4"	1/2" x 3/4"	1 1/2" x 1 1/4"
3/4" x 1/2"	3"	4"	

**PC604 Press x M Adapter**

1/2"	1/2" x 3/8"	1/2" x 3/4"	3/4"
3/4" x 1/2"	1"	1" x 3/4"	1" x 1 1/4"
1 1/4"	1 1/4" x 1 1/2"	1 1/4" x 1"	1 1/2"
1 1/2" x 1 1/4"	2"	2 1/2"	3"
4"			

**PC604P Pex x Press Adapter**

1" x 1"	1/2" x 1/2"	1/2" x 3/4"	3/4" x 1/2"
3/4" x 3/4"			

**PC606 Press x Press 45° Elbow**

1/2"	3/4"	1"	1 1/4"
1 1/2"	2"	2 1/2"	3"
4"			

**PC606-2 Ftg x Press 45° Elbow**

1/2"	3/4"	1"	1 1/4"
1 1/2"	2"	2 1/2"	3"
4"			

**PC607 Press x Press 90° Elbow**

1/2"	3/4"	1"	1 1/4"
1 1/2"	2 1/2"	2"	3"
4"			
<b>PC607-2 Ftg x Press 90° Elbow</b>			
1/2"	3/4"	1"	1 1/4"
1 1/2"	2"		
<b>PC607-2-LT Ftg x Press 90° Long Turn Elbow</b>			
2 1/2"			
<b>PC607-2-LT Ftg x Press 90° Long Turn Elbow</b>			
3/4" x 3/4" x 1/4"	1" x 1" x 3/4"		
<b>PC607-2-LT Ftg x Press 90° Long Turn Elbow</b>			
3"			
<b>PC607-2-LT Ftg x Press 90° Long Turn Elbow</b>			
1 1/4" x 1 1/4" x 1/2"	1 1/4" x 1 1/4" x 3/4"	2 1/2" x 2 1/2" 2 1/2" x 2 1/2"	
3" x 3" x 3/4"	3" x 3" x 2"	x 3/4" x 2"	
		4" x 4" x 3/4" 4" x 4" x 2"	
<b>PC607-LT Press x Press 90° Long Turn Elbow</b>			
2 1/2"	3"	4"	
<b>PC607-R Press x M 90° Elbow</b>			
3/4" x 1/2"			
<b>PC611 Press Tee</b>			
1/2"	1/2" x 1/2" x 3/4"	1/2" x 1/2" x 3/4"	
3/4" x 1/2" x 1/2"	3/4" x 1/2" 3/4"	1"	
1"	1" x 1/2" x 1"	3/4" x 3/4" x 3/4" x 3/4" x 1"	
1" x 3/4" x 1"	1" x 1" x 1/2"	1/2"	
1 1/4"	1 1/2"	1" x 3/4" x 1" x 1/2"	
1 1/2" x 1" x 1 1/2"	1 1/2" x 1" x 3/4"	1" x 3/4" x 1/2"	
1 1/2" x 1 1/2" x 1/2"	1 1/2" x 1 1/2" x 1 1/4"	3/4"	
1 1/2" x 1 1/4" x 1 1/4"	1 1/2" x 3/4" x 3/4"	1" x 1" x 3/4" 1" x 1" x 1 1/4"	
1 1/4" x 1 1/4" x 1"	1 1/4" x 1 1/4" x 1/2"	2" 1 1/2" x 1" x 1"	
2" x 1" x 2"	2" x 1/2" x 2"	1 1/2" x 1 1/2" x 1 1/2" x 1 1/2" x 1"	
2" x 1 1/2" x 1 1/4"	2" x 1 1/2" x 3/4"	1 1/2" x 1 1/2" x 1 1/2" x 1 1/2" x 1"	
2" x 2" x 1/2"	2" x 2" x 1 1/2"	1 1/2" x 1 1/2" x 1 1/2" x 1 1/2" x 1"	
2 1/2"	2 1/2" x 3/4" x 2 1/2"	1 1/2" x 1 1/2" x 1 1/2" x 1 1/2" x 1"	
2 1/2" x 1 1/2" x 2 1/2"	2 1/2" x 2" x 3/4"	1 1/2" x 1 1/2" x 1 1/2" x 1 1/2" x 1"	
2 1/2" x 2" x 2"	2 1/2" x 2" x 2 1/2"	1 1/2" x 1 1/2" x 1 1/2" x 1 1/2" x 1"	
2 1/2" x 2 1/2" x 1"	2 1/2" x 2 1/2" x 1 1/4"	1 1/2" x 1 1/2" x 1 1/2" x 1 1/2" x 1"	
3"	3" x 3/4" x 3"	1 1/2" x 1 1/2" x 1 1/2" x 1 1/2" x 1"	
3" x 1 1/2" x 3"	3" x 2" x 2"	1 1/2" x 1 1/2" x 1 1/2" x 1 1/2" x 1"	
3" x 2" x 2 1/2"	3" x 2 1/2" x 2 1/2"	1 1/2" x 1 1/2" x 1 1/2" x 1 1/2" x 1"	
3" x 3" x 3/4"	3" x 3" x 1"	1 1/2" x 1 1/2" x 1 1/2" x 1 1/2" x 1"	
3" x 3" x 2"	3" x 3" x 2 1/2"	1 1/2" x 1 1/2" x 1 1/2" x 1 1/2" x 1"	
4" x 2 1/2" x 4"	4" x 3" x 2"	1 1/2" x 1 1/2" x 1 1/2" x 1 1/2" x 1"	
4" x 3" x 4"	4" x 4" x 3/4"	1 1/2" x 1 1/2" x 1 1/2" x 1 1/2" x 1"	
4" x 4" x 1 1/4"	4" x 4" x 1 1/2"	1 1/2" x 1 1/2" x 1 1/2" x 1 1/2" x 1"	
4" x 4" x 3"		1 1/2" x 1 1/2" x 1 1/2" x 1 1/2" x 1"	

**PC617 Press Tube Cap**

1/2"	3/4"	1"	1 1/4"
1 1/2"	2"		

**PC633 Press x Press Union**

1/2"	3/4"	1"	1 1/4"
1 1/2"	2"		

**PC633-3 Press x F Union**

1/2"	3/4"	1"	1 1/4"
1 1/2"	2"		

**PC633-4 Press x M Union**

1/2"	3/4"	1"	1 1/4"
1 1/2"	2"		

**PC636 Press x Press Crossover Coup**

1/2"	3/4"
------	------

**PC641 Press Flange Adapter**

2 1/2"	3"	4"
--------	----	----

**PC695 Press x Ftg x Press 1 Outlet Manifold**

1" x 1" x 1/2"

**PC696 Press x Ftg x Press 3 Outlet Manifold**

1" x 1" x 1/2"

! Product is exempt from bearing the PS 117 performance standard.

\$ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

ç All Listed Products from this facility are NSF Certified, whether or not they bear the NSF Mark.

+++ Material complies with NSF/ANSI 61 health effects requirements when tested at temperatures up to and including Commercial Hot (180° F).

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

**Facility :** Reynosa, Tamaulipas, Mexico

Product Type	Material Type	Trade Name	Product Standard
<i>Fittings! \$ ç +++ [G]</i>	<i>Brass</i>	<i>NIBCO</i>	<i>IAPMO PS-117</i>

**PC707-3-5 Press x F 90° Drop Elbow**

1/2"

**PC707-3-5 Press x F 90° Drop Elbow**

3/4"

**PC707-3-5A Prs x Prs 90° High Ear**

1/2"

! Product is exempt from bearing the PS 117 performance standard(s).

\$ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

ç All Listed products from this facility are NSF Certified, whether or not they bear the NSF Mark.

+++ Material complies with NSF/ANSI 61 health effects requirements when tested at temperatures up to and including Commercial Hot (180° F).

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

NOTE: NSF has not conducted production control audits at this facility. Product Listing is based on type testing [ISO/IEC Guide 2: 1996(E/F/R) 14.5].

---

Number of matching Manufacturers is 8

Number of matching Products is 3360

Processing time was 2 seconds